

- Abbott, M.B., Edwards, M.E., and Finney, B.P., 2010, A 40,000-yr record of environmental change from Burial Lake in Northwest Alaska: *Quaternary Research*, v. 74, no. 1, p. 156–165, doi: 10.1016/j.yqres.2010.03.007.
- Abels, H.A., Clyde, W.C., Gingerich, P.D., Hilgen, F.J., Fricke, H.C., Bowen, G.J., and Lourens, L.J., 2012, Terrestrial carbon isotope excursions and biotic change during Palaeogene hyperthermals: *Nature Geoscience*, v. 5, no. 5, p. 326–329, doi: 10.1038/ngeo1427.
- Adam, D.P., Sims, J.D., and Throckmorton, C.K., 1981, 130,000-yr continuous pollen record from Clear Lake, Lake County, California: *Geology*, v. 9, no. 8, p. 373, doi: 10.1130/0091-7613(1981)9<373:YCPRFC>2.0.CO;2.
- Ahlberg, K., Almgren, E., Wright Jr, H.E., and Ito, E., 2001, Holocene stable-isotope stratigraphy at Lough Gur, County Limerick, Western Ireland: *The Holocene*, v. 11, no. 3, p. 367–372, doi: 10.1191/095968301674434407.
- AHLBERG, K., ALMGREN, E., WRIGHT, H.E., ITO, E., and HOBBIE, S., 2008, Oxygen-isotope record of Late-Glacial climatic change in western Ireland: *Boreas*, v. 25, no. 4, p. 257–267, doi: 10.1111/j.1502-3885.1996.tb00641.x.
- Alin, S.R., and Johnson, T.C., 2007, Carbon cycling in large lakes of the world: A synthesis of production, burial, and lake-atmosphere exchange estimates: *Global Biogeochemical Cycles*, v. 21, no. 3, p. n/a-n/a, doi: 10.1029/2006GB002881.
- Almendinger, J.E., Murphy, M.S., and Ulrich, J.S., 2014, Use of the soil and water assessment tool to scale sediment delivery from field to watershed in an agricultural landscape with topographic depressions.: *Journal of environmental quality*, v. 43, no. 1, p. 9–17, doi: 10.2134/jeq2011.0340.
- Anderson, L., Abbott, M.B., Finney, B.P., and Burns, S.J., 2005, Regional atmospheric circulation change in the North Pacific during the Holocene inferred from lacustrine carbonate oxygen isotopes, Yukon Territory, Canada: *Quaternary Research*, v. 64, no. 1, p. 21–35.
- Anderson, L., 2011, Holocene record of precipitation seasonality from lake calcite  $\delta^{18}O$  in the central Rocky Mountains, United States: *Geology*, v. 39, no. 3, p. 211–214, doi: 10.1130/G31575.1.
- Anderson, L., 2012, Rocky Mountain hydroclimate: Holocene variability and the role of insolation, ENSO, and the North American Monsoon: *Global and Planetary Change*, v. 92–93, p. 198–208, doi: 10.1016/j.gloplacha.2012.05.012.
- Anderson, L., Berkelhammer, M., Barron, J.A., Steinman, B.A., Finney, B.P., and Abbott, M.B., 2016, Lake oxygen isotopes as recorders of North American Rocky Mountain hydroclimate: Holocene patterns and variability at multi-decadal to millennial time scales: *Global and Planetary Change*, v. 137, p. 131–148, doi: 10.1016/j.gloplacha.2015.12.021.

- Anderson, L., Brunelle, A., and Thompson, R.S., 2015, A multi-proxy record of hydroclimate, vegetation, fire, and post-settlement impacts for a subalpine plateau, central Rocky Mountains, U.S.A: *The Holocene*, v. 25, no. 6, p. 932–943, doi: 10.1177/0959683615574583.
- Andreev, A.A., Tarasov, P.E., Wennrich, V., Raschke, E., Herzsuh, U., Nowaczyk, N.R., Brigham-Grette, J., and Melles, M., 2014, Late Pliocene and Early Pleistocene vegetation history of northeastern Russian Arctic inferred from the Lake El'gygytgyn pollen record: *Climate of the Past*, v. 10, no. 3, p. 1017–1039, doi: 10.5194/cp-10-1017-2014.
- Anger, C.T., Sueper, C., Blumentritt, D.J., McNeill, K., Engstrom, D.R., and Arnold, W.A., 2013, Quantification of Triclosan, Chlorinated Triclosan Derivatives, and their Dioxin Photoproducts in Lacustrine Sediment Cores: *Environmental Science & Technology*, v. 47, no. 4, p. 1833–1843, doi: 10.1021/es3045289.
- Anselmetti, F.S.S., Ariztegui, D., Hodell, D.A.A., Hillesheim, M.B.B., Brenner, M., Gilli, A., McKenzie, J.A.A., and Mueller, A.D.D., 2006, Late Quaternary climate-induced lake level variations in Lake Petén Itzá, Guatemala, inferred from seismic stratigraphic analysis: *Palaeogeography, Palaeoclimatology, Palaeoecology*, v. 230, no. 1–2, p. 52–69, doi: 10.1016/j.palaeo.2005.06.037.
- Anthony, K.M.W., Zimov, S.A., Grosse, G., Jones, M.C., Anthony, P.M., Iii, F.S.C., Finlay, J.C., Mack, M.C., Davydov, S., Frenzel, P., and Frolking, S., 2014, A shift of thermokarst lakes from carbon sources to sinks during the Holocene epoch: *Nature*, v. 511, no. 7510, p. 452–456, doi: 10.1038/nature13560  
<http://www.nature.com/nature/journal/v511/n7510/abs/nature13560.html#supplementary-information>.
- Aranbarri, J., González-Sampériz, P., Valero-Garcés, B., Moreno, A., Gil-Romera, G., Sevilla-Callejo, M., García-Prieto, E., Di Rita, F., Mata, M.P., Morellón, M., Magri, D., Rodríguez-Lázaro, J., and Carrión, J.S., 2014, Rapid climatic changes and resilient vegetation during the Lateglacial and Holocene in a continental region of south-western Europe: *Global and Planetary Change*, v. 114, p. 50–65, doi: <http://dx.doi.org/10.1016/j.gloplacha.2014.01.003>.
- Armstrong, J.C., Breckenridge, R.P., Nielson, D.L., Shervais, J.W., and Wood, T.R., 2013, Mountain Home Air Force Base, Idaho Geothermal Resource Assessment and Future Recommendations: RPRT.
- Axford, Y., Andresen, C.S., Andrews, J.T., Belt, S.T., Geirsdóttir, Á., Massé, G., Miller, G.H., Ólafsdóttir, S., and Vare, L.L., 2011, Do paleoclimate proxies agree? A test comparing 19 late Holocene climate and sea-ice reconstructions from Icelandic marine and lake sediments: *Journal of Quaternary Science*, v. 26, no. 6, p. 645–656, doi: 10.1002/jqs.1487.
- Axford, Y., Briner, J.P., Cooke, C.A., Francis, D.R., Michelutti, N., Miller, G.H., Smol, J.P., Thomas, E.K., Wilson, C.R., and Wolfe, A.P., 2009, Recent changes in a remote Arctic lake

are unique within the past 200,000 years: *Proceedings of the National Academy of Sciences*, v. 106, no. 44, p. 18443–18446, doi: 10.1073/pnas.0907094106.

Axford, Y., Briner, J.P., Miller, G.H., and Francis, D.R., 2009, Paleocological evidence for abrupt cold reversals during peak Holocene warmth on Baffin Island, Arctic Canada: *Quaternary Research*, v. 71, no. 2, p. 142–149, doi: 10.1016/j.yqres.2008.09.006.

Axford, Y., Geirsdottir, A., Miller, G.H., Langdon, P.G., Geirsdóttir, Á., Miller, G.H., and Langdon, P.G., 2008, Climate of the Little Ice Age and the past 2000 years in northeast Iceland inferred from chironomids and other lake sediment proxies: *Journal of Paleolimnology*, v. 41, no. 1, p. 7–24, doi: 10.1007/s10933-008-9251-1.

Axford, Y., Miller, G.H., Geirsdóttir, Á., and Langdon, P.G., 2007, Holocene temperature history of northern Iceland inferred from subfossil midges: *Quaternary Science Reviews*, v. 26, no. 25–28, p. 3344–3358, doi: 10.1016/j.quascirev.2007.09.003.

Bailey, H.L., Henderson, A.C.G., Sloane, H.J., Snelling, A., Leng, M.J., and Kaufman, D.S., 2014, The effect of species on lacustrine  $\delta^{18}\text{O}$  diatom and its implications for palaeoenvironmental reconstructions: *Journal of Quaternary Science*, v. 29, no. 4, p. 393–400, doi: 10.1002/jqs.2711.

Baker, P.A., Fritz, S.C., Garland, J., and Ekdahl, E., 2005, Holocene hydrologic variation at Lake Titicaca, Bolivia/Peru, and its relationship to North Atlantic climate variation: *Journal of Quaternary Science*, v. 20, no. 7–8, p. 655–662, doi: 10.1002/jqs.987.

Baker, P.A., Fritz, S.C., Silva, C.G., Rigsby, C.A., Absy, M.L., Almeida, R.P., Caputo, M., Chiessi, C.M., Cruz, F.W., Dick, C.W., Feakins, S.J., Figueiredo, J., Freeman, K.H., Hoorn, C., et al., 2015, Trans-Amazon Drilling Project (TADP): origins and evolution of the forests, climate, and hydrology of the South American tropics: *Scientific Drilling*, v. 20, p. 41–49, doi: 10.5194/sd-20-41-2015.

Baker, P.A., and Fritz, S.C., 2015, Nature and causes of Quaternary climate variation of tropical South America: *Quaternary Science Reviews*, v. 124, p. 31–47, doi: <http://dx.doi.org/10.1016/j.quascirev.2015.06.011>.

Balascio, N.L., D'Andrea, W.J., and Bradley, R.S., 2015, Glacier response to North Atlantic climate variability during the Holocene: *Clim. Past*, v. 11, no. 12, p. 1587–1598, doi: 10.5194/cp-11-1587-2015.

Balascio, N.L., D'Andrea, W.J., Bradley, R.S., and Perren, B.B., 2013, Biogeochemical evidence for hydrologic changes during the Holocene in a lake sediment record from southeast Greenland: *The Holocene*.

Balch, D.P., Cohen, A.S., Schnurrenberger, D.W., Haskell, B.J., Valero Garces, B.L., Beck, J.W., Cheng, H., and Edwards, R.L., 2005, Ecosystem and paleohydrological response to Quaternary climate change in the Bonneville Basin, Utah: *Palaeogeography*,

Palaeoclimatology, Palaeoecology, v. 221, no. 1–2, p. 99–122, doi: 10.1016/j.palaeo.2005.01.013.

- Ballantyne, A.P., Axford, Y., Miller, G.H., Otto-Bliesner, B.L., Rosenbloom, N., and White, J.W.C., 2013, The amplification of Arctic terrestrial surface temperatures by reduced sea-ice extent during the Pliocene: *Palaeogeography, Palaeoclimatology, Palaeoecology*, , no. 0, doi: <http://dx.doi.org/10.1016/j.palaeo.2013.05.002>.
- Balogh, S.J., Triplett, L.D., Engstrom, D.R., and Nollet, Y.H., 2010, Historical trace metal loading to a large river recorded in the sediments of Lake St. Croix, USA: *Journal of Paleolimnology*, v. 44, no. 2, p. 517–530, doi: 10.1007/s10933-010-9434-4.
- Bao, R., Hernández, A., Sáez, A., Giralt, S., Prego, R., Pueyo, J.J., Moreno, A., and Valero-Garcés, B.L., 2015, Climatic and lacustrine morphometric controls of diatom paleoproductivity in a tropical Andean lake: *Quaternary Science Reviews*, v. 129, p. 96–110, doi: <http://dx.doi.org/10.1016/j.quascirev.2015.09.019>.
- Barron, J.A., Bukry, D., and Hendy, I.L., 2014, High-resolution paleoclimatology of the Santa Barbara Basin during the Medieval Climate Anomaly and early Little Ice Age based on diatom and silicoflagellate assemblages in Kasten core SPR0901-02KC: *Quaternary International*, , no. 0, doi: <http://dx.doi.org/10.1016/j.quaint.2014.04.020>.
- Barron, J.A., and Anderson, L., 2011, Enhanced Late Holocene ENSO/PDO expression along the margins of the eastern North Pacific: *Quaternary International*, v. 235, no. 1–2, p. 3–12, doi: 10.1016/j.quaint.2010.02.026.
- Beal, S.A., Jackson, B.P., Kelly, M.A., Stroup, J.S., and Landis, J.D., 2013, Effects of historical and modern mining on mercury deposition in southeastern Peru.: *Environmental science & technology*, v. 47, no. 22, p. 12715–20, doi: 10.1021/es402317x.
- Beal, S.A., Kelly, M.A., Stroup, J.S., Jackson, B.P., Lowell, T. V., and Tapia, P.M., 2014, Natural and anthropogenic variations in atmospheric mercury deposition during the Holocene near Quelccaya Ice Cap, Peru: *Global Biogeochemical Cycles*, v. 28, no. 4, p. 437–450, doi: 10.1002/2013GB004780.
- Belmont, P., Gran, K.B., Schottler, S.P., Wilcock, P.R., Day, S.S., Jennings, C., Lauer, J.W., Viparelli, E., Willenbring, J.K., Engstrom, D.R., and Parker, G., 2011, Large shift in source of fine sediment in the upper Mississippi river.: *Environmental science & technology*, v. 45, no. 20, p. 8804–10, doi: 10.1021/es2019109.
- Benson, L., Lund, S., Negrini, R., Linsley, B., and Zic, M., 2003, Response of North American Great Basin Lakes to Dansgaard-Oeschger oscillations: *Quaternary Science Reviews*, v. 22, no. 21–22, p. 2239–2251.
- Berke, M.A., Johnson, T.C., Werne, J.P., Grice, K., Schouten, S., and Sinninghe Damsté, J.S., 2012, Molecular records of climate variability and vegetation response since the Late

- Pleistocene in the Lake Victoria basin, East Africa: *Quaternary Science Reviews*, v. 55, p. 59–74, doi: 10.1016/j.quascirev.2012.08.014.
- Berke, M.A., Johnson, T.C., Werne, J.P., Livingstone, D.A., Grice, K., Schouten, S., and Sinninghe Damsté, J.S., 2014, Characterization of the last deglacial transition in tropical East Africa: Insights from Lake Albert: *Palaeogeography, Palaeoclimatology, Palaeoecology*, v. 409, p. 1–8, doi: 10.1016/j.palaeo.2014.04.014.
- Berke, M.A., Johnson, T.C., Werne, J.P., Schouten, S., and Sinninghe Damsté, J.S., 2012, A mid-Holocene thermal maximum at the end of the African Humid Period: *Earth and Planetary Science Letters*, v. 351–352, p. 95–104, doi: 10.1016/j.epsl.2012.07.008.
- Beuning, K.R.M., Talbot, M.R., Livingstone, D.A., and Schmukler, G., 2003, Sensitivity of carbon isotopic proxies to paleoclimatic forcing: A case study from Lake Bosumtwi, Ghana, over the last 32,000 years: *Global Biogeochemical Cycles*, v. 17, no. 4, p. 32–1.
- Beuning, K.R.M.M., Zimmerman, K.A., Ivory, S.J., and Cohen, A.S., 2011, Vegetation response to glacial-interglacial climate variability near Lake Malawi in the southern African tropics: *Palaeogeography, Palaeoclimatology, Palaeoecology*, v. 303, no. 1–4, p. 81–92, doi: 10.1016/j.palaeo.2010.01.025.
- Beuning, K.R.M., and Russell, J.M., 2004, Vegetation and sedimentation in the Lake Edward Basin, Uganda–Congo during the late Pleistocene and early Holocene: *Journal of Paleolimnology*, v. 32, no. 1, p. 1–18, doi: 10.1023/B:JOPL.0000025253.51135.c4.
- Beuning, K.R.M., Talbot, M.R., and Kelts, K., 1997, A revised 30,000-year paleoclimatic and paleohydrologic history of Lake Albert, East Africa: *Palaeogeography, Palaeoclimatology, Palaeoecology*, v. 136, no. 1–4, p. 259–279, doi: 10.1016/S0031-0182(97)00034-5.
- Bhattacharya, R., Hausmann, S., Hubeny, J.B., Gell, P., and Black, J.L., 2016, Ecological response to hydrological variability and catchment development: Insights from a shallow oxbow lake in Lower Mississippi Valley, Arkansas: *Science of the Total Environment*, v. 569–570, doi: 10.1016/j.scitotenv.2016.06.174.
- Bird, B.W., Abbott, M.B., Finney, B.P., and Kutchko, B., 2009, A 2000 year varve-based climate record from the central Brooks Range, Alaska: *Journal of Paleolimnology*, v. 41, no. 1, p. 25–41, doi: 10.1007/s10933-008-9262-y.
- Bird, B.W., Abbott, M.B., Vuille, M., Rodbell, D.T., Stansell, N.D., and Rosenmeier, M.F., 2011, A 2,300-year-long annually resolved record of the South American summer monsoon from the Peruvian Andes: *Proceedings of the National Academy of Sciences of the United States of America*, v. 108, no. 21, p. 8583–8588, doi: 10.1073/pnas.1003719108.
- Bird, B.W., Abbott, M.B., Rodbell, D.T., and Vuille, M., 2011, Holocene tropical South American hydroclimate revealed from a decadal resolved lake sediment  $\delta^{18}\text{O}$  record:

Earth and Planetary Science Letters, v. 310, no. 3–4, p. 192–202, doi: 10.1016/j.epsl.2011.08.040.

- BLAIR, C.L., GEIRSDÓTTIR, Á., and MILLER, G.H., 2015, A high-resolution multi-proxy lake record of Holocene environmental change in southern Iceland: *Journal of Quaternary Science*, v. 30, no. 3, p. 281–292, doi: 10.1002/jqs.2780.
- Blome, M.W., Cohen, A.S., Tryon, C.A., Brooks, A.S., and Russell, J., 2012, The environmental context for the origins of modern human diversity: a synthesis of regional variability in African climate 150,000–30,000 years ago.: *Journal of Human Evolution*, v. 62, no. 5, p. 563–592, doi: <http://dx.doi.org/10.1016/j.jhevol.2012.01.011>.
- Blumentritt, D.J., and Lascu, I., 2014, A comparison of magnetic susceptibility measurement techniques and ferrimagnetic component analysis from recent sediments in Lake Pepin (USA): Geological Society, London, Special Publications, v. 414, no. 1, p. 197–207, doi: 10.1144/SP414.6.
- Blumentritt, D.J., Wright, H.E., and Stefanova, V., 2009, Formation and early history of Lakes Pepin and St. Croix of the upper Mississippi River: *Journal of Paleolimnology*, v. 41, no. 4, p. 545–562, doi: 10.1007/s10933-008-9291-6.
- Blumentritt, D.J., Engstrom, D.R., and Balogh, S.J., 2013, A novel repeat-coring approach to reconstruct recent sediment, phosphorus, and mercury loading from the upper Mississippi River to Lake Pepin, USA: *Journal of Paleolimnology*, v. 50, no. 3, p. 293–304, doi: 10.1007/s10933-013-9724-8.
- Boldt, B.R., Kaufman, D.S., McKay, N.P., and Briner, J.P., 2015, Holocene summer temperature reconstruction from sedimentary chlorophyll content, with treatment of age uncertainties, Kurupa Lake, Arctic Alaska: *The Holocene*, v. 25, no. 4, p. 641–650, doi: 10.1177/0959683614565929.
- Boldt, B.R., Kaufman, D.S., McKay, N.P., and Briner, J.P., 2015, Holocene summer temperature reconstruction from sedimentary chlorophyll content, with treatment of age uncertainties, Kurupa Lake, Arctic Alaska: *The Holocene*, v. 25, no. 4, p. 641–650.
- Bootsma, H.A., Hecky, R.E., Johnson, T.C., Kling, H.J., and Mwita, J., 2003, Inputs, outputs, and internal cycling of silica in a large, tropical lake: *Journal of Great Lakes Research*, v. 29, no. SUPPL. 2, p. 121–138.
- Boroughs, S., Wolff, J., Bonnicksen, B., Godchaux, M., and Larson, P., 2005, Large-volume, low- $\delta^{18}\text{O}$  rhyolites of the central Snake River Plain, Idaho, USA: *Geology*, v. 33, no. 10, p. 821–824.
- BORRUEL-ABADÍA, V., GÓMEZ-PACCARD, M., LARRASOÑA, J.C., RICO, M., VALERO-GARCÉS, B., MORENO, A., JAMBRINA-ENRÍQUEZ, M., and SOTO, R., 2015, Late Pleistocene to Holocene palaeoenvironmental variability in the north-west

Spanish mountains: insights from a source-to-sink environmental magnetic study of Lake Sanabria: *Journal of Quaternary Science*, v. 30, no. 3, p. 222–234, doi: 10.1002/jqs.2773.

Bowen, G.J., Maibauer, B.J., Kraus, M.J., Rohl, U., Westerhold, T., Steimke, A., Gingerich, P.D., Wing, S.L., and Clyde, W.C., 2015, Two massive, rapid releases of carbon during the onset of the Palaeocene-Eocene thermal maximum: *Nature Geosci*, v. 8, no. 1, p. 44–47, doi: 10.1038/ngeo2316  
<http://www.nature.com/ngeo/journal/v8/n1/abs/ngeo2316.html#supplementary-information>.

Bowen, G.J., Maibauer, B.J., Kraus, M.J., Röhl, U., Westerhold, T., Steimke, A., Gingerich, P.D., Wing, S.L., and Clyde, W.C., 2014, Two massive, rapid releases of carbon during the onset of the Palaeocene–Eocene thermal maximum: *Nature Geoscience*, v. 8, no. 1, p. 44–47, doi: 10.1038/ngeo2316.

Bracht-Flyer, B., and Fritz, S.C., 2012, Synchronous climatic change inferred from diatom records in four western Montana lakes in the U.S. Rocky Mountains: *Quaternary Research*, v. 77, no. 3, p. 456–467, doi: 10.1016/j.yqres.2011.12.005.

Bradbury, J.P., 1997, A diatom record of climate and hydrology for the past 200 KA from Owens Lake, California with comparison to other Breat Basin records: *Quaternary Science Reviews*, v. 16, no. 2, p. 203–219.

Bradbury, J.P., and Forester, R.M., 2002, Environment and paleolimnology of Owens Lake, California: A record of climate and hydrology for the last 50,000 years: *Great Basin Aquatic Systems History*, p. 145–173.

Brahney, J., Ballantyne, A.P., Kociolek, P., Spaulding, S., Otu, M., Porwoll, T., and Neff, J.C., 2014, Dust mediated transfer of phosphorus to alpine lake ecosystems of the Wind River Range, Wyoming, USA: *Biogeochemistry*, v. 120, no. 1–3, p. 259–278, doi: 10.1007/s10533-014-9994-x.

Breckenridge, A., 2007, The Lake Superior varve stratigraphy and implications for eastern Lake Agassiz outflow from 10,700 to 8900 cal ybp (9.5-8.0 C-14 ka): *Palaeogeography Palaeoclimatology Palaeoecology*, v. 246, no. 1, p. 45–61, doi: 10.1016/j.palaeo.2006.10.026.

Breckenridge, A., Johnson, T.C., Beske-Diehl, S., and Mothersill, J.S., 2004, The timing of regional Lateglacial events and post-glacial sedimentation rates from Lake Superior: *Quaternary Science Reviews*, v. 23, no. 23–24, p. 2355–2367, doi: 10.1016/j.quascirev.2004.04.007.

Breckenridge, A., and Johnson, T.C., 2009, Paleohydrology of the upper Laurentian Great Lakes from the late glacial to early Holocene: *Quaternary Research*, v. 71, no. 3, p. 397–408, doi: 10.1016/j.yqres.2009.01.003.

- Breckenridge, A., Lowell, T. V., Fisher, T.G., and Yu, S., 2010, A late Lake Minong transgression in the Lake Superior basin as documented by sediments from Fenton Lake, Ontario: *Journal of Paleolimnology*, v. 47, no. 3, p. 313–326, doi: 10.1007/s10933-010-9447-z.
- Breckenridge, A., Lowell, T. V., Stroup, J.S., and Evans, G., 2012, A review and analysis of varve thickness records from glacial Lake Ojibway (Ontario and Quebec, Canada): *Quaternary International*, v. 260, no. 0, p. 43–54, doi: 10.1016/j.quaint.2011.09.031.
- Brigham-Grette, J., Melles, M., Minyuk, P., and Party, S., 2007, Overview and significance of a 250 ka paleoclimate record from El'gygytgyn Crater Lake, NE Russia: *Journal of Paleolimnology*, v. 37, no. 1, p. 1–16, doi: 10.1007/s10933-006-9017-6.
- Brigham-Grette, J., and Melles, M., 2009, Complex Drilling Logistics for Lake El'gygytgyn, NE Russia: *Scientific Drilling*, , no. 7, March 2009, p. 38–39, doi: 10.2204/iodp.sd.7.05.2009.
- Brigham-Grette, J., Melles, M., Minyuk, P., Andreev, A., Tarasov, P., DeConto, R., Koenig, S., Nowaczyk, N., Wennrich, V., Rosén, P., Haltia, E., Cook, T., Gebhardt, C., Meyer-Jacob, C., et al., 2013, Pliocene Warmth, Polar Amplification, and Stepped Pleistocene Cooling Recorded in NE Arctic Russia: *Science*, v. 340, no. 6139, p. 1421–7, doi: 10.1126/science.1233137.
- Brigham-Grette, J., Melles, M., Minyuk, P., and Koeberl, C., 2010, The thrill to drill in the chill: *Earth*, v. 55, no. 7, p. 48–55.
- Brigham-Grette, J., Melles, M., Minyuk, P., and Koeberl, C., 2011, Millennial-Scale Arctic Climate Change of the last 3.6 Million Years: Scientific Drilling at Lake El'gygytgyn, Northeast Russia: *Oceanography*, v. 24, no. 3, p. 80–81, doi: 10.5670/oceanog.2011.58.
- Bright, J., Forester, R., and Kaufman, D., 2005, Ostracode analysis for cores BL96-1 and BL96-2 from Bear Lake, Utah and Idaho: U.S. Geological Survey Open-File Report 2005-1227,.
- Bright, J., 2009, Ostracode endemism in Bear Lake, Utah and Idaho: *Geological Society of America Special Papers*, v. 450, p. 197–216.
- Bright, J., 2009, Isotope and major-ion chemistry of groundwater in Bear Lake Valley, Utah and Idaho, with emphasis on the Bear River Range: *Geological Society of America Special Papers*, v. 450, p. 105–132.
- Bright, J., Kaufman, D.S., Forester, R.M., and Dean, W.E., 2006, A continuous 250,000 yr record of oxygen and carbon isotopes in ostracode and bulk-sediment carbonate from Bear Lake, Utah-Idaho: *Quaternary Science Reviews*, v. 25, no. 17–18, p. 2258–2270, doi: 10.1016/j.quascirev.2005.12.011.
- Brosius, L.S., Walter Anthony, K.M., Grosse, G., Chanton, J.P., Farquharson, L.M., Overduin, P.P., and Meyer, H., 2012, Using the deuterium isotope composition of permafrost



meltwater to constrain thermokarst lake contributions to atmospheric CH<sub>4</sub> during the last deglaciation: *Journal of Geophysical Research: Biogeosciences*, v. 117, no. G1, p. G01022, doi: 10.1029/2011JG001810.

Brown, E.T., Johnson, T.C., Scholz, C.A., Cohen, A.S., and King, J.W., 2008, Reply to comment by Yannick Garcin on “Abrupt change in tropical African climate linked to the bipolar seesaw over the past 55,000 years”: *Geophysical Research Letters*, v. 35, no. 4, doi: L04702 10.1029/2007gl033004.

Brown, E.T., Werne, J.P., Lozano-García, S., Caballero, M., Ortega-Guerrero, B., Cabral-Cano, E., Valero-Garces, B.L., Schwab, A., and Arciniega-Ceballos, A., 2012, Scientific Drilling in the Basin of Mexico to Evaluate Climate History, Hydrological Resources, and Seismic and Volcanic Hazards: *Sci. Dril.*, v. 14, p. 72–75, doi: 10.5194/sd-14-72-2012.

Brown, E.T., Johnson, T.C., Scholz, C.A., Cohen, A.S., and King, J.W., 2007, Abrupt change in tropical African climate linked to the bipolar seesaw over the past 55,000 years: *Geophysical Research Letters*, v. 34, no. 20, p. L20702, doi: L20702 10.1029/2007gl031240.

Brown, E.T., 2011, Lake Malawi’s response to “megadrought” terminations: Sedimentary records of flooding, weathering and erosion: *Palaeogeography, Palaeoclimatology, Palaeoecology*, v. 303, no. 1–4, p. 120–125, doi: 10.1016/j.palaeo.2010.01.038.

Brown, E.T., and Johnson, T.C., 2005, Coherence between tropical East African and South American records of the Little Ice Age: *Geochemistry, Geophysics, Geosystems*, v. 6, no. 12, p. n/a-n/a, doi: 10.1029/2005GC000959.

Brown, E.T., Le Callonnec, L., and German, C.R., 2000, Geochemical cycling of redox-sensitive metals in sediments from lake malawi: a diagnostic paleotracer for episodic changes in mixing depth: *Geochimica et Cosmochimica Acta*, v. 64, no. 20, p. 3515–3523, doi: 10.1016/S0016-7037(00)00460-9.

Brown, K.J., Clark, J.S., Grimm, E.C., Donovan, J.J., Mueller, P.G., Hansen, B.C.S., and Stefanova, I., 2005, Fire cycles in North American interior grasslands and their relation to prairie drought.: *Proceedings of the National Academy of Sciences of the United States of America*, v. 102, no. 25, p. 8865–70, doi: 10.1073/pnas.0503621102.

Burnett, A.P., Soreghan, M.J., Scholz, C.A., and Brown, E.T., 2011, Tropical East African climate change and its relation to global climate: A record from Lake Tanganyika, Tropical East Africa, over the past 90+kyr: *Palaeogeography, Palaeoclimatology, Palaeoecology*, v. 303, no. 1–4, p. 155–167, doi: 10.1016/j.palaeo.2010.02.011.

Bush, M.B., Hanselman, J.A., and Gosling, W.D., 2010, Nonlinear climate change and Andean feedbacks: an imminent turning point? *Global Change Biology*, v. 16, no. 12, p. 3223–3232.

- Calcote, R., 2003, Mid-Holocene climate and the hemlock decline: the range limit of *Tsuga canadensis* in the western Great Lakes region, USA: *The Holocene*, v. 13, no. 2, p. 215–224.
- Camill, P., Umbanhowar, C.E., Geiss, C., Hobbs, W.O., Edlund, M.B., Shinneman, A.C., Dorale, J.A., and Lynch, J., 2012, Holocene climate change and landscape development from a low-Arctic tundra lake in the western Hudson Bay region of Manitoba, Canada: *Journal of Paleolimnology*, v. 48, no. 1, p. 175–192, doi: 10.1007/s10933-012-9619-0.
- Camill, P., Umbanhowar, C.E., Teed, R., Geiss, C.E., Aldinger, J., Dvorak, L., Kenning, J., Limmer, J., and Walkup, K., 2003, Late-glacial and Holocene climatic effects on fire and vegetation dynamics at the prairie-forest ecotone in south-central Minnesota: *Journal of Ecology*, v. 91, no. 5, p. 822–836, doi: 10.1046/j.1365-2745.2003.00812.x.
- Cañellas-Boltà, N., Rull, V., Sáez, A., Margalef, O., Giralt, S., Pueyo, J.J., Birks, H.H., Birks, H.J.B., and Pla-Rabes, S., 2012, Macrofossils in Raraku Lake (Easter Island) integrated with sedimentary and geochemical records: towards a palaeoecological synthesis for the last 34,000 years: *Quaternary Science Reviews*, v. 34, p. 113–126, doi: 10.1016/j.quascirev.2011.12.013.
- Cañellas-Boltà, N., Rull, V., Sáez, A., Margalef, O., Bao, R., Pla-Rabes, S., Blaauw, M., Valero-Garcés, B., and Giralt, S., 2013, Vegetation changes and human settlement of Easter Island during the last millennia: a multiproxy study of the Lake Raraku sediments: *Quaternary Science Reviews*, v. 72, p. 36–48, doi: 10.1016/j.quascirev.2013.04.004.
- Cañellas-Boltà, N., Rull, V., Sáez, A., Margalef, O., Pla-Rabes, S., Valero-Garcés, B., and Giralt, S., 2016, Vegetation dynamics at Raraku Lake catchment (Easter Island) during the past 34,000 years: *Palaeogeography, Palaeoclimatology, Palaeoecology*, v. 446, p. 55–69, doi: 10.1016/j.palaeo.2016.01.019.
- Castañeda, I.S., and Schouten, S., 2011, A review of molecular organic proxies for examining modern and ancient lacustrine environments: *Quaternary Science Reviews*, v. 30, no. 21–22, p. 2851–2891, doi: 10.1016/j.quascirev.2011.07.009.
- Castañeda, I.S., Werne, J.P., and Johnson, T.C., 2007, Wet and arid phases in the southeast African tropics since the Last Glacial Maximum: *Geology*, v. 35, no. 9, p. 823, doi: 10.1130/G23916A.1.
- Castañeda, I.S., Werne, J.P., Johnson, T.C., and Filley, T.R., 2009, Late Quaternary vegetation history of southeast Africa: The molecular isotopic record from Lake Malawi: *Palaeogeography, Palaeoclimatology, Palaeoecology*, v. 275, no. 1–4, p. 100–112, doi: 10.1016/j.palaeo.2009.02.008.
- Castañeda, I.S., Werne, J.P., Johnson, T.C., and Powers, L.A., 2011, Organic geochemical records from Lake Malawi (East Africa) of the last 700 years, part II: Biomarker evidence

for recent changes in primary productivity: *Palaeogeography, Palaeoclimatology, Palaeoecology*, v. 303, no. 1–4, p. 140–154, doi: 10.1016/j.palaeo.2010.01.006.

Castañeda, I.S., Werne, J.P., Johnson, T.C., Castaneda, I.S., Werne, J.P., and Johnson, T.C., 2009, Influence of climate change on algal community structure and primary productivity of Lake Malawi (East Africa) from the Last Glacial Maximum to present: *Limnology and Oceanography*, v. 54, no. 6 PART 2, p. 2431–2447.

Chepstow-Lusty, A., Bush, M.B., Frogley, M.R., Baker, P.A., Fritz, S.C., and Aronson, J., 2005, Vegetation and climate change on the Bolivian Altiplano between 108,000 and 18,000 yr ago: *Quaternary Research*, v. 63, no. 1, p. 90–98, doi: 10.1016/j.yqres.2004.09.008.

Clark, J.S., Grimm, E.C., Donovan, J.J., Fritz, S.C., Engstrom, D.R., and Almendinger, J.E., 2002, Drought cycles and landscape responses to past aridity on prairies of the northern Great Plains, USA: *Ecology*, v. 83, no. 3, p. 595–601.

Clark, J.S., Grimm, E.C., Lynch, J., and Mueller, P.G., 2001, Effects of Holocene climate change on the C4 grassland/woodland boundary in the Northern Plains, USA: *Ecology*, v. 82, no. 3, p. 620–636.

Clyde, W.C., Gingerich, P.D., Wing, S.L., Röhl, U., Westerhold, T., Bowen, G., Johnson, K., Baczynski, A.A., Diefendorf, A., McInerney, F., Schnurrenberger, D., Noren, A., Brady, K., and The, B.S.T., 2013, Bighorn Basin Coring Project (BBCP): a continental perspective on early Paleogene hyperthermals: *Scientific Drilling*, v. 16, no. 16, p. 21–31, doi: 10.5194/sd-16-21-2013.

Clyde, W.C., Gingerich, P.D., and Wing, S.L., 2012, Coring project in Bighorn Basin: Drilling phase complete: *Eos, Transactions American Geophysical Union*, v. 93, no. 4, p. 41–42, doi: 10.1029/2012EO040002.

Cockerton, H.E., Street-Perrott, F.A., Barker, P.A., Leng, M.J., Sloane, H.J., and Ficken, K.J., 2015, Orbital forcing of glacial/interglacial variations in chemical weathering and silicon cycling within the upper White Nile basin, East Africa: Stable-isotope and biomarker evidence from Lakes Victoria and Edward: *Quaternary Science Reviews*, v. 130, p. 57–71, doi: <http://dx.doi.org/10.1016/j.quascirev.2015.07.028>.

Cohen, A.S., Scholz, C.A., and Johnson, T.C., 2000, The International Decade of East African Lakes (IDEAL) drilling initiative for the African Great Lakes: *Journal of Paleolimnology*, v. 24, no. 2, p. 231–235, doi: 10.1023/A:1008158902422.

Cohen, A., Campisano, C., Arrowsmith, R., Asrat, A., Behrensmeyer, A.K., Deino, A., Feibel, C., Hill, A., Johnson, R., Kingston, J., Lamb, H., Lowenstein, T., Noren, A., Olago, D., et al., 2016, The Hominin Sites and Paleolakes Drilling Project: inferring the environmental context of human evolution from eastern African rift lake deposits: *Scientific Drilling*, v. 21, p. 1–16, doi: 10.5194/sd-21-1-2016.

- Cohen, A.S., Stone, J.R., Beuning, K.R.M., Park, L.E., Reinthal, P.N., Dettmar, D., Scholz, C.A., Johnsr, T.C., King, J.W., Talbot, M.R., Brown, E.T., Ivory, S.J., Dettman, D., Scholz, C.A., et al., 2007, Ecological consequences of early Late Pleistocene megadroughts in tropical Africa: *Proceedings of the National Academy of Sciences of the United States of America*, v. 104, no. 42, p. 16422–16427, doi: 10.1073/pnas.0703873104.
- Cohen, A., Arrowsmith, R., Behrensmeier, A.K., Campisano, C., Feibel, C., Fisseha, S., Johnson, R., Kubsa Bedaso, Z., Lockwoodt, C., Mbua, R., Olago, D., Potts, R., Reed, K., Renaut, R., et al., 2009, Understanding Paleoclimate and Human Evolution Through the Hominin Sites and Paleolakes Drilling Project: *Scientific Drilling*, v. 8, no. 8, p. 60–65, doi: 10.5194/sd-8-60-2009.
- Cohen, A., McGlue, M.M., Ellis, G.S., Zani, H., Swarzenski, P.W., Assine, M.L., and Silva, A., 2015, Geodynamics of a Cordilleran Orogenic System: The Central Andes of Argentina and Northern Chile: Geological Society of America.
- Cohen, A., Palacios-Fest, M., Negrini, R., Wigand, P., and Erbes, D., 2000, A paleoclimate record for the past 250,000 years from Summer Lake, Oregon, USA: II. Sedimentology, paleontology and geochemistry: *Journal of Paleolimnology*, v. 24, no. 2, p. 151–182, doi: 10.1023/a:1008165326401.
- Cohen, A., and Umer, M., 2009, Connecting scientific drilling and human evolution, *in Eos*, p. 122.
- Cohen, A.S., 2011, Scientific drilling and biological evolution in ancient lakes: lessons learned and recommendations for the future: *Hydrobiologia*, v. 682, no. 1, p. 3–25, doi: 10.1007/s10750-010-0546-7.
- Cohen, D., Person, M., Daannen, R., Locke, S., Dahlstrom, D., Zabielski, V., Winter, T.C., Rosenberry, D.O., Wright, H., Ito, E., Nieber, J.L., and Gutowski, W.J., 2006, Groundwater-supported evapotranspiration within glaciated watersheds under conditions of climate change: *Journal of Hydrology*, v. 320, no. 3–4, p. 484–500, doi: 10.1016/j.jhydrol.2005.07.051.
- Coletti, A.J., DeConto, R.M., Brigham-Grette, J., and Melles, M., 2015, A GCM comparison of Pleistocene super-interglacial periods in relation to Lake El'gygytgyn, NE Arctic Russia: *Climate of the Past*, v. 11, no. 7, p. 979–989, doi: 10.5194/cp-11-979-2015.
- Colman, S.M., 2006, Acoustic stratigraphy of Bear Lake, Utah-Idaho - Late Quaternary sedimentation patterns in a simple half-graben: *Sedimentary Geology*, v. 185, no. 1–2, p. 113–125.
- Colman, S.M., Hemming, S.R., Stine, S., and Zimmerman, S.R.H., 2014, The effects of recent uplift and volcanism on deposition in Mono Lake, California, from seismic-reflection (CHIRP) profiles: *Journal of Geophysical Research: Solid Earth*, v. 119, no. 5, p. 3955–3970, doi: 10.1002/2013JB010726.

- Colman, S., Brown, E., and Rush, R., 2012, Mid-Holocene drought and lake-level change at Elk Lake, Clearwater County, Minnesota: Evidence from CHIRP seismic-reflection data: *The Holocene*, v. 23, no. 3, p. 460–465, doi: 10.1177/0959683612460793.
- Colman, S.M.M., Kaufman, D.S.S., Bright, J., Heil, C., King, J.W.W., Dean, W.E.E., Rosenbaum, J.G.G., Forester, R.M.M., Bischoff, J.L.L., Perkins, M., and McGeehin, J.P., 2006, Age model for a continuous, ca 250-ka Quaternary lacustrine record from Bear Lake, Utah-Idaho: *Quaternary Science Reviews*, v. 25, no. 17–18, p. 2271–2282, doi: 10.1016/j.quascirev.2005.10.015.
- Colman, S.M., 2006, Acoustic stratigraphy of Bear Lake, Utah-Idaho--Late Quaternary sedimentation patterns in a simple half-graben: *Sedimentary Geology*, v. 185, no. 1–2, p. 113–125, doi: 10.1016/j.sedgeo.2005.11.022.
- Colman, S.M., Rosenbaum, J.G., Kaufman, D.S., Dean, W.E., and McGeehin, J.P., 2009, Radiocarbon ages and age models for the past 30,000 years in Bear Lake, Utah and Idaho: *Geological Society of America Special Papers*, v. 450, p. 133–144.
- Colman, S.M., Rosenbaum, J.G., Kaufman, D.S., Dean, W.E., and McGeehin, J.P., 2009, Paleoenvironments of Bear Lake, Utah and Idaho, and its catchment: *Geological Society of America*.
- Commerford, J.L., Leys, B., Mueller, J.R., and McLauchlan, K.K., 2015, Great Plains vegetation dynamics in response to fire and climatic fluctuations during the Holocene at Fox Lake, Minnesota (USA): *The Holocene*, v. 26, no. 2, p. 302–313, doi: 10.1177/0959683615608691.
- Corbett, E.J., Burdige, D.J., Tfaily, M.M., Dial, A.R., Cooper, W.T., Glaser, P.H., Chanton, J.P., Elizabeth Corbett, J., Burdige, D.J., Tfaily, M.M., Dial, A.R., Cooper, W.T., Glaser, P.H., and Chanton, J.P., 2013, Surface production fuels deep heterotrophic respiration in northern peatlands: *Global Biogeochemical Cycles*, v. 27, no. 4, p. 1163–1174, doi: 10.1002/2013GB004677.
- Corbett, J.E., Tfaily, M.M., Burdige, D.J., Glaser, P.H., and Chanton, J.P., 2015, The relative importance of methanogenesis in the decomposition of organic matter in northern peatlands: *Journal of Geophysical Research: Biogeosciences*, v. 120, no. 2, p. 280–293, doi: 10.1002/2014JG002797.
- Corbineau, R., Reyerson, P.E., Alexandre, A., and Santos, G.M., 2013, Towards producing pure phytolith concentrates from plants that are suitable for carbon isotopic analysis: *Review of Palaeobotany and Palynology*, v. 197, p. 179–185, doi: 10.1016/j.revpalbo.2013.06.001.
- Corella, J.P., Amrani, A. El, Sigró, J., Morellón, M., Rico, E., and Valero-Garcés, B.L., 2010, Recent evolution of Lake Arreo, northern Spain: influences of land use change and climate: *Journal of Paleolimnology*, v. 46, no. 3, p. 1–17, doi: 10.1007/s10933-010-9492-7.

- Corella, J.P., Brauer, A., Mangili, C., Rull, V., Vegas-Vilarrúbia, T., Morellón, M., and Valero-Garcés, B.L., 2012, The 1.5-ka varved record of Lake Montcortès (southern Pyrenees, NE Spain): *Quaternary Research*, v. 78, no. 2, p. 323–332, doi: 10.1016/j.yqres.2012.06.002.
- Corella, J.P., Moreno, A., Morellón, M., Rull, V., Giralt, S., Rico, M.T., Pérez-Sanz, A., and Valero-Garcés, B.L., 2010, Climate and human impact on a meromictic lake during the last 6,000 years (Montcortès Lake, Central Pyrenees, Spain): *Journal of Paleolimnology*, v. 46, no. 3, p. 351–367, doi: 10.1007/s10933-010-9443-3.
- Corella, J.P., Stefanova, V., El Anjoumi, A., Rico, E., Giralt, S., Moreno, A., Plata-Montero, A., and Valero-Garcés, B.L., 2013, A 2500-year multi-proxy reconstruction of climate change and human activities in northern Spain: The Lake Arreo record: *Palaeogeography, Palaeoclimatology, Palaeoecology*, v. 386, no. 0, p. 555–568, doi: 10.1016/j.palaeo.2013.06.022.
- Correa-Metrio, A., Bush, M.B., Cabrera, K.R., Sully, S., Brenner, M., Hodell, D.A., Escobar, J., and Guilderson, T., 2012, Rapid climate change and no-analog vegetation in lowland Central America during the last 86,000 years: *Quaternary Science Reviews*, v. 38, p. 63–75, doi: 10.1016/j.quascirev.2012.01.025.
- Correa-Metrio, A., Bush, M.B., Hodell, D.A., Brenner, M., Escobar, J., and Guilderson, T., 2012, The influence of abrupt climate change on the ice-age vegetation of the Central American lowlands: *Journal of Biogeography*, v. 39, no. 3, p. 497–509, doi: 10.1111/j.1365-2699.2011.02618.x.
- Correa-Metrio, A., Bush, M., Lozano-García, S., and Sosa-Nájera, S., 2013, Millennial-scale temperature change velocity in the continental northern Neotropics.: *PloS one*, v. 8, no. 12, p. e81958, doi: 10.1371/journal.pone.0081958.
- Correa-Metrio, A., Meave, J.A., Lozano-García, S., and Bush, M.B., 2014, Environmental determinism and neutrality in vegetation at millennial time scales (G. Rapson, Ed.): *Journal of Vegetation Science*, v. 25, no. 3, p. 627–635, doi: 10.1111/jvs.12129.
- Costa, K.M.M., Russell, J.M.M., Vogel, H., and Bijaksana, S., 2015, Hydrological connectivity and mixing of Lake Towuti, Indonesia in response to paleoclimatic changes over the last 60,000 years: *Palaeogeography, Palaeoclimatology, Palaeoecology*, v. 417, p. 467–475, doi: 10.1016/j.palaeo.2014.10.009.
- Counts, R.C., Murari, M.K., Owen, L.A., Mahan, S.A., and Greenan, M., 2015, Late Quaternary chronostratigraphic framework of terraces and alluvium along the lower Ohio River, southwestern Indiana and western Kentucky, USA: *Quaternary Science Reviews*, v. 110, no. 0, p. 72–91, doi: <http://dx.doi.org/10.1016/j.quascirev.2014.11.011>.
- Coutros, P.R., and Douglas, P.M.J., 2015, Coring Lake Fati and Settlement Archaeology of the Middle Niger Lakes Region: *African Archaeological Review*, v. 32, no. 2, p. 249–266, doi: 10.1007/s10437-015-9189-4.

- Crausbay, S.D., Frazier, A.G., Giambelluca, T.W., Longman, R.J., and Hotchkiss, S.C., 2014, Moisture status during a strong El Niño explains a tropical montane cloud forest's upper limit.: *Oecologia*, v. 175, no. 1, p. 273–84, doi: 10.1007/s00442-014-2888-8.
- Crausbay, S.D., and Hotchkiss, S.C., 2012, Pollen–vegetation relationships at a tropical cloud forest's upper limit and accuracy of vegetation inference: Review of Palaeobotany and Palynology, v. 184, no. 0, p. 1–13, doi: <http://dx.doi.org/10.1016/j.revpalbo.2012.07.010>.
- Crausbay, S.D., Martin, P.H., and Kelly, E.F., 2015, Tropical montane vegetation dynamics near the upper cloud belt strongly associated with a shifting ITCZ and fire (M. McGlone, Ed.): *Journal of Ecology*, v. 103, no. 4, p. 891–903, doi: 10.1111/1365-2745.12423.
- Crausbay, S., Genderjahn, S., Hotchkiss, S., Sachse, D., Kahmen, A., and Arndt, S.K., 2014, Vegetation Dynamics at the Upper Reaches of a Tropical Montane Forest are Driven by Disturbance Over the Past 7300 Years: *Arctic, Antarctic, and Alpine Research*, v. 46, no. 4, p. 787–799, doi: 10.1657/1938-4246-46.4.787.
- Crausbay, S., Genderjahn, S., Hotchkiss, S., Sachse, D., Kahmen, A., and Arndt, S.K., 2014, Vegetation dynamics at the upper reaches of a tropical montane forest are driven by disturbance over the past 7300 years: v. 46, no. 4, p. 787–799, doi: 10.1657/1938-4246-46.4.787.
- Cunningham, L., Vogel, H., Wennrich, V., Juschus, O., Nowaczyk, N., and Rosén, P., 2013, Amplified bioproductivity during Transition IV (332 000–342 000 yr ago): evidence from the geochemical record of Lake El'gygytgyn: *Climate of the Past*, v. 9, no. 2, p. 679–686, doi: 10.5194/cp-9-679-2013.
- Currey, D.R., 1990, QUATERNARY PALAEO-LAKES IN THE EVOLUTION OF SEMIDESERT BASINS, WITH SPECIAL EMPHASIS ON LAKE BONNEVILLE AND THE GREAT-BASIN, USA: *Palaeogeography Palaeoclimatology Palaeoecology*, v. 76, no. 3–4, p. 189–214, doi: 10.1016/0031-0182(90)90113-l.
- Curry, B., and Petras, J., 2011, Chronological framework for the deglaciation of the Lake Michigan lobe of the Laurentide Ice Sheet from ice-walled lake deposits: *Journal of Quaternary Science*, v. 26, no. 4, p. 402–410, doi: 10.1002/jqs.1466.
- CUSMINSKY, G., SCHWALB, A., PÉREZ, A.P., PINEDA, D., VIEHBERG, F., WHATLEY, R., MARKGRAF, V., GILLI, A., ARIZTEGUI, D., and ANSELMETTI, F.S., 2011, Late quaternary environmental changes in Patagonia as inferred from lacustrine fossil and extant ostracods: *Biological Journal of the Linnean Society*, v. 103, no. 2, p. 397–408, doi: 10.1111/j.1095-8312.2011.01650.x.
- D'Anjou, R.M., Wei, J.H., Castañeda, I.S., Brigham-Grette, J., Petsch, S.T., and Finkelstein, D.B., 2013, High-latitude environmental change during MIS 9 and 11: biogeochemical evidence from Lake El'gygytgyn, Far East Russia: *Climate of the Past*, v. 9, no. 2, p. 567–581, doi: 10.5194/cp-9-567-2013.

- D'Andrea, W.J., Vaillencourt, D.A., Balascio, N.L., Werner, A., Roof, S.R., Retelle, M., Bradley, R.S., D'Andrea, W.J., Vaillencourt, D.A., Balascio, N.L., Werner, A., Roof, S.R., Retelle, M., and Bradley, R.S., 2012, Mild Little Ice Age and unprecedented recent warmth in an 1800 year lake sediment record from Svalbard: *Geology*, v. 40, no. 11, p. 1007–1010.
- D'Andrilli, J., Chanton, J.P., Glaser, P.H., Cooper, W.T., D'Andrilli, J., Chanton, J.P., Glaser, P.H., and Cooper, W.T., 2010, Characterization of dissolved organic matter in northern peatland soil porewaters by ultra high resolution mass spectrometry: *Organic Geochemistry*, v. 41, no. 8, p. 791–799, doi: 10.1016/j.orggeochem.2010.05.009.
- Dalbotten, D., Ito, E., Myrbo, A., Pellerin, H., Greensky, L., Howes, T., Wold, A., Breckenridge, R., Drake, C., Bucar, L., Kowalczak, C., Lindner, C., Olson, C., Ray, T.J., et al., 2014, NSF-OEDG Manoomin Science Camp Project: A Model for Engaging American Indian Students in Science, Technology, Engineering, and Mathematics: *Journal of Geoscience Education*, v. 62, no. 2, p. 227–243, doi: 10.5408/12-408.1.
- Dasgupta, S., Siegel, D.I., Zhu, C., Chanton, J.P., and Glaser, P.H., 2015, Geochemical Mixing in Peatland Waters: The Role of Organic Acids: *Wetlands*, v. 35, no. 3, p. 567–575, doi: 10.1007/s13157-015-0646-2.
- Davis, O.K., 1998, Palynological evidence for vegetation cycles in a 1.5 million year pollen record from the Great Salt Lake, Utah, USA: *Palaeogeography, Palaeoclimatology, Palaeoecology*, v. 138, no. 1–4, p. 175–185, doi: 10.1016/s0031-0182(97)00105-3.
- Davis, O.K., and Moutoux, T.E., 1998, Tertiary and Quaternary vegetation history of the Great Salt Lake, Utah, USA: *Journal of Paleolimnology*, v. 19, no. 4, p. 417–427, doi: 10.1023/a:1007959203433.
- de Wet, G.A., Castañeda, I.S., DeConto, R.M., and Brigham-Grette, J., 2016, A high-resolution mid-Pleistocene temperature record from Arctic Lake El'gygytyn: A 50 kyr super interglacial from MIS 33 to MIS 31? *Earth and Planetary Science Letters*, v. 436, doi: 10.1016/j.epsl.2015.12.021.
- Dean, W.E., Forester, R.M., Bright, J., and Anderson, R.Y., 2007, Influence of the diversion of Bear River into Bear Lake (Utah and Idaho) on the environment of deposition of carbonate minerals: *Limnology and Oceanography*, v. 52, no. 3, p. 1094–1111.
- Dean, W., Rosenbaum, J., Haskell, B., Kelts, K., Schnurrenberger, D., Blas, V.G., Cohen, A., Davis, O., Dinter, D., and Nielson, D., 2002, Progress in global lake drilling holds potential for global change research: *Eos*, v. 83, no. 9, p. 85+90-91.
- Dean, W.E., and Schwalb, A., 2002, The Lacustrine Carbon Cycle as Illuminated by the Waters and Sediments of Two Hydrologically Distinct Headwater Lakes in North-Central Minnesota, U.S.A.: *Journal of Sedimentary Research*, v. 72, no. 3, p. 416–431, doi: 10.1306/101801720416.



- Dean, W.E., 2009, Endogenic carbonate sedimentation in Bear Lake, Utah and Idaho, over the last two glacial-interglacial cycles: *Geological Society of America Special Papers*, v. 450, p. 169–196.
- Dean, W.E., Wurtsbaugh, W.A., and Lamarra, V.A., 2009, Climatic and limnologic setting of Bear Lake, Utah and Idaho: *Geological Society of America Special Papers*, v. 450, p. 1–14.
- Dean, W.E., and Schwalb, A., 2000, Holocene environmental and climatic change in the Northern Great Plains as recorded in the geochemistry of sediments in Pickerel Lake, South Dakota: *Quaternary International*, v. 67, no. 1, p. 5–20, doi: 10.1016/S1040-6182(00)00004-5.
- Dean, W., and Doner, L., 2012, A Holocene record of endogenic iron and manganese precipitation and vegetation history in a lake-fen complex in northwestern Minnesota: *Journal of Paleolimnology*, v. 47, no. 1, p. 29–42, doi: 10.1007/s10933-011-9544-7.
- Dean, W., Rosenbaum, J., Skipp, G., Colman, S., Forester, R., Liu, A., Simmons, K., and Bischoff, J., 2006, Unusual Holocene and late Pleistocene carbonate sedimentation in Bear Lake, Utah and Idaho, USA: *Sedimentary Geology*, v. 185, no. 1–2, p. 93–112, doi: 10.1016/j.sedgeo.2005.11.016.
- Delahunty, C., Nielson, D.L., and Shervais, J.W., 2012, Deep Core Drilling of Three Slim Geothermal Holes, Snake River Plains, Idaho: *Geothermal Resources Council Transactions*, v. 36, p. 641–647.
- Denis, E.H., Toney, J.L., Tarozo, R., Scott Anderson, R., Roach, L.D., and Huang, Y., 2012, Polycyclic aromatic hydrocarbons (PAHs) in lake sediments record historic fire events: Validation using HPLC-fluorescence detection: *Organic Geochemistry*, v. 45, no. 0, p. 7–17, doi: <http://dx.doi.org/10.1016/j.orggeochem.2012.01.005>.
- Denny, J.F., and Colman, S.M., 2003, Geophysical surveys of Bear Lake, UtahIdaho, September 2002: U.S Geological Survey Open-File Report 03-150,.
- DeVries-Zimmerman, S., Fisher, T.G., Hansen, E.C., Dean, S., and Björck, S., 2014, Sand in lakes and bogs in Allegan County, Michigan, as a proxy for eolian sand transport: *Special Paper of the Geological Society of America*, v. 508, p. 111–131, doi: 10.1130/2014.2508(07).
- Diedrich, K.E., and Loso, M.G., 2012, Transient impacts of Little Ice Age glacier expansion on sedimentation processes at glacier-dammed Iceberg Lake, southcentral Alaska: *Journal of Paleolimnology*, v. 48, no. 1, p. 115–132, doi: 10.1007/s10933-012-9614-5.
- Dieffenbacher-Krall, A.C., Borns, H.W., Nurse, A.M., Langley, G.E.C., Birkel, S., Cwynar, L.C., Doner, L.A., Dorion, C.C., Fastook, J., Jr, G.L.J., and Sayles, C., 2016, Younger Dryas Paleoenvironments and Ice Dynamics in Northern Maine: A Multi-Proxy, Case History: *Northeastern Naturalist*, v. 23, no. 1, p. 67–87, doi: 10.1656/045.023.0105.

- Dietz, R.D., Engstrom, D.R., and Anderson, N.J., 2015, Patterns and drivers of change in organic carbon burial across a diverse landscape: Insights from 116 Minnesota lakes: *Global Biogeochemical Cycles*, v. 29, no. 5, p. 708–727, doi: 10.1002/2014GB004952.
- Dingemans, T., Mensing, S.A., Feakins, S.J., Kirby, M.E., and Zimmerman, S.H., 2014, 3000 years of environmental change at Zaca Lake, California, USA: *Frontiers in Ecology and Evolution*, v. 2.
- Dommain, R., Cobb, A.R., Joosten, H., Glaser, P.H., Chua, A.F.L., Gandois, L., Kai, F.-M., Noren, A., Salim, K.A., Su'ut, N.S.H., and Harvey, C.F., 2015, Forest dynamics and tip-up pools drive pulses of high carbon accumulation rates in a tropical peat dome in Borneo (Southeast Asia): *Journal of Geophysical Research: Biogeosciences*, v. 120, no. 4, p. 617–640, doi: 10.1002/2014JG002796.
- Dommain, R., Couwenberg, J., Glaser, P.H., Joosten, H., and Suryadiputra, I.N.N., 2014, Carbon storage and release in Indonesian peatlands since the last deglaciation: *Quaternary Science Reviews*, v. 97, p. 1–32, doi: 10.1016/j.quascirev.2014.05.002.
- Doner, L.A., 2009, A 19,000-year vegetation and climate record for Bear Lake, Utah and Idaho: *Geological Society of America Special Papers*, v. 450, p. 217–227.
- Doner, L.A., 2009, *Paleoenvironments of Bear Lake, Utah and Idaho, and its catchment: Geological Society of America.*
- Donovan, J.J., and Grimm, E.C., 2007, Episodic struvite deposits in a Northern Great Plains flyway lake: indicators of mid-Holocene drought? *The Holocene*, v. 17, no. 8, p. 1155–1169, doi: 10.1177/0959683607082556.
- Donovan, J.J., Smith, A.J., Panek, V.A., Engstrom, D.R., and Ito, E., 2002, Climate-driven hydrologic transients in lake sediment records: calibration of groundwater conditions using 20th Century drought: *Quaternary Science Reviews*, v. 21, no. 4–6, p. 605–624, doi: 10.1016/S0277-3791(01)00042-7.
- Douglas, P.M.J., Pagani, M., Canuto, M.A., Brenner, M., Hodell, D.A., Eglinton, T.I., and Curtis, J.H., 2015, Drought, agricultural adaptation, and sociopolitical collapse in the Maya Lowlands.: *Proceedings of the National Academy of Sciences of the United States of America*, v. 112, no. 18, p. 5607–12, doi: 10.1073/pnas.1419133112.
- Douglas, P.M.J., Brenner, M., and Curtis, J.H., 2015, Methods and future directions for paleoclimatology in the Maya Lowlands: *Global and Planetary Change*, v. 138, p. 3–24, doi: 10.1016/j.gloplacha.2015.07.008.
- Douglas, P.M.J., Pagani, M., Brenner, M., Hodell, D.A., and Curtis, J.H., 2012, Aridity and vegetation composition are important determinants of leaf-wax  $\delta D$  values in southeastern Mexico and Central America: *Geochimica et Cosmochimica Acta*, v. 97, p. 24–45, doi: 10.1016/j.gca.2012.09.005.

- Eddudóttir, S.D., Erlendsson, E., and Gísladóttir, G., 2015, Life on the periphery is tough: Vegetation in Northwest Iceland and its responses to early-Holocene warmth and later climate fluctuations: *The Holocene*, v. 25, no. 9, p. 1437–1453.
- Edlund, M.B., Engstrom, D.R., Triplett, L.D., Lafrancois, B.M., and Leavitt, P.R., 2009, Twentieth century eutrophication of the St. Croix River (Minnesota–Wisconsin, USA) reconstructed from the sediments of its natural impoundment: *Journal of Paleolimnology*, v. 41, no. 4, p. 641–657, doi: 10.1007/s10933-008-9296-1.
- Edlund, M.B., Shinneman, A.L.C., and Levkov, Z., 2009, Diatom biodiversity in Mongolia: A new amphoroid diatom from saline lakes in western Mongolia, *Amphora soninkhishigae* sp. nov., in *Acta Botanica Croatica*, p. 251–262.
- Edlund, M.B., Triplett, L.D., Tomasek, M.D., and Bartilson, K., 2009, From paleo to policy: partitioning the historical point and nonpoint phosphorus loads to the St. Croix River, Minnesota-Wisconsin, USA: *Journal of Paleolimnology*, v. 41, no. 4, p. 679–689, doi: 10.1007/s10933-008-9288-1.
- Edwards, M., Grosse, G., Jones, B.M., and McDowell, P., 2016, The evolution of a thermokarst-lake landscape: Late Quaternary permafrost degradation and stabilization in interior Alaska: *Sedimentary Geology*, doi: 10.1016/j.sedgeo.2016.01.018.
- Ellis, G.S., Katz, B.J., Scholz, C.A., and Swart, P.K., 2015, Organic sedimentation in modern lacustrine systems: A case study from Lake Malawi, East Africa: *Geological Society of America Special Papers*, v. 515, p. 19–47.
- Escobar, J., Curtis, J.H., Brenner, M., Hodell, D.A., and Holmes, J.A., 2009, Isotope measurements of single ostracod valves and gastropod shells for climate reconstruction: evaluation of within-sample variability and determination of optimum sample size: *Journal of Paleolimnology*, v. 43, no. 4, p. 921–938, doi: 10.1007/s10933-009-9377-9.
- Escobar, J., Hodell, D.A., Brenner, M., Curtis, J.H., Gilli, A., Mueller, A.D., Anselmetti, F.S., Ariztegui, D., Grzesik, D.A., Pérez, L., Schwab, A., and Guilderson, T.P., 2012, A ~43-ka record of paleoenvironmental change in the Central American lowlands inferred from stable isotopes of lacustrine ostracods: *Quaternary Science Reviews*, v. 37, no. 0, p. 92–104, doi: 10.1016/j.quascirev.2012.01.020.
- Ewing, H.A., and Nater, E.A., 2002, Holocene Soil Development on Till and Outwash Inferred from Lake-Sediment Geochemistry in Michigan and Wisconsin: *Quaternary Research*, v. 57, no. 2, p. 234–243, doi: 10.1006/qres.2001.2303.
- Ewing, H.A., and Nater, E.A., 2003, Use of scanning electron microscopy to investigate records of soil weathering preserved in lake sediment: *The Holocene*, v. 13, no. 1, p. 51–60, doi: 10.1191/0959683603hl594rp.

- Fairbairn, D.J., Arnold, W.A., Barber, B.L., Kaufenberg, E.F., Koskinen, W.C., Novak, P.J., Rice, P.J., and Swackhamer, D.L., 2015, Contaminants of Emerging Concern: Mass Balance and Comparison of Wastewater Effluent and Upstream Sources in a Mixed-Use Watershed: *Environmental Science & Technology*, v. 50, no. 1, p. acs.est.5b03109, doi: 10.1021/acs.est.5b03109.
- Fawcett, P.J., Werne, J.P., Anderson, R.S., Heikoop, J.M., Brown, E.T., Berke, M.A., Smith, S.J., Goff, F., Donohoo-Hurley, L., Cisneros-Dozal, L.M., Schouten, S., Sinninghe Damsté, J.S., Huang, Y., Toney, J., et al., 2011, Extended megadroughts in the southwestern United States during Pleistocene interglacials: *Nature*, v. 470, no. 7335, p. 518–521, doi: <http://www.nature.com/nature/journal/v470/n7335/abs/10.1038-nature09839-unlocked.html#supplementary-information>.
- Feakins, S.J., Kirby, M.E., Cheetham, M.I., Ibarra, Y., and Zimmerman, S.R.H.H., 2014, Fluctuation in leaf wax D/H ratio from a southern California lake records significant variability in isotopes in precipitation during the late Holocene: *Organic Geochemistry*, v. 66, p. 48–59, doi: 10.1016/j.orggeochem.2013.10.015.
- Fedorov, G., Nolan, M., Brigham-Grette, J., Bolshiyarov, D., Schwamborn, G., and Juschus, O., 2013, Preliminary estimation of Lake El'gygytyn water balance and sediment income: *Climate of the Past*, v. 9, no. 4, p. 1455–1465, doi: 10.5194/cp-9-1455-2013.
- Ferriere, L., Koeberl, C., Ivanov, B.A., and Reimold, W.U., 2008, Shock Metamorphism of Bosumtwi Impact Crater Rocks, Shock Attenuation, and Uplift Formation: *Science*, v. 322, no. 5908, p. 1678–1681, doi: 10.1126/science.1166283.
- Ferronskii, V.I., Polyakov, V.A., Brezgunov, V.S., Vlasova, L.S., Karpychev, Y.A., Bobkov, A.F., Romaniovskii, V. V., Johnson, T., Ricketts, D., and Rasmussen, K., 2003, Variations in the Hydrological Regime of Kara-Bogaz-Gol Gulf, Lake Issyk-Kul, and the Aral Sea Assessed Based on Data of Bottom Sediment Studies: *Water Resources*, v. 30, no. 3, p. 252–259, doi: 10.1023/A:1023826011601.
- Filby, S.K., Locke, S.M., Person, M.A., Winter, T.C., Rosenberry, D.O., Nieber, J.L., Gutowski, W.J., and Ito, E., 2002, Mid-Holocene Hydrologic Model of the Shingobee Watershed, Minnesota: *Quaternary Research*, v. 58, no. 3, p. 246–254, doi: 10.1006/qres.2002.2377.
- Finney, B.P., Bigelow, N.H., Barber, V.A., and Edwards, M.E., 2012, Holocene climate change and carbon cycling in a groundwater-fed, boreal forest lake: Dune Lake, Alaska: *Journal of Paleolimnology*, v. 48, no. 1, p. 43–54, doi: 10.1007/s10933-012-9617-2.
- Finney, B.P., Bigelow, N.H., Barber, V.A., and Edwards, M.E., 2012, Holocene climate change and carbon cycling in a groundwater-fed, boreal forest lake: Dune Lake, Alaska: v. 48, no. 1, p. 43–54, doi: 10.1007/s10933-012-9617-2.
- Finney, B.P., and Johnson, T.C., 1991, Sedimentation in Lake Malawi (East Africa) during the past 10,000 years: a continuous paleoclimatic record from the southern tropics:

Palaeogeography, Palaeoclimatology, Palaeoecology, v. 85, no. 3–4, p. 351–366, doi: 10.1016/0031-0182(91)90167-P.

- Fisher, D.A., Wake, C., Kreutz, K., Yalcin, K., Steig, E., Mayewski, P., Anderson, L., Zheng, J., Rupper, S., Zdanowicz, C., Demuth, M., Waszkiewicz, M., Dahl-Jensen, D., Goto-Azuma, K., et al., 2004, Stable isotope records from Mount Logan, eclipse ice cores and nearby Jellybean Lake. Water cycle of the North Pacific over 2000 years and over five vertical kilometres: Sudden shifts and tropical connections: *Geographie Physique et Quaternaire*, v. 58, no. 2–3, p. 337–352.
- Florian, C.R., Miller, G.H., Fogel, M.L., Wolfe, A.P., Vinebrooke, R.D., and Geirsdóttir, Á., 2015, Algal pigments in Arctic lake sediments record biogeochemical changes due to Holocene climate variability and anthropogenic global change: *Journal of Paleolimnology*, v. 54, no. 1, p. 53–69, doi: 10.1007/s10933-015-9835-5.
- Flowers, G.E., Björnsson, H., Geirsdóttir, Á., Miller, G.H., Black, J.L., and Clarke, G.K.C., 2008, Holocene climate conditions and glacier variation in central Iceland from physical modelling and empirical evidence: *Quaternary Science Reviews*, v. 27, no. 7–8, p. 797–813, doi: 10.1016/j.quascirev.2007.12.004.
- Fornace, K.L., Hughen, K.A., Shanahan, T.M., Fritz, S.C., Baker, P.A., and Sylva, S.P., 2014, A 60,000-year record of hydrologic variability in the Central Andes from the hydrogen isotopic composition of leaf waxes in Lake Titicaca sediments: *Earth and Planetary Science Letters*, v. 408, p. 263–271, doi: 10.1016/j.epsl.2014.10.024.
- Fortin, D., Kaufman, D.S., Arnold, M., Schiefer, E., and Hawley, N., 2015, Late-Summer Peak in Sediment Accumulation in Two Lakes with Contrasting Watersheds, Alaska: *Geografiska Annaler: Series A, Physical Geography*, v. 97, no. 4, p. 709–719, doi: 10.1111/geoa.12110.
- Francke, A., Wennrich, V., Sauerbrey, M., Juschus, O., Melles, M., and Brigham-Grette, J., 2013, Multivariate statistic and time series analyses of grain-size data in quaternary sediments of Lake El'gygytgyn, NE Russia: *Climate of the Past*, v. 9, no. 6, p. 2459–2470, doi: 10.5194/cp-9-2459-2013.
- Francus, P., von Suchodoletz, H., Dietze, M., Donner, R. V, Bouchard, F., Roy, A.-J., Fagot, M., Verschuren, D., and Kröpelin, S., 2013, Varved sediments of Lake Yoa (Ounianga Kebir, Chad) reveal progressive drying of the Sahara during the last 6100 years: *Sedimentology*, v. 60, no. 4, p. 911–934, doi: 10.1111/j.1365-3091.2012.01370.x.
- Frank, U., Nowaczyk, N.R., Minyuk, P., Vogel, H., Rosén, P., and Melles, M., 2013, A 350 ka record of climate change from Lake El'gygytgyn, Far East Russian Arctic: refining the pattern of climate modes by means of cluster analysis: *Climate of the Past*, v. 9, no. 4, p. 1559–1569, doi: 10.5194/cp-9-1559-2013.

- Frisch, D., Morton, P.K., Chowdhury, P.R., Culver, B.W., Colbourne, J.K., Weider, L.J., and Jeyasingh, P.D., 2014, A millennial-scale chronicle of evolutionary responses to cultural eutrophication in *Daphnia*: *Ecology letters*, v. 17, no. 3, p. 360–8, doi: 10.1111/ele.12237.
- Fritz, S.C., and Gell, P., 2010, Past, recent, and future climate-change impacts on hydrologic and environmental variability in selected regions of Asia: *Quaternary International*, v. 212, no. 1, p. 1, doi: 10.1016/j.quaint.2009.08.008.
- Fritz, S.C., 1990, Twentieth-century salinity and water-level fluctuations in Devils Lake, North Dakota: test of a diatom-based transfer function: *Limnology & Oceanography*, v. 35, no. 8, p. 1771–1781.
- Fritz, S.C., Engstrom, D.R., and Haskell, B.J., 1994, “Little ice age” aridity in the North American Great Plains: A high-resolution reconstruction of salinity fluctuations from Devils Lake, North Dakota, USA: *Holocene*, v. 4, no. 1, p. 69–73.
- Fritz, S.C.C., Baker, P.A.A., Tapia, P., Spanbauer, T., and Westover, K., 2012, Evolution of the Lake Titicaca basin and its diatom flora over the last ~370,000 years: *Palaeogeography, Palaeoclimatology, Palaeoecology*, v. 317–318, p. 93–103, doi: 10.1016/j.palaeo.2011.12.013.
- Fritz, S.C., Baker, P.A., Ekdahl, E., Seltzer, G.O., and Stevens, L.R., 2010, Millennial-scale climate variability during the Last Glacial period in the tropical Andes: *Quaternary Science Reviews*, v. 29, no. 7–8, p. 1017–1024, doi: 10.1016/j.quascirev.2010.01.001.
- Fritz, S.C., Baker, P.A., Lowenstein, T.K., Seltzer, G.O., Rigsby, C.A., Dwyer, G.S., Tapia, P.M., Arnold, K.K., Ku, T.-L., and Luo, S., 2004, Hydrologic variation during the last 170,000 years in the southern hemisphere tropics of South America: *Quaternary Research*, v. 61, no. 1, p. 95–104, doi: 10.1016/j.yqres.2003.08.007.
- Fritz, S.C., 2007, Deciphering climatic history from lake sediments: *Journal of Paleolimnology*, v. 39, no. 1, p. 5–16, doi: 10.1007/s10933-007-9134-x.
- Fritz, S.C., Baker, P.A., Seltzer, G.O., Ballantyne, A., Tapia, P., Cheng, H., and Edwards, R.L., 2007, Quaternary glaciation and hydrologic variation in the South American tropics as reconstructed from the Lake Titicaca drilling project: *Quaternary Research*, v. 68, no. 3, p. 410–420, doi: 10.1016/j.yqres.2007.07.008.
- Fritz, S.C., Ito, E., Yu, Z., Laird, K.R., and Engstrom, D.R., 2000, Hydrologic Variation in the Northern Great Plains During the Last Two Millennia: *Quaternary Research*, v. 53, no. 2, p. 175–184, doi: 10.1006/qres.1999.2115.
- Gaglioti, B. V., Mann, D.H., Jones, B.M., Wooller, M.J., and Finney, B.P., 2016, High-resolution records detect human-caused changes to the boreal forest wildfire regime in interior Alaska: v. 26, no. 7, p. 1064–1074, doi: 10.1177/0959683616632893.

- Garcés, B.L.V., Kelts, K., and Ito, E., 1995, Oxygen and carbon isotope trends and sedimentological evolution of a meromictic and saline lacustrine system: the Holocene Medicine Lake basin, North American Great Plains, USA: *Palaeogeography, Palaeoclimatology, Palaeoecology*, v. 117, no. 3–4, p. 253–278, doi: 10.1016/0031-0182(94)00136-V.
- Garrett, E., Barlow, N.L.M., Cool, H., Kaufman, D.S., Shennan, I., and Zander, P.D., 2015, Constraints on regional drivers of relative sea-level change around Cordova, Alaska: *Quaternary Science Reviews*, v. 113, p. 48–59, doi: 10.1016/j.quascirev.2014.12.002.
- Gavin, D.G., Henderson, A.C.G., Westover, K.S., Fritz, S.C., Walker, I.R., Leng, M.J., and Hu, F.S., 2011, Abrupt Holocene climate change and potential response to solar forcing in western Canada: *Quaternary Science Reviews*, v. 30, no. 9–10, p. 1243–1255, doi: 10.1016/j.quascirev.2011.03.003.
- Gebhardt, A.C., Niessen, F., and Kopsch, C., 2006, Central ring structure identified in one of the world's best-preserved impact craters: *Geology*, v. 34, no. 3, p. 145–148, doi: 10.1130/g22278.1.
- Gebhardt, A.C., Francke, A., Kück, J., Sauerbrey, M., Niessen, F., Wennrich, V., and Melles, M., 2013, Petrophysical characterization of the lacustrine sediment succession drilled in Lake El'gygytgyn, Far East Russian Arctic: *Climate of the Past*, v. 9, no. 4, p. 1933–1947, doi: 10.5194/cp-9-1933-2013.
- Geirsdóttir, A., Miller, G.H., and Andrews, J.T., 2007, Glaciation, erosion, and landscape evolution of Iceland: *Journal of Geodynamics*, v. 43, no. 1, p. 170–186, doi: 10.1016/j.jog.2006.09.017.
- Geirsdóttir, A., Miller, G.H., Axford, Y., Ólafsdóttir, S., Geirsdóttir, Á., Miller, G.H., and Axford, Y., 2009, Holocene and latest Pleistocene climate and glacier fluctuations in Iceland: *Quaternary Science Reviews*, v. 28, no. 21–22, p. 2107–2118, doi: 10.1016/j.quascirev.2009.03.013.
- Geirsdóttir, Á., Miller, G.H., Larsen, D.J., and Ólafsdóttir, S., 2013, Abrupt Holocene climate transitions in the northern North Atlantic region recorded by synchronized lacustrine records in Iceland: *Quaternary Science Reviews*, v. 70, p. 48–62, doi: <http://dx.doi.org/10.1016/j.quascirev.2013.03.010>.
- Geirsdóttir, Á., Miller, G.H., Thordarson, T., and Ólafsdóttir, K.B., 2008, A 2000 year record of climate variations reconstructed from Haukadalsvatn, West Iceland: *Journal of Paleolimnology*, v. 41, no. 1, p. 95–115, doi: 10.1007/s10933-008-9253-z.
- Geiss, C.E., Banerjee, S.K., Camill, P., and Umbanhowar, C.E., 2004, Sediment-magnetic signature of land-use and drought as recorded in lake sediment from south-central Minnesota, USA: *Quaternary Research*, v. 62, no. 2, p. 117–125, doi: 10.1016/j.yqres.2004.06.009.

- Geiss, C.E., Umbanhowar, C.E., Camill, P., and Banerjee, S.K., 2003, Sediment magnetic properties reveal Holocene climate change along the Minnesota prairie-forest ecotone, *in* *Journal of Paleolimnology*, p. 151–166.
- Gill, J.L., Williams, J.W., Jackson, S.T., Lininger, K.B., and Robinson, G.S., 2009, Pleistocene megafaunal collapse, novel plant communities, and enhanced fire regimes in North America.: *Science*, v. 326, no. 5956, p. 1100–1103, doi: 10.1126/science.1179504.
- Gill, J.L., Williams, J.W., Jackson, S.T., Donnelly, J.P., and Schellinger, G.C., 2012, Climatic and megaherbivory controls on late-glacial vegetation dynamics: a new, high-resolution, multi-proxy record from Silver Lake, Ohio: *Quaternary Science Reviews*, v. 34, no. 0, p. 66–80, doi: 10.1016/j.quascirev.2011.12.008.
- Gilli, A., Anselmetti, F.S., Ariztegui, D., Beres, M., McKenzie, J.A., and Markgraf, V., 2004, Seismic stratigraphy, buried beach ridges and contourite drifts: the Late Quaternary history of the closed Lago Cardiel basin, Argentina (49°S): *Sedimentology*, v. 52, no. 1, p. 1–23, doi: 10.1111/j.1365-3091.2004.00677.x.
- Gilli, A., Anselmetti, F.S., Ariztegui, D., Bradbury, J.P., Kelts, K.R., Markgraf, V., and McKenzie, J.A., 2001, Tracking abrupt climate change in the Southern Hemisphere: a seismic stratigraphic study of Lago Cardiel, Argentina (49°S): *Terra Nova*, v. 13, no. 6, p. 443–448, doi: 10.1046/j.1365-3121.2001.00377.x.
- Gilli, A., Ariztegui, D., Anselmetti, F.S., McKenzie, J.A., Markgraf, V., Hajdas, I., and McCulloch, R.D., 2005, Mid-Holocene strengthening of the Southern Westerlies in South America — Sedimentological evidences from Lago Cardiel, Argentina (49°S): *Global and Planetary Change*, v. 49, no. 1–2, p. 75–93, doi: 10.1016/j.gloplacha.2005.05.004.
- Giralt, S., Rico-Herrero, M.T., Vega, J.C., and Valero-Garcés, B.L., 2011, Quantitative climate reconstruction linking meteorological, limnological and XRF core scanner datasets: the Lake Sanabria case study, NW Spain: *Journal of Paleolimnology*, v. 46, no. 3, p. 1–16, doi: 10.1007/s10933-011-9509-x.
- Giralt, S., Moreno, A., Bao, R., Sáez, A., Prego, R., Valero-Garcés, B.L., Pueyo, J.J., González-Sampériz, P., Taberner, C., Saez, A., Prego, R., Valero-Garces, B.L., Pueyo, J.J., Gonzalez-Samperiz, P., et al., 2007, A statistical approach to disentangle environmental forcings in a lacustrine record: the Lago Chungará case (Chilean Altiplano): *Journal of Paleolimnology*, v. 40, no. 1, p. 195–215, doi: 10.1007/s10933-007-9151-9.
- Glaser, P.H., Janssens, J.A., and Siegel, D.I., 1990, The response of vegetation to chemical and hydrological gradients in the Lost River peatland, northern Minnesota: *Journal of Ecology*, v. 78, no. 4, p. 1021–1048.
- Glaser, P.H., Hansen, B.C.S., Donovan, J.J., Givnish, T.J., Stricker, C.A., and Volin, J.C., 2013, Holocene dynamics of the Florida Everglades with respect to climate, dustfall, and tropical



storms: *Proceedings of the National Academy of Sciences*, v. 110, no. 43, p. 17211–17216, doi: 10.1073/pnas.1222239110.

Glaser, P.H., Hansen, B.C.S.S., Siegel, D.I., Reeve, A.S., and Morin, P.J., 2004, Rates, pathways and drivers for peatland development in the Hudson Bay Lowlands, northern Ontario, Canada: *Journal of Ecology*, v. 92, no. 6, p. 1036–1053, doi: 10.1111/j.0022-0477.2004.00931.x.

Glaser, P.H., Siegel, D.I., Romanowicz, E.A., and Shen, Y.P., 1997, Regional linkages between raised bogs and the climate, groundwater, and landscape of north-western Minnesota: *Journal of Ecology*, v. 85, no. 1, p. 3–16.

Glaser, P.H., Volin, J.C., Givnish, T.J., Hansen, B.C.S., and Stricker, C.A., 2012, Carbon and sediment accumulation in the Everglades (USA) during the past 4000 years: Rates, drivers, and sources of error: *Journal of Geophysical Research*, v. 117, no. G3, p. n/a-n/a, doi: 10.1029/2011JG001821.

Glover, K.C., Lowell, T. V., Wiles, G.C., Pair, D., Applegate, P., and Hajdas, I., 2011, Deglaciation, basin formation and post-glacial climate change from a regional network of sediment core sites in Ohio and eastern Indiana: *Quaternary Research*, v. 76, no. 3, p. 401–410, doi: 10.1016/j.yqres.2011.06.004.

Goman, M., Malamud-Roam, F., and Ingram, B.L., 2008, Holocene Environmental History and Evolution of a Tidal Salt Marsh in San Francisco Bay, California: *Journal of Coastal Research*, v. 245, no. 5, p. 1126–1137, doi: 10.2112/08A-0005.1.

Gomes, M.L., and Hurtgen, M.T., 2013, Sulfur isotope systematics of a euxinic, low-sulfate lake: Evaluating the importance of the reservoir effect in modern and ancient oceans: *Geology*, v. 41, no. 6, p. 663–666, doi: 10.1130/G34187.1.

Gomes, M.L., and Hurtgen, M.T., 2013, Sulfur isotope systematics of a euxinic, low-sulfate lake: Evaluating the importance of the reservoir effect in modern and ancient oceans: *Geology*,.

González-Sampériz, P., García-Prieto, E., Aranbarri, J., Valero-Garcés, B.L., Moreno, A., Gil-Romera, G., Sevilla-Callejo, M., Santos, L., Morellón, M., Mata, P., Andrade, A., and Carrión, J.S., 2013, Reconstrucción paleoambiental del último ciclo glacial-interglacial en la iberia continental: La secuencia del Cañizar de Villarquemado (Teruel): *Cuadernos de Investigacion Geográfica*, v. 39, no. 1, p. 49–76.

Gorham, E., Janssens, J.A., and Glaser, P.H., 2003, Rates of peat accumulation during the postglacial period in 32 sites from Alaska to Newfoundland, with special emphasis on northern Minnesota: *Canadian Journal of Botany*, v. 81, no. 5, p. 429–438, doi: 10.1139/b03-036.

Gosling, W.D., Bush, M.B., Hanselman, J.A., and Chepstow-Lusty, A., 2008, Glacial-interglacial changes in moisture balance and the impact on vegetation in the southern

hemisphere tropical Andes (Bolivia/Peru): *Palaeogeography, Palaeoclimatology, Palaeoecology*, v. 259, no. 1, p. 35–50, doi: 10.1016/j.palaeo.2007.02.050.

- Graham, R.W., Belmecheri, S., Choy, K., Culleton, B.J., Davies, L.J., Froese, D., Heintzman, P.D., Hritz, C., Kapp, J.D., Newsom, L.A., Rawcliffe, R., Saulnier-Talbot, É., Shapiro, B., Wang, Y., et al., 2016, Timing and causes of mid-Holocene mammoth extinction on St. Paul Island, Alaska: v. 113, no. 33, p. 9310–9314, doi: 10.1073/pnas.1604903113.
- Gran, K.B., Finnegan, N., Johnson, A.L., Belmont, P., Wittkop, C., and Rittenour, T., 2013, Landscape evolution, valley excavation, and terrace development following abrupt postglacial base-level fall: *Geological Society of America Bulletin*, v. 125, no. 11–12, p. 1851–1864.
- Grimm, E.C., 2011, High-resolution age model based on AMS radiocarbon ages for Kettle Lake, North Dakota, USA: *Radiocarbon*, v. 53, no. 1, p. 39–53.
- Grimm, E.C., Donovan, J.J., and Brown, K.J., 2011, A high-resolution record of climate variability and landscape response from Kettle Lake, northern Great Plains, North America: *Quaternary Science Reviews*, v. 30, no. 19–20, p. 2626–2650, doi: 10.1016/j.quascirev.2011.05.015.
- Grimm, E.C., Watts, W.A., Jacobson Jr., G.L., Hansen, B.C.S., Almquist, H.R., and Dieffenbacher-Krall, A.C., 2006, Evidence for warm wet Heinrich events in Florida: *Quaternary Science Reviews*, v. 25, no. 17–18, p. 2197–2211, doi: 10.1016/j.quascirev.2006.04.008.
- Grosjean, M., 2001, A 22,000 14C year BP sediment and pollen record of climate change from Laguna Miscanti (23°S), northern Chile: *Global and Planetary Change*, v. 28, no. 1–4, p. 35–51, doi: 10.1016/S0921-8181(00)00063-1.
- Guerrero, B.O., Lozano García, M.S., Caballero, M., and Herrera Hernández, D.A., 2015, Historia de la evolución deposicional del lago de Chalco, México, desde el MIS 3: *Boletín de la Sociedad Geológica Mexicana*, v. 67, no. 2, p. 185–201.
- Halfman, J.D., and Johnson, T.C., 1988, High-resolution record of cyclic climatic change during the past 4 ka from Lake Turkana, Kenya: *Geology*, v. 16, no. 6, p. 496, doi: 10.1130/0091-7613(1988)016<0496:HRROCC>2.3.CO;2.
- Halfman, J.D., Johnson, T.C., and Finney, B.P., 1994, New AMS dates, stratigraphic correlations and decadal climatic cycles for the past 4 ka at Lake Turkana, Kenya: *Palaeogeography, Palaeoclimatology, Palaeoecology*, v. 111, no. 1–2, p. 83–98, doi: 10.1016/0031-0182(94)90349-2.
- Halfman, J.D., Johnson, T.C., Showers, W.J., and Lister, G.S., 1989, Authigenic low-Mg calcite in Lake Turkana, Kenya: *Journal of African Earth Sciences (and the Middle East)*, v. 8, no. 2–4, p. 533–540, doi: 10.1016/S0899-5362(89)80043-0.

- Haltia, E.M., and Nowaczyk, N.R., 2014, Magnetostratigraphy of sediments from Lake El'gygytgyn ICDP Site 5011-1: paleomagnetic age constraints for the longest paleoclimate record from the continental Arctic: *Clim. Past*, v. 10, no. 2, p. 623–642, doi: 10.5194/cp-10-623-2014.
- Hanan, B.B., Shervais, J.W., and Vetter, S.K., 2008, Yellowstone plume–continental lithosphere interaction beneath the Snake River Plain: *Geology*, v. 36, no. 1, p. 51–54.
- Hanselman, J.A., Bush, M.B., Gosling, W.D., Collins, A., Knox, C., Baker, P.A., and Fritz, S.C., 2011, A 370,000-year record of vegetation and fire history around Lake Titicaca (Bolivia/Peru): *Palaeogeography, Palaeoclimatology, Palaeoecology*, v. 305, no. 1–4, p. 201–214, doi: 10.1016/j.palaeo.2011.03.002.
- Hanselman, J.A., Gosling, W.D., Paduano, G.M., and Bush, M.B., 2005, Contrasting pollen histories of MIS 5e and the Holocene from Lake Titicaca (Bolivia/Peru): *Journal of Quaternary Science*, v. 20, no. 7–8, p. 663–670, doi: 10.1002/jqs.979.
- Hansen, B.C.S., Seltzer, G.O., and Wright, H.E., 1994, Late Quaternary vegetational change in the central Peruvian Andes: *Palaeogeography, Palaeoclimatology, Palaeoecology*, v. 109, no. 2–4, p. 263–285, doi: 10.1016/0031-0182(94)90179-1.
- HANSEN, B.C.S., WRIGHT, H.E., and BRADBURY, J.P., 1984, Pollen studies in the Junín area, central Peruvian Andes: *Geological Society of America Bulletin*, v. 95, no. 12, p. 1454, doi: 10.1130/0016-7606(1984)95<1454:PSITJA>2.0.CO;2.
- Harning, D.J., Geirsdóttir, T., Miller, G.H., and Zalzal, K., 2016, Early Holocene deglaciation of Drangajökull, Vestfirðir, Iceland: *Quaternary Science Reviews*, doi: 10.1016/j.quascirev.2016.09.030.
- Haskell, B.J., Engstrom, D.R., and Fritz, S.C., 1996, Late Quaternary paleohydrology in the North American Great Plains inferred from the geochemistry of endogenic carbonate and fossil ostracodes from Devils Lake, North Dakota, USA: *Palaeogeography, Palaeoclimatology, Palaeoecology*, v. 124, no. 3–4, p. 179–193, doi: 10.1016/0031-0182(96)00002-8.
- Heathcote, A.J., Filstrup, C.T., and Downing, J.A., 2013, Watershed sediment losses to lakes accelerating despite agricultural soil conservation efforts.: *PloS one*, v. 8, no. 1, p. e53554, doi: 10.1371/journal.pone.0053554.
- Heathcote, A.J., and Downing, J.A., 2011, Impacts of Eutrophication on Carbon Burial in Freshwater Lakes in an Intensively Agricultural Landscape: *Ecosystems*, v. 15, no. 1, p. 60–70, doi: 10.1007/s10021-011-9488-9.
- Heil, C.W., King, J.W., Rosenbaum, J.G., Reynolds, R.L., and Colman, S.M., 2009, Paleomagnetism and environmental magnetism of GLAD800 sediment cores from Bear Lake, Utah and Idaho: *Geological Society of America Special Papers*, v. 450, p. 291–310.

- Heil, C.W., King, J.W., Rosenbaum, J.G., Reynolds, R.L., and Colman, S.M., 2009, Paleoenvironments of Bear Lake, Utah and Idaho, and its catchment: Geological Society of America.
- Henderson, A.K., and Shuman, B.N., 2009, Hydrogen and oxygen isotopic compositions of lake water in the western United States: Geological Society of America Bulletin, v. 121, no. 7–8, p. 1179–1189, doi: 10.1130/B26441.1.
- Henderson, A.K., Nelson, D.M., Hu, F.S., Huang, Y., Shuman, B.N., and Williams, J.W., 2010, Holocene precipitation seasonality captured by a dual hydrogen and oxygen isotope approach at Steel Lake, Minnesota: Earth and Planetary Science Letters, v. 300, no. 3–4, p. 205–214, doi: 10.1016/j.epsl.2010.09.024.
- Henderson, A.K., and Shuman, B.N., 2010, Differing controls on river- and lake-water hydrogen and oxygen isotopic values in the western United States: Hydrological Processes, v. 24, no. 26, p. 3894–3906, doi: 10.1002/hyp.7824.
- Hernandez, A., Bao, R., Giralt, S., Leng, M.J., Barker, P.A., Pueyo, J.J., Saez, A., Moreno, A., Valero-Garces, B., and Sloane, H.J., 2007, A high-resolution study of diatom oxygen isotopes in a Late Pleistocene to Early Holocene laminated record from Lake Chungara' (Andean Altiplano, Northern Chile): Geochimica Et Cosmochimica Acta, v. 71, no. 15, p. A398–A398.
- Hernández, A., Bao, R., Giralt, S., Barker, P.A., Leng, M.J., Sloane, H.J., and Sáez, A., 2011, Biogeochemical processes controlling oxygen and carbon isotopes of diatom silica in Late Glacial to Holocene lacustrine rhythmites: Palaeogeography, Palaeoclimatology, Palaeoecology, v. 299, no. 3–4, p. 413–425, doi: <http://dx.doi.org/10.1016/j.palaeo.2010.11.020>.
- Hernández, A., Bao, R., Giralt, S., Leng, M.J., Barker, P.A., Sáez, A., Pueyo, J.J., Moreno, A., Valero-Garcés, B.L., and Sloane, H.J., 2008, The palaeohydrological evolution of Lago Chungará (Andean Altiplano, northern Chile) during the Lateglacial and early Holocene using oxygen isotopes in diatom silica: Journal of Quaternary Science, v. 23, no. 4, p. 351–363, doi: 10.1002/jqs.1173.
- Hernández, A., Bao, R., Giralt, S., Sáez, A., Leng, M.J., Barker, P.A., Kendrick, C.P., and Sloane, H.J., 2013, Climate, catchment runoff and limnological drivers of carbon and oxygen isotope composition of diatom frustules from the central Andean Altiplano during the Lateglacial and Early Holocene: Quaternary Science Reviews, v. 66, p. 64–73, doi: <http://dx.doi.org/10.1016/j.quascirev.2012.10.013>.
- Hernández, A., Giralt, S., Bao, R., Sáez, A., Leng, M., and Barker, P., 2010, ENSO and solar activity signals from oxygen isotopes in diatom silica during late glacial-Holocene transition in Central Andes (18°S): Journal of Paleolimnology, v. 44, no. 2, p. 413–429, doi: 10.1007/s10933-010-9412-x.

- Herrera, C., Pueyo, J.J., Saez, A., and Valero-Garces, B.L., 2006, Relation of surface and underground waters in Chungara and Cotacotani lake districts, northern Chile: an isotopic study: *Revista Geologica De Chile*, v. 33, no. 2, p. 299–325.
- Heslop, J.K., Walter Anthony, K.M., Sepulveda-Jauregui, A., Martinez-Cruz, K., Bondurant, A., Grosse, G., and Jones, M.C., 2015, Thermokarst lake methanogenesis along a complete talik profile: *Biogeosciences*, v. 12, no. 14, p. 4317–4331, doi: 10.5194/bg-12-4317-2015.
- Heusser, L.E., Hendy, I.L., and Barron, J.A., 2015, Vegetation response to southern California drought during the Medieval Climate Anomaly and early Little Ice Age (AD 800–1600): *Quaternary International*, v. 387, p. 23–35, doi: <http://dx.doi.org/10.1016/j.quaint.2014.09.032>.
- Higgins, S., Hovan, S., Ito, E., Miller, J., Morin, P., Neal, C., Ortiz, J., Quoidbach, D., and Snyder, W., 2006, Workshop on the Development of the CoreWall Suite of Applications: *Scientific Drilling*, v. 1, no. 3, Sept 2006, p. 58–60, doi: 10.2204/iodp.sd.3.15.2006.
- Higuera, P.E., Whitlock, C., and Gage, J.A., 2011, Linking tree-ring and sediment-charcoal records to reconstruct fire occurrence and area burned in subalpine forests of Yellowstone National Park, USA: *Holocene*, v. 21, no. 2, p. 327–341, doi: 10.1177/0959683610374882.
- Hillesheim, M.B., Hodell, D.A., Leyden, B.W., Brenner, M., Curtis, J.H., Anselmetti, F.S., Ariztegui, D., Buck, D.G., Guilderson, T.P., Rosenmeier, M.F., and Schnurrenberger, D.W., 2005, Climate change in lowland Central America during the late deglacial and early Holocene: *Journal of Quaternary Science*, v. 20, no. 4, p. 363–376, doi: 10.1002/jqs.924.
- Hobbs, W.O., Fritz, S.C., Stone, J.R., Donovan, J.J., Grimm, E.C., and Almendinger, J.E., 2011, Environmental history of a closed-basin lake in the US Great Plains: Diatom response to variations in groundwater flow regimes over the last 8500 cal. yr BP: *The Holocene*, v. 21, no. 8, p. 1203–1216, doi: 10.1177/0959683611405242.
- Hodell, D.A., Anselmetti, F.S., Ariztegui, D., Brenner, M., Curtis, J.H., Gilli, A., Grzesik, D.A., Guilderson, T.J., Müller, A.D., Bush, M.B., Correa-Metrio, A., Escobar, J., and Kutterolf, S., 2008, An 85-ka record of climate change in lowland Central America: *Quaternary Science Reviews*, v. 27, no. 11–12, p. 1152–1165, doi: 10.1016/j.quascirev.2008.02.008.
- Hodell, D.A., Turchyn, A. V., Wiseman, C.J., Escobar, J., Curtis, J.H., Brenner, M., Gilli, A., Mueller, A.D., Anselmetti, F., Ariztegui, D., and Brown, E.T., 2012, Late Glacial temperature and precipitation changes in the lowland Neotropics by tandem measurement of  $\delta^{18}\text{O}$  in biogenic carbonate and gypsum hydration water: *Geochimica et Cosmochimica Acta*, v. 77, no. 0, p. 352–368, doi: 10.1016/j.gca.2011.11.026.
- Hodell, D., Anselmetti, F., Brenner, M., and Ariztegui, D., 2006, The Lake Petén Itzá Scientific Drilling Project: *Scientific Drilling*, v. 1, no. 3, Sept 2006, p. 25–29, doi: 10.2204/iodp.sd.3.02.2006.

- Hoogakker, B.A.A., Smith, R.S., Singarayer, J.S., Marchant, R., Prentice, I.C., Allen, J.R.M., Anderson, R.S., Bhagwat, S.A., Behling, H., Borisova, O., Bush, M., Correa-Metrio, A., De Vernal, A., Finch, J.M., et al., 2016, Terrestrial biosphere changes over the last 120 kyr: *Climate of the Past*, v. 12, no. 1, doi: 10.5194/cp-12-51-2016.
- Hostetler, S.W., Giorgi, F., Bates, G.T., and Bartlein, P.J., 1994, Lake-Atmosphere Feedbacks Associated with Paleolakes Bonneville and Lahontan: *Science*, v. 263, no. 5147, p. 665–668.
- Hotchkiss, S.C., Calcote, R., and Lynch, E.A., 2007, Response of vegetation and fire to Little Ice Age climate change: regional continuity and landscape heterogeneity: *Landscape Ecology*, v. 22, no. S1, p. 25–41, doi: 10.1007/s10980-007-9133-3.
- Hu, F.S., Slawinski, D., Wright, H.E., Ito, E., Johnson, R.G., Kelts, K.R., McEwan, R.F., and Boedlheimer, A., 1999, Abrupt changes in North American climate during early Holocene times: *Nature*, v. 400, no. 6743, p. 437–440, doi: 10.1038/22728.
- Iglesias, V., Krause, T.R., and Whitlock, C., 2015, Complex response of white pines to past environmental variability increases understanding of future vulnerability.: *PloS one*, v. 10, no. 4, p. e0124439, doi: 10.1371/journal.pone.0124439.
- Iglesias, V., Markgraf, V., and Whitlock, C., 2016, 17,000 years of vegetation, fire and climate change in the eastern foothills of the Andes (lat. 44°S): v. 457, p. 195–208, doi: 10.1016/j.palaeo.2016.06.008.
- Ireland, A.W., Booth, R.K., Hotchkiss, S.C., and Schmitz, J.E., 2013, A comparative study of within-basin and regional peatland development: implications for peatland carbon dynamics: *Quaternary Science Reviews*, v. 61, no. 0, p. 85–95, doi: <http://dx.doi.org/10.1016/j.quascirev.2012.10.035>.
- Ivory, S.J., Blome, M.W., King, J.W., McGlue, M.M., Cole, J.E., and Cohen, A.S., 2016, Environmental change explains cichlid adaptive radiation at Lake Malawi over the past 1.2 million years: *Proceedings of the National Academy of Sciences of the United States of America*, v. 113, no. 42, doi: 10.1073/pnas.1611028113.
- Ivory, S.J., McGlue, M.M., Ellis, G.S., Lézine, A.-M., Cohen, A.S., and Vincens, A., 2014, Vegetation Controls on Weathering Intensity during the Last Deglacial Transition in Southeast Africa: *PLoS ONE*, v. 9, no. 11, p. e112855, doi: 10.1371/journal.pone.0112855.
- Ivory, S.J., Lézine, A.-M., Vincens, A., and Cohen, A.S., 2012, Effect of aridity and rainfall seasonality on vegetation in the southern tropics of East Africa during the Pleistocene/Holocene transition: *Quaternary Research*, v. 77, no. 1, p. 77–86, doi: 10.1016/j.yqres.2011.11.005.

- Jackson, L.J., Stone, J.R., Cohen, A.S., and Yost, C.L., 2015, High-resolution paleoecological records from Lake Malawi show no significant cooling associated with the Mount Toba supereruption at ca. 75 ka: *Geology*, v. 43, no. 9, p. 823–826, doi: 10.1130/G36917.1.
- Jambrina-Enríquez, M., Rico, M., Moreno, A., Leira, M., Bernárdez, P., Prego, R., Recio, C., and Valero-Garcés, B.L., 2014, Timing of deglaciation and postglacial environmental dynamics in NW Iberia: the Sanabria Lake record: *Quaternary Science Reviews*, v. 94, no. 0, p. 136–158, doi: 10.1016/j.quascirev.2014.04.018.
- Janssens, J.A., and Glaser, P.H., 1986, The bryophyte flora and major peat-forming mosses at Red Lake peatland, Minnesota.: *Canadian Journal of Botany*, v. 64, no. 2, p. 427–442.
- Jensen, K., Lynch, E.A., Calcote, R., and Hotchkiss, S.C., 2007, Interpretation of charcoal morphotypes in sediments from Ferry Lake, Wisconsin, USA: do different plant fuel sources produce distinctive charcoal morphotypes? *The Holocene*, v. 17, no. 7, p. 907–915, doi: 10.1177/0959683607082405.
- Jiménez-Moreno, G., Scott Anderson, R., and Fawcett, P.J., 2007, Orbital- and millennial-scale vegetation and climate changes of the past 225 ka from Bear Lake, Utah-Idaho (USA): *Quaternary Science Reviews*, v. 26, no. 13–14, p. 1713–1724, doi: 10.1016/j.quascirev.2007.05.001.
- Johnson, B.G., Eppes, M.C., Diemer, J.A., Jiménez-Moreno, G., and Layzell, A.L., 2011, Post-glacial landscape response to climate variability in the southeastern San Juan Mountains of Colorado, USA: *Quaternary Research*, v. 76, no. 3, p. 352–362, doi: 10.1016/j.yqres.2011.08.006.
- Johnson, B.G., Jiménez-Moreno, G., Eppes, M.C., Diemer, J.A., and Stone, J.R., 2013, A multiproxy record of postglacial climate variability from a shallowing, 12-m deep sub-alpine bog in the southeastern San Juan Mountains of Colorado, USA: *The Holocene*,
- Johnson, K.R., Miller, I.M., and Pigati, J.S., 2014, Introduction to the Snowmastodon Project Special Volume: *Quaternary Research*, v. 82, no. 3, p. 473–476, doi: 10.1016/j.yqres.2013.12.010.
- Johnson, T.C., Halfman, J.D., and Showers, W.J., 1991, Paleoclimate of the past 4000 years at Lake Turkana, Kenya, based on the isotopic composition of authigenic calcite: *Palaeogeography, Palaeoclimatology, Palaeoecology*, v. 85, no. 3–4, p. 189–198, doi: 10.1016/0031-0182(91)90158-N.
- Johnson, T.C., Brown, E.T., McManus, J., Barry, S., Barker, P., and Gasse, F., 2002, A high-resolution paleoclimate record spanning the past 25,000 years in southern East Africa.: *Science (New York, N.Y.)*, v. 296, no. 5565, p. 113–32, doi: 10.1126/science.1070057.

- Johnson, T.C., Brown, E.T., and Shi, J., 2011, Biogenic silica deposition in Lake Malawi, East Africa over the past 150,000 years: *Palaeogeography, Palaeoclimatology, Palaeoecology*, v. 303, no. 1–4, p. 103–109, doi: 10.1016/j.palaeo.2010.01.024.
- Johnson, T.C., Kelts, K., and Odada, E., 2000, The Holocene history of Lake Victoria: *Ambio*, v. 29, no. 1, p. 2–11.
- Johnson, T.C., and Lane, C.S., 2014, Comment on “The latest on volcanic eruptions and climate,” *in Eos*, Blackwell Publishing Ltd, p. 354.
- Johnson, T.C., and McCave, I.N., 2008, Transport mechanism and paleoclimatic significance of terrigenous silt deposited in varved sediments of an African rift lake: *Limnology and Oceanography*, v. 53, no. 4, p. 1622–1632.
- Jones, M.D., Metcalfe, S.E., Davies, S.J., and Noren, A., 2015, Late Holocene climate reorganisation and the North American Monsoon: *Quaternary Science Reviews*, v. 124, p. 290–295, doi: <http://dx.doi.org/10.1016/j.quascirev.2015.07.004>.
- Jones, M.C., Grosse, G., Jones, B.M., and Walter Anthony, K., 2012, Peat accumulation in drained thermokarst lake basins in continuous, ice-rich permafrost, northern Seward Peninsula, Alaska: *Journal of Geophysical Research: Biogeosciences*, v. 117, no. G2, p. n/a–n/a, doi: 10.1029/2011JG001766.
- Junginger, A., Roller, S., Olaka, L.A., and Trauth, M.H., 2014, The effects of solar irradiation changes on the migration of the Congo Air Boundary and water levels of paleo-Lake Suguta, Northern Kenya Rift, during the African Humid Period (15–5ka BP): *Palaeogeography, Palaeoclimatology, Palaeoecology*, v. 396, p. 1–16, doi: 10.1016/j.palaeo.2013.12.007.
- Kadereit, A., DeWitt, R., and Johnson, T.C., 2012, Luminescence properties and optically (post-IR blue-light) stimulated luminescence dating of limnic sediments from northern Lake Malawi – Chances and limitations: *Quaternary Geochronology*, v. 10, p. 160–166, doi: 10.1016/j.quageo.2012.02.021.
- Karabanov, E., Williams, D., Kuzmin, M., Sideleva, V., Khursevich, G., Prokopenko, A., Solotchina, E., Tkachenko, L., Fedenya, S., Kerber, E., Gvozdkov, A., Khlustov, O., Bezrukova, E., Letunova, P., et al., 2004, Ecological collapse of Lake Baikal and Lake Hovsgol ecosystems during the Last Glacial and consequences for aquatic species diversity: *Palaeogeography, Palaeoclimatology, Palaeoecology*, v. 209, no. 1–4, p. 227–243.
- Kaufman, D.S., Ager, T.A., Anderson, N.J., Anderson, P.M., Andrews, J.T., Bartlein, P.J., Brubaker, L.B., Coats, L.L., Cwynar, L.C., Duvall, M.L., Dyke, A.S., Edwards, M.E., Eisner, W.R., Gajewski, K., et al., 2004, Holocene thermal maximum in the western Arctic (0–180°W): *Quaternary Science Reviews*, v. 23, no. 5–6, p. 529–560, doi: <http://dx.doi.org/10.1016/j.quascirev.2003.09.007>.



- Kaufman, D.S., Bright, J., Dean, W.E., Rosenbaum, J.G., Moser, K., Anderson, R.S., Colman, S.M., Heil, C.W., Jiménez-Moreno, G., Reheis, M.C., and Simmons, K.R., 2009, A quarter-million years of paleoenvironmental change at Bear Lake, Utah and Idaho: Geological Society of America Special Papers, v. 450, p. 311–351.
- Kaufman, D.S., Forman, S.L., and Bright, J., 2001, Age of the Cutler Dam Alloformation (Late Pleistocene), Bonneville Basin, Utah: *Quaternary Research*, v. 56, no. 3, p. 322–334, doi: 10.1006/qres.2001.2275.
- Kaufman, D.S., Bright, J., Dean, W.E., Rosenbaum, J.G., Moser, K., Anderson, R.S., Colman, S.M., Heil, C.W., Jiménez-Moreno, G., Reheis, M.C., and Simmons, K.R., 2009, Paleoenvironments of Bear Lake, Utah and Idaho, and its catchment: Geological Society of America.
- Kelley, D.W., Brachfeld, S.A., Nater, E.A., Wright, H.E., and Wright Jr., H., 2006, Sources of Sediment in Lake Pepin on the Upper Mississippi River in Response to Holocene Climatic Changes: *Journal of Paleolimnology*, v. 35, no. 1, p. 193–206, doi: 10.1007/s10933-005-8686-x.
- Khursevich, G.K., Karabanov, E.B., Prokopenko, A.A., Williams, D.F., Kuzmin, M.I., Fedenya, S.A., and Gvozdkov, A.A., 2001, Insolation regime in Siberia as a major factor controlling diatom production in Lake Baikal during the past 800,000 years: *Quaternary International*, v. 80–81, p. 47–58, doi: 10.1016/S1040-6182(01)00018-0.
- Kirby, M.E., Feakins, S.J., Hiner, C.A., Fantozzi, J., Zimmerman, S.R.H.H., Dingemans, T., and Mensing, S.A., 2014, Tropical Pacific forcing of Late-Holocene hydrologic variability in the coastal southwest United States: *Quaternary Science Reviews*, v. 102, no. 0, p. 27–38, doi: 10.1016/j.quascirev.2014.08.005.
- Kirchgeorg, T., Schüpbach, S., Kehrwald, N., McWethy, D.B., and Barbante, C., 2014, Method for the determination of specific molecular markers of biomass burning in lake sediments: *Organic Geochemistry*, v. 71, p. 1–6, doi: 10.1016/j.orggeochem.2014.02.014.
- Koerberl, C., Peck, J., King, J., Milkereit, B., Overpeck, O., and Scholz, C., 2005, The ICDP Lake Bosumtwi Drilling Project: A First Report: *Sci. Dril.*, v. 1, p. 23–27, doi: 10.5194/sd-1-23-2005.
- Koerberl, C., Milkereit, B., Overpeck, J.T., Scholz, C.A., Amoako, P.Y.O., Boamah, D., Danuor, S.K., Karp, T., Kueck, J., Hecky, R.E., King, J.W., and Peack, J.A., 2007, An international and multidisciplinary drilling project into a young complex impact structure: The 2004 ICDP Bosumtwi Crater Drilling Project - An overview: *Meteoritics and Planetary Science*, v. 42, no. 4–5, p. 483–511.
- Koerberl, C., Pittarello, L., Reimold, W.U., Raschke, U., Brigham-Grette, J., Melles, M., Minyuk, P., and Spray, J., 2013, El'gygytgyn impact crater, Chukotka, Arctic Russia: Impact

cratering aspects of the 2009 ICDP drilling project.: *Meteoritics & planetary science*, v. 48, no. 7, p. 1108–1129, doi: 10.1111/maps.12146.

Konecky, B.L., Russell, J.M., Johnson, T.C., Brown, E.T., Berke, M.A., Werne, J.P., and Huang, Y., 2011, Atmospheric circulation patterns during late Pleistocene climate changes at Lake Malawi, Africa: *Earth and Planetary Science Letters*, v. 312, no. 3–4, p. 318–326, doi: 10.1016/j.epsl.2011.10.020.

Konecky, B., Russell, J., and Bijaksana, S., 2016, Glacial aridity in central Indonesia coeval with intensified monsoon circulation: *Earth and Planetary Science Letters*, v. 437, p. 15–24, doi: 10.1016/j.epsl.2015.12.037.

Kowalewska, A., and Cohen, A.S., 1998, Reconstruction of paleoenvironments of the Great Salt Lake Basin during the late Cenozoic: *Journal of Paleolimnology*, v. 20, no. 4, p. 381–407, doi: 10.1023/a:1008053505320.

Krause, T.R., Lu, Y., Whitlock, C., Fritz, S.C., and Pierce, K.L., 2015, Patterns of terrestrial and limnologic development in the northern Greater Yellowstone Ecosystem (USA) during the late-glacial/early-Holocene transition: *Palaeogeography, Palaeoclimatology, Palaeoecology*, v. 422, p. 46–56, doi: 10.1016/j.palaeo.2014.12.018.

Krause, T.R., and Whitlock, C., 2013, Climate and vegetation change during the late-glacial/early-Holocene transition inferred from multiple proxy records from Blacktail Pond, Yellowstone National Park, USA: *Quaternary Research*, v. 79, no. 3, p. 391–402, doi: <http://dx.doi.org/10.1016/j.yqres.2013.01.005>.

Krawiec, A.C.L.L., Kaufman, D.S., and Vaillencourt, D.A., 2013, Age models and tephrostratigraphy from two lakes on Adak Island, Alaska: *Quaternary Geochronology*, v. 18, p. 41–53, doi: 10.1016/j.quageo.2013.07.002.

Krawiec, A.C.L., and Kaufman, D.S., 2014, Holocene storminess inferred from sediments of two lakes on Adak Island, Alaska: *Quaternary Research*, v. 82, no. 1, p. 73–84, doi: 10.1016/j.yqres.2014.02.007.

Kröpelin, S., Verschuren, D., Lézine, A.M., Eggermont, H., Cocquyt, C., Francus, P., Cazet, J.P., Fagot, M., Rumes, B., Russell, J.M., Darius, F., Conley, D.J., Schuster, M., von Suchodoletz, H., et al., 2008, Climate-Driven Ecosystem Succession in the Sahara: The Past 6000 Years: *Science*, v. 320, no. 5877, p. 765–768.

Kurek, J., Cwynar, L.C., Ager, T.A., Abbott, M.B., and Edwards, M.E., 2009, Late Quaternary paleoclimate of western Alaska inferred from fossil chironomids and its relation to vegetation histories: *Quaternary Science Reviews*, v. 28, no. 9–10, p. 799–811, doi: 10.1016/j.quascirev.2008.12.001.

Laabs, B.J.C., Munroe, J.S., Rosenbaum, J.G., Refsnider, K.A., Mickelson, D.M., Singer, B.S., and Caffee, M.W., 2007, Chronology of the Last Glacial Maximum in the Upper Bear River

- Basin, Utah: *Arctic, Antarctic, and Alpine Research*, v. 39, no. 4, p. 537–548, doi: 10.1657/1523-0430(06-089)[LAABS]2.0.CO;2.
- Laird, K.R., Fritz, S.C., and Cumming, B.F., 1998, A diatom-based reconstruction of drought intensity, duration, and frequency from Moon Lake, North Dakota: A sub-decadal record of the last 2300 years: *Journal of Paleolimnology*, v. 19, no. 2, p. 161–179, doi: 10.1023/A:1007929006001.
- Laird, K.R., Fritz, S.C., Cumming, B.F., and Grimm, E.C., 1998, Early-holocene limnological and climatic variability in the Northern Great Plains: *Holocene*, v. 8, no. 3, p. 275–285.
- Laird, K.R., Fritz, S.C., Grimm, E.C., and Mueller, P.G., 1996, Century-scale paleoclimatic reconstruction from Moon Lake, a closed- basin lake in the northern Great Plains: *Limnology and Oceanography*, v. 41, no. 5, p. 890–902.
- Laird, K.R., Fritz, S.C., Maasch, K.A., and Cumming, B.F., 1996, Greater drought intensity and frequency before AD 1200 in the Northern Great Plains, USA: *Nature*, v. 384, no. 6609, p. 552–554, doi: 10.1038/384552a0.
- Lane, C.S., Chorn, B.T., and Johnson, T.C., 2013, Reply to Roberts et al.: A subdecadal record of paleoclimate around the Youngest Toba Tuff in Lake Malawi: *Proceedings of the National Academy of Sciences*, v. 110, no. 33, p. E3048–E3048, doi: 10.1073/pnas.1309815110.
- Lane, C.S., Chorn, B.T., and Johnson, T.C., 2013, Ash from the Toba supereruption in Lake Malawi shows no volcanic winter in East Africa at 75 ka: *Proceedings of the National Academy of Sciences of the United States of America*, v. 110, no. 20, p. 8025–8029, doi: 10.1073/pnas.1301474110.
- Larsen, D.J., Geirsdóttir, A., and Miller, G.H., 2015, Precise chronology of Little Ice Age expansion and repetitive surges of Langjökull, central Iceland: *Geology*, v. 43, no. 2, p. 167–170, doi: 10.1130/G36185.1.
- Larsen, D.J., Miller, G.H., Geirsdóttir, Á., and Ólafsdóttir, S., 2012, Non-linear Holocene climate evolution in the North Atlantic: a high-resolution, multi-proxy record of glacier activity and environmental change from Hvítárvatn, central Iceland: *Quaternary Science Reviews*, v. 39, p. 14–25, doi: 10.1016/j.quascirev.2012.02.006.
- Larsen, D.J., Miller, G.H., Geirsdóttir, Á., and Thordarson, T., 2011, A 3000-year varved record of glacier activity and climate change from the proglacial lake Hvítárvatn, Iceland: *Quaternary Science Reviews*, v. 30, no. 19–20, p. 2715–2731, doi: 10.1016/j.quascirev.2011.05.026.
- Lascu, I., McLauchlan, K.K., Myrbo, A., Leavitt, P.R., and Banerjee, S.K., 2012, Sediment-magnetic evidence for last millennium drought conditions at the prairie–forest ecotone of

- northern United States: *Palaeogeography, Palaeoclimatology, Palaeoecology*, v. 337–338, p. 99–107, doi: 10.1016/j.palaeo.2012.04.001.
- Lascu, I., and Plank, C., 2013, A new dimension to sediment magnetism: Charting the spatial variability of magnetic properties across lake basins: *Global and Planetary Change*, v. 110, p. 340–349, doi: 10.1016/j.gloplacha.2013.03.013.
- Lei, Y., Yao, T., Bird, B.W., Yang, K., Zhai, J., and Sheng, Y., 2013, Coherent lake growth on the central Tibetan Plateau since the 1970s: Characterization and attribution: *Journal of Hydrology*, v. 483, p. 61–67, doi: 10.1016/j.jhydrol.2013.01.003.
- Lenz, J., Wetterich, S., Jones, B.M., Meyer, H., Bobrov, A., and Grosse, G., 2016, Evidence of multiple thermokarst lake generations from an 11 800-year-old permafrost core on the northern Seward Peninsula, Alaska: *Boreas*, v. 45, no. 4, doi: 10.1111/bor.12186.
- Lenz, J., Grosse, G., Jones, B.M., Walter Anthony, K.M., Bobrov, A., Wulf, S., and Wetterich, S., 2015, Mid-Wisconsin to Holocene Permafrost and Landscape Dynamics based on a Drained Lake Basin Core from the Northern Seward Peninsula, Northwest Alaska: *Permafrost and Periglacial Processes*, v. 27, no. 1, p. n/a-n/a, doi: 10.1002/ppp.1848.
- Levy, L.B., Kelly, M.A., Lowell, T. V., Hall, B.L., Hempel, L.A., Honsaker, W.M., Lusas, A.R., Howley, J.A., and Axford, Y.L., 2014, Holocene fluctuations of Bregne ice cap, Scoresby Sund, east Greenland: a proxy for climate along the Greenland Ice Sheet margin: *Quaternary Science Reviews*, v. 92, p. 357–368, doi: <http://dx.doi.org/10.1016/j.quascirev.2013.06.024>.
- Levy, Z.F., Siegel, D.I., Dasgupta, S.S., Glaser, P.H., and Welker, J.M., 2014, Stable isotopes of water show deep seasonal recharge in northern bogs and fens: *Hydrological Processes*, v. 28, no. 18, p. 4938–4952, doi: 10.1002/hyp.9983.
- Li, J., and Katsev, S., 2014, Nitrogen cycling in deeply oxygenated sediments: Results in Lake Superior and implications for marine sediments: *Limnology and Oceanography*, v. 59, no. 2, p. 465–481, doi: 10.4319/lo.2014.59.2.0465.
- Litwin, R.J., Adam, D.P., Frederiksen, N.O., and Woolfenden, W.B., 1997, Special Paper 317: An 800,000-year paleoclimatic record from core OL-92, Owens Lake, Southeast California: Geological Society of America.
- Litwin, R.J., Smoot, J.P., Durika, N.J., and Smith, G.I., 1999, Calibrating Late Quaternary terrestrial climate signals: radiometrically dated pollen evidence from the southern Sierra Nevada, USA: *Quaternary Science Reviews*, v. 18, no. 10–11, p. 1151–1171, doi: 10.1016/S0277-3791(98)00111-5.
- Litwin, R.J., Smoot, J.P., Pavich, M.J., Markewich, H.W., Brook, G., and Durika, N.J., 2013, 100,000-year-long terrestrial record of millennial-scale linkage between eastern North

- American mid-latitude paleovegetation shifts and Greenland ice-core oxygen isotope trends: *Quaternary Research*, v. 80, no. 0, p. 291–315, doi: 10.1016/j.yqres.2013.05.003.
- Liu, X., Colman, S.M., Brown, E.T., An, Z., Zhou, W., Jull, A.J.T., Huang, Y., Cheng, P., Liu, W., and Xu, H., 2014, A climate threshold at the eastern edge of the Tibetan plateau: *Geophysical Research Letters*, v. 41, no. 15, p. 5598–5604, doi: 10.1002/2014GL060833.
- Liu, X., Colman, S.M., Brown, E.T., Henderson, A.G.C.G., Werne, J.P., and Holmes, J.A., 2013, Abrupt deglaciation on the northeastern Tibetan Plateau: evidence from Lake Qinghai: *Journal of Paleolimnology*, v. 51, no. 2, p. 223–240, doi: 10.1007/s10933-013-9721-y.
- Liu, X., Colman, S.M., Brown, E.T., Minor, E.C., and Li, H., 2013, Estimation of carbonate, total organic carbon, and biogenic silica content by FTIR and XRF techniques in lacustrine sediments: *Journal of Paleolimnology*, v. 50, no. 3, p. 387–398, doi: 10.1007/s10933-013-9733-7.
- Liu, X., Fisher, T.G., Lepper, K., Lowell, T. V., and Trenhaile, A., 2014, Geochemical characteristics of glacial Lake Agassiz sediments and new ages for the Moorhead Phase at Fargo, North Dakota, USA: *Canadian Journal of Earth Sciences*, v. 51, no. 9, p. 850–861, doi: 10.1139/cjes-2014-0039.
- Liu, Y., Andersen, J.J., Williams, J.W., and Jackson, S.T., 2013, Vegetation history in central Kentucky and Tennessee (USA) during the last glacial and deglacial periods: *Quaternary Research*, v. 79, no. 2, p. 189–198, doi: 10.1016/j.yqres.2012.12.005.
- Long, C.J., Power, M.J., Minckley, T.A., and Hass, A.L., 2014, The impact of Mt Mazama tephra deposition on forest vegetation in the Central Cascades, Oregon, USA: *The Holocene*,.
- Loomis, S.E., Russell, J.M., Eggermont, H., Verschuren, D., and Sinninghe Damsté, J.S., 2014, Effects of temperature, pH and nutrient concentration on branched GDGT distributions in East African lakes: Implications for paleoenvironmental reconstruction: *Organic Geochemistry*, v. 66, p. 25–37, doi: 10.1016/j.orggeochem.2013.10.012.
- Loomis, S.E., Russell, J.M., Ladd, B., Street-Perrott, F.A., and Sinninghe Damsté, J.S., 2012, Calibration and application of the branched GDGT temperature proxy on East African lake sediments: *Earth and Planetary Science Letters*, v. 357–358, p. 277–288, doi: 10.1016/j.epsl.2012.09.031.
- López-Merino, L., Moreno, A., Leira, M., Sigró, J., González-Sampériz, P., Valero-Garcés, B.L., López-Sáez, J.A., Brunet, M., and Aguilar, E., 2011, Two hundred years of environmental change in Picos de Europa National Park inferred from sediments of Lago Enol, northern Iberia: *Journal of Paleolimnology*, v. 46, no. 3, p. 453–467, doi: 10.1007/s10933-011-9546-5.

- Lowell, T. V., Fisher, T.G., Hajdas, I., Glover, K., Loope, H., and Henry, T., 2009, Radiocarbon deglaciation chronology of the Thunder Bay, Ontario area and implications for ice sheet retreat patterns Reply: *Quaternary Science Reviews*, v. 28, no. 23–24, p. 1597–1607, doi: 10.1016/j.quascirev.2009.06.022.
- Lowell, T. V., Hall, B.L., Kelly, M.A., Bennike, O., Lusas, A.R., Honsaker, W., Smith, C.A., Levy, L.B., Travis, S., and Denton, G.H., 2013, Late Holocene expansion of Istorvet ice cap, Liverpool Land, east Greenland: *Quaternary Science Reviews*, v. 63, p. 128–140, doi: 10.1016/j.quascirev.2012.11.012.
- Lozano-García, M. del S., Caballero, M., Ortega, B., Rodríguez, A., and Sosa, S., 2007, Tracing the effects of the Little Ice Age in the tropical lowlands of eastern Mesoamerica: *Proceedings of the National Academy of Sciences*, v. 104, no. 41, p. 16200–16203.
- Lozano-García, S., Ortega, B., Roy, P.D., Beramendi-Orosco, L., and Caballero, M., 2015, Climatic variability in the northern sector of the American tropics since the latest MIS 3: *Quaternary Research (United States)*, v. 84, no. 2, doi: 10.1016/j.yqres.2015.07.002.
- Lozano-García, S., Ortega, B., Roy, P.D., Beramendi-Orosco, L., and Caballero, M., 2015, Climatic variability in the northern sector of the American tropics since the latest MIS 3: *Quaternary Research*, v. 84, no. 2, p. 262–271, doi: <http://dx.doi.org/10.1016/j.yqres.2015.07.002>.
- Lozano-García, S., Torres-Rodríguez, E., Ortega, B., Vázquez, G., and Caballero, M., 2013, Ecosystem responses to climate and disturbances in western central Mexico during the late Pleistocene and Holocene: *Palaeogeography, Palaeoclimatology, Palaeoecology*, v. 370, no. 0, p. 184–195, doi: 10.1016/j.palaeo.2012.12.006.
- Lozhkin, A. V, and Anderson, P.M., 2013, Vegetation responses to interglacial warming in the Arctic: examples from Lake El'gygytyn, Far East Russian Arctic: *Clim. Past*, v. 9, no. 3, p. 1211–1219, doi: 10.5194/cp-9-1211-2013.
- Lynch, E.A., Calcote, R., and Hotchkiss, S., 2006, Late-Holocene vegetation and fire history from Ferry Lake, northwestern Wisconsin, USA: *The Holocene*, v. 16, no. 4, p. 495–504, doi: 10.1191/0959683606hl945rp.
- Lynch, E.A., Calcote, R., Hotchkiss, S.C., and Tweiten, M., 2014, Presence of lakes and wetlands decreases resilience of jack pine ecosystems to late-holocene climatic changes: v. 44, no. 11, p. 1331–1343, doi: 10.1139/cjfr-2014-0107.
- Lynch, E.A., Calcote, R., Hotchkiss, S.C., and Tweiten, M., 2014, Presence of lakes and wetlands decreases resilience of jack pine ecosystems to late-Holocene climatic changes: *Canadian Journal of Forest Research*, v. 44, no. 11, p. 1331–1343, doi: 10.1139/cjfr-2014-0107.

- Lynch, E.A., Hotchkiss, S.C., and Calcote, R., 2011, Charcoal signatures defined by multivariate analysis of charcoal records from 10 lakes in northwest Wisconsin (USA): *Quaternary Research*, v. 75, no. 1, p. 125–137, doi: 10.1016/j.yqres.2010.08.007.
- Lyons, R.P., Scholz, C.A., Cohen, A.S., King, J.W., Brown, E.T., Ivory, S.J., Johnson, T.C., Deino, A.L., Reinthal, P.N., McGlue, M.M., and Blome, M.W., 2015, Continuous 1.3-million-year record of East African hydroclimate, and implications for patterns of evolution and biodiversity: *Proceedings of the National Academy of Sciences of the United States of America*, v. 112, no. 51, p. 15568–15573, doi: 10.1073/pnas.1512864112.
- Lyons, R.P., Kroll, C.N., and Scholz, C.A., 2011, An energy-balance hydrologic model for the Lake Malawi Rift Basin, East Africa: *Global and Planetary Change*, v. 75, no. 1–2, p. 83–97, doi: 10.1016/j.gloplacha.2010.10.010.
- Lyons, R.P., Scholz, C.A., Buoniconti, M.R., and Martin, M.R., 2011, Late Quaternary stratigraphic analysis of the Lake Malawi Rift, East Africa: An integration of drill-core and seismic-reflection data: *Palaeogeography, Palaeoclimatology, Palaeoecology*, v. 303, no. 1–4, p. 20–37, doi: 10.1016/j.palaeo.2009.04.014.
- Ma, Z.-B., Cheng, H., Tan, M., Edwards, R.L., Li, H.-C., You, C.-F., Duan, W.-H., Wang, X., and Kelly, M.J., 2012, Timing and structure of the Younger Dryas event in northern China: *Quaternary Science Reviews*, v. 41, no. 0, p. 83–93, doi: 10.1016/j.quascirev.2012.03.006.
- MacGregor, K.R., Riihimaki, C.A., Myrbo, A., Shapley, M.D., and Jankowski, K., 2011, Geomorphic and climatic change over the past 12,900 yr at Swiftcurrent Lake, Glacier National Park, Montana, USA: *Quaternary Research*, v. 75, no. 1, p. 80–90, doi: 10.1016/j.yqres.2010.08.005.
- Mackay, A.W., 2007, The paleoclimatology of Lake Baikal: A diatom synthesis and prospectus: *Earth-Science Reviews*, v. 82, no. 3–4, p. 181–215.
- Maley, J., Livingstone, D.A., Giresse, P., Brenac, P., Kling, G., Stager, C., Thouveny, N., Kelts, K., Haag, M., Fournier, M., Bandet, Y., Williamson, D., and Zogning, A., 1991, West Cameroon Quaternary lacustrine deposits: preliminary results: *Journal of African Earth Sciences (and the Middle East)*, v. 12, no. 1–2, p. 147–157, doi: 10.1016/0899-5362(91)90065-7.
- Maley, J., Livingstone, D.A., Giresse, P., Thouveny, N., Brenac, P., Kelts, K., Kling, G., Stager, C., Haag, M., Fournier, M., Bandet, Y., Williamson, D., and Zogning, A., 1990, Lithostratigraphy, volcanism, paleomagnetism and palynology of Quaternary lacustrine deposits from Barombi Mbo (West Cameroon): Preliminary results: *Journal of Volcanology and Geothermal Research*, v. 42, no. 4, p. 319–335, doi: 10.1016/0377-0273(90)90030-J.
- Maloney, J.M., Noble, P.J., Driscoll, N.W., Kent, G.M., Smith, S.B., Schmauder, G.C., Babcock, J.M., Baskin, R.L., Karlin, R., Kell, A.M., Seitz, G.G., Zimmerman, S., and Kleppe, J.A., 2013, Paleoseismic history of the Fallen Leaf segment of the West Tahoe-Dollar Point fault

reconstructed from slide deposits in the Lake Tahoe Basin, California-Nevada: *Geosphere*, v. 9, no. 4, p. 1065–1090, doi: 10.1130/GES00877.1.

Maloof, A.C., and Grotzinger, J.P., 2012, The Holocene shallowing-upward parasequence of north-west Andros Island, Bahamas: *Sedimentology*, v. 59, no. 4, p. 1375–1407.

Marco-Barba, J., Mesquita-Joanes, F., and Miracle, M.R., 2013, Ostracod palaeolimnological analysis reveals drastic historical changes in salinity, eutrophication and biodiversity loss in a coastal Mediterranean lake: *The Holocene*, v. 23, no. 4, p. 556–567, doi: 10.1177/0959683612466752.

Marco-Barba, J., Holmes, J.A., Mesquita-Joanes, F., and Miracle, M.R., 2013, The influence of climate and sea-level change on the Holocene evolution of a Mediterranean coastal lagoon: Evidence from ostracod palaeoecology and geochemistry: *Geobios*, v. 46, no. 5, p. 409–421, doi: 10.1016/j.geobios.2013.05.003.

Margalef, O., Cacho, I., Pla-Rabes, S., Cañellas-Boltà, N., Pueyo, J.J., Sáez, A., Pena, L.D., Valero-Garcés, B.L., Rull, V., and Giralt, S., 2015, Millennial-scale precipitation variability over Easter Island (South Pacific) during MIS 3: inter-hemispheric teleconnections with North Atlantic abrupt cold events: *Clim. Past Discuss.*, v. 11, no. 2, p. 1407–1435, doi: 10.5194/cpd-11-1407-2015.

Margalef, O., Martínez Cortizas, A., Kylander, M., Pla-Rabes, S., Cañellas-Boltà, N., Pueyo, J.J., Sáez, A., Valero-Garcés, B.L., and Giralt, S., 2014, Environmental processes in Rano Aroi (Easter Island) peat geochemistry forced by climate variability during the last 70kyr: *Palaeogeography, Palaeoclimatology, Palaeoecology*, v. 414, p. 438–450, doi: 10.1016/j.palaeo.2014.09.025.

Margalef, O., Cañellas-Boltà, N., Pla-Rabes, S., Giralt, S., Pueyo, J.J., Joosten, H., Rull, V., Buchaca, T., Hernández, A., Valero-Garcés, B.L., Moreno, A., and Sáez, A., 2013, A 70,000 year multiproxy record of climatic and environmental change from Rano Aroi peatland (Easter Island): *Global and Planetary Change*, v. 108, p. 72–84, doi: 10.1016/j.gloplacha.2013.05.016.

Martín-Puertas, C., Jiménez-Espejo, F., Martínez-Ruiz, F., Nieto-Moreno, V., Rodrigo, M., Mata, M.P., and Valero-Garcés, B.L., 2010, Late Holocene climate variability in the southwestern Mediterranean region: an integrated marine and terrestrial geochemical approach: *Climate of the Past*, v. 6, no. 6, p. 807–816, doi: 10.5194/cp-6-807-2010.

Martin-Puertas, C., Valero-Garcés, B.L., Pilar Mata, M., Gonzalez-Samperiz, P., Bao, R., Moreno, A., and Stefanova, V., 2008, Arid and humid phases in southern Spain during the last 4000 years: the Zonar Lake record, Cordoba: *The Holocene*, v. 18, no. 6, p. 907–921, doi: 10.1177/0959683608093533.

Martín-Puertas, C., Valero-Garcés, B.L., Brauer, A., Mata, M.P., Delgado-Huertas, A., and Dulski, P., 2009, The Iberian–Roman Humid Period (2600–1600 cal yr BP) in the Zoñar



- Lake varve record (Andalucía, southern Spain): *Quaternary Research*, v. 71, no. 2, p. 108–120, doi: 10.1016/j.yqres.2008.10.004.
- Martín-Puertas, C., Valero-Garcés, B.L., Mata, M.P., Moreno, A., Giralt, S., Martínez-Ruiz, F., and Jiménez-Espejo, F., 2009, Geochemical processes in a Mediterranean Lake: a high-resolution study of the last 4,000 years in Zoñar Lake, southern Spain: *Journal of Paleolimnology*, v. 46, no. 3, p. 405–421, doi: 10.1007/s10933-009-9373-0.
- Marty, J., and Myrbo, A., 2014, Radiocarbon dating suitability of aquatic plant macrofossils: *Journal of Paleolimnology*, v. 52, no. 4, p. 435–443, doi: 10.1007/s10933-014-9796-0.
- McCartney, T., and Scholz, C.A., 2016, A 1.3 million year record of synchronous faulting in the hangingwall and border fault of a half-graben in the Malawi (Nyasa) Rift: *Journal of Structural Geology*, v. 91, p. 114–129, doi: 10.1016/j.jsg.2016.08.012.
- McCurry, M., Hayden, K., Morse, L., and Mertzman, S., 2008, Genesis of post-hotspot, A-type rhyolite of the Eastern Snake River Plain volcanic field by extreme fractional crystallization of olivine tholeiite: *Bulletin of Volcanology*, v. 70, no. 3, p. 361–383, doi: 10.1007/s00445-007-0143-4.
- McGlue, M.M., Ellis, G.S., Cohen, A.S., and Swarzenski, P.W., 2012, Playa-lake sedimentation and organic matter accumulation in an Andean piggyback basin: the recent record from the Cuenca de Pozuelos, North-west Argentina: *Sedimentology*, v. 59, no. 4, p. 1237–1256, doi: 10.1111/j.1365-3091.2011.01304.x.
- McGlue, M.M., Cohen, A.S., Ellis, G.S., and Kowler, A.L., 2013, Late Quaternary stratigraphy, sedimentology and geochemistry of an underfilled lake basin in the Puna plateau (northwest Argentina): *Basin Research*, v. 25, no. 6, p. 638–658, doi: 10.1111/bre.12025.
- McGlue, M.M., Silva, A., Corradini, F.A., Zani, H., Trees, M.A., Ellis, G.S., Parolin, M., Swarzenski, P.W., Cohen, A.S., and Assine, M.L., 2011, Limnogeology in Brazil's "forgotten wilderness": a synthesis from the large floodplain lakes of the Pantanal: *Journal of Paleolimnology*, v. 46, no. 2, p. 273–289, doi: 10.1007/s10933-011-9538-5.
- McGlue, M.M., Silva, A., Zani, H., Corradini, F.A., Parolin, M., Abel, E.J., Cohen, A.S., Assine, M.L., Ellis, G.S., Trees, M.A., Kuerten, S., Gradella, F. dos S., and Rasbold, G.G., 2012, Lacustrine records of Holocene flood pulse dynamics in the Upper Paraguay River watershed (Pantanal wetlands, Brazil): *Quaternary Research*, v. 78, no. 2, p. 285–294, doi: 10.1016/j.yqres.2012.05.015.
- McHargue, L.R.R., Jull, A.J.T.J.T., and Cohen, A., 2011, Measurement of  $^{10}\text{Be}$  from Lake Malawi (Africa) drill core sediments and implications for geochronology: *Palaeogeography, Palaeoclimatology, Palaeoecology*, v. 303, no. 1–4, p. 110–119, doi: 10.1016/j.palaeo.2010.02.012.

- McLauchlan, K.K., Williams, J.J., Craine, J.M., and Jeffers, E.S., 2013, Changes in global nitrogen cycling during the Holocene epoch: *Nature*, v. 495, no. 7441, p. 352–355, doi: <http://www.nature.com/nature/journal/v495/n7441/abs/nature11916.html#supplementary-information>.
- McLauchlan, K.K., Williams, J.J., and Engstrom, D.R., 2013, Nutrient cycling in the palaeorecord: Fluxes from terrestrial to aquatic ecosystems: *The Holocene*,.
- McLauchlan, K.K., Lascu, I., Myrbo, A., and Leavitt, P.R., 2012, Variable ecosystem response to climate change during the Holocene in northern Minnesota, USA: *Geological Society of America Bulletin*, v. 125, no. 3–4, p. 445–452, doi: 10.1130/B30737.1.
- McWethy, D.B., Whitlock, C., Wilmshurst, J.M., McGlone, M.S., Fromont, M., Li, X., Dieffenbacher-Krall, A., Hobbs, W.O., Fritz, S.C., and Cook, E.R., 2010, Rapid landscape transformation in South Island, New Zealand, following initial Polynesian settlement: *Proceedings of the National Academy of Sciences*, v. 107, no. 50, p. 21343–21348.
- McWethy, D.B., Wilmshurst, J.M., Whitlock, C., Wood, J.R., and McGlone, M.S., 2014, A high-resolution chronology of rapid forest transitions following polynesian arrival in New Zealand.: *PloS one*, v. 9, no. 11, p. e111328, doi: 10.1371/journal.pone.0111328.
- Melles, M., Brigham-Grette, J., Glushkova, O.Y., Minyuk, P.S., Nowaczyk, N.R., and Hubberten, H.-W.W., 2006, Sedimentary geochemistry of core PG1351 from Lake El'gygytgyn—a sensitive record of climate variability in the East Siberian Arctic during the past three glacial–interglacial cycles: *Journal of Paleolimnology*, v. 37, no. 1, p. 89–104, doi: 10.1007/s10933-006-9025-6.
- Melles, M., Brigham-Grette, J., Minyuk, P.S., Nowaczyk, N.R., Wennrich, V., DeConto, R.M., Anderson, P.M., Andreev, A.A., Coletti, A., Cook, T.L., Haltia-Hovi, E., Kukkonen, M., Lozhkin, A. V., Rosén, P., et al., 2012, 2.8 Million Years of Arctic Climate Change from Lake El'gygytgyn, NE Russia: *Science*,.
- Melles, M., Brigham-Grette, J., Minyuk, P., Koeberl, C., Andreev, A., Cook, T., Fedorov, G., Gebhardt, C., Haltia-Hovi, E., Kukkonen, M., Nowaczyk, N., Shwamborn, G., and Wennrich, V., 2011, The Lake El'gygytgyn Scientific Drilling Project – Conquering Arctic Challenges through Continental Drilling: *Scientific Drilling*, , no. 11, March 2011, p. 29–40, doi: 10.2204/iodp.sd.11.03.2011.
- Mensing, S., Tunno, I., Cifani, G., Florindo, F., Noble, P., Sagnotti, L., and Piovesan, G., 2013, Effects of human impacts and climate variations on forest: The rieti basin since medieval time: *Annali di Botanica*, v. 3, p. 121–126, doi: 10.4462/annbotrm-10243.
- Mensing, S.A., Tunno, I., Sagnotti, L., Florindo, F., Noble, P., Archer, C., Zimmerman, S., Pavón-Carrasco, F.J., Cifani, G., Passigli, S., and Piovesan, G., 2015, 2700 years of Mediterranean environmental change in central Italy: a synthesis of sedimentary and

cultural records to interpret past impacts of climate on society: *Quaternary Science Reviews*, v. 116, no. 0, p. 72–94, doi: <http://dx.doi.org/10.1016/j.quascirev.2015.03.022>.

- Mensing, S., Tunno, I., Cifani, G., Passigli, S., Noble, P., Archer, C., and Piovesan, G., 2016, Human and climatically induced environmental change in the Mediterranean during the Medieval Climate Anomaly and Little Ice Age: A case from central Italy: *Anthropocene*, doi: 10.1016/j.ancene.2016.01.003.
- Metcalf, S.E., Jones, M.D., Davies, S.J., Noren, A., and MacKenzie, A., 2010, Climate variability over the last two millennia in the North American Monsoon region, recorded in laminated lake sediments from Laguna de Juanacatlan, Mexico: *The Holocene*, v. 20, no. 8, p. 1195–1206, doi: 10.1177/0959683610371994.
- Metcalf, S.E., Barron, J.A., and Davies, S.J., 2015, The Holocene history of the North American Monsoon: “known knowns” and “known unknowns” in understanding its spatial and temporal complexity: *Quaternary Science Reviews*, v. 120, no. 0, p. 1–27, doi: <http://dx.doi.org/10.1016/j.quascirev.2015.04.004>.
- Metcalf, S.E., O’Hara, S.L., Caballero, M., and Davies, S.J., 2000, Records of Late Pleistocene–Holocene climatic change in Mexico — a review: *Quaternary Science Reviews*, v. 19, no. 7, p. 699–721, doi: 10.1016/S0277-3791(99)00022-0.
- Meyer-Jacob, C., Vogel, H., Gebhardt, A.C., Wennrich, V., Melles, M., and Rosén, P., 2014, Biogeochemical variability during the past 3.6 million years recorded by FTIR spectroscopy in the sediment record of Lake El’gygytyn, Far East Russian Arctic: *Climate of the Past*, v. 10, no. 1, p. 209–220, doi: 10.5194/cp-10-209-2014.
- Miller, C.S., and Gosling, W.D., 2014, Quaternary forest associations in lowland tropical West Africa: *Quaternary Science Reviews*, v. 84, no. 0, p. 7–25, doi: <http://dx.doi.org/10.1016/j.quascirev.2013.10.027>.
- Minyuk, P.S., Borkhodoev, V.Y., and Wennrich, V., 2014, Inorganic geochemistry data from Lake El’gygytyn sediments: marine isotope stages 6–11: *Clim. Past*, v. 10, no. 2, p. 467–485, doi: 10.5194/cp-10-467-2014.
- Minyuk, P.S., Subbotnikova, T. V, Brown, L.L., and Murdock, K.J., 2013, High-temperature thermomagnetic properties of vivianite nodules, Lake El’gygytyn, Northeast Russia: *Clim. Past*, v. 9, no. 1, p. 433–446, doi: 10.5194/cp-9-433-2013.
- Mischke, S., Rajabov, I., Mustaeva, N., Zhang, C.J., Herzsuh, U., Boomer, I., Brown, E.T., Andersen, N., Myrbo, A., Ito, E., and Schudack, M.E., 2010, Modern hydrology and late Holocene history of Lake Karakul, eastern Pamirs (Tajikistan): A reconnaissance study: *Palaeogeography, Palaeoclimatology, Palaeoecology*, v. 289, no. 1–4, p. 10–24, doi: 10.1016/j.palaeo.2010.02.004.

- Mohammed, M.U., Bonnefille, R., and Johnson, T.C., 1996, Pollen and isotopic records in Late Holocene sediments from Lake Turkana, Kenya: *Palaeogeography, Palaeoclimatology, Palaeoecology*, v. 119, no. 3–4, p. 371–383.
- Mohan, J., Stone, J.R., and Campisano, C.J., 2016, Three novel species of bacillariophyta (Diatoms) belonging to *aulacoseira* and *lindavia* from the pliocene hadar formation, afar depression of Ethiopia: *Phytotaxa*, v. 272, no. 4, doi: 10.11646/phytotaxa.272.4.1.
- Mooers, H.D., and Glaser, P.H., 1989, Active patterned ground at sea level, Fourchu, Nova Scotia, Canada: *Arctic & Alpine Research*, v. 21, no. 4, p. 425–432.
- Moos, M.T., and Cumming, B.F., 2011, Changes in the parkland-boreal forest boundary in northwestern Ontario over the Holocene: *Quaternary Science Reviews*, v. 30, no. 9–10, p. 1232–1242, doi: 10.1016/j.quascirev.2011.02.013.
- Morellón, M., Pérez-Sanz, A., Corella, J.P., Büntgen, U., Catalán, J., González-Sampériz, P., González-Trueba, J.J., López-Sáez, J.A., Moreno, A., Pla-Rabes, S., Saz-Sánchez, M.Á., Scussolini, P., Serrano, E., Steinhilber, F., et al., 2012, A multi-proxy perspective on millennium-long climate variability in the Southern Pyrenees: *Climate of the Past*, v. 8, no. 2, p. 683–700, doi: 10.5194/cp-8-683-2012.
- MORELLÓN, M., VALERO-GARCÉS, B., ANSELMETTI, F., ARIZTEGUI, D., SCHNELLMANN, M., MORENO, A., MATA, P., RICO, M., and CORELLA, J.P., 2009, Late Quaternary deposition and facies model for karstic Lake Estanya (North-eastern Spain): *Sedimentology*, v. 56, no. 5, p. 1505–1534, doi: 10.1111/j.1365-3091.2008.01044.x.
- Morellón, M., Valero-Garcés, B., González-Sampériz, P., Vegas-Vilarrúbia, T., Rubio, E., Rieradevall, M., Delgado-Huertas, A., Mata, P., Romero, Ó., Engstrom, D.R., López-Vicente, M., Navas, A., and Soto, J., 2009, Climate changes and human activities recorded in the sediments of Lake Estanya (NE Spain) during the Medieval Warm Period and Little Ice Age: *Journal of Paleolimnology*, v. 46, no. 3, p. 423–452, doi: 10.1007/s10933-009-9346-3.
- Morellón, M., Valero-Garcés, B., Moreno, A., González-Sampériz, P., Mata, P., Romero, O., Maestro, M., and Navas, A., 2008, Holocene palaeohydrology and climate variability in northeastern Spain: The sedimentary record of Lake Estanya (Pre-Pyrenean range): *Quaternary International*, v. 181, no. 1, p. 15–31, doi: 10.1016/j.quaint.2007.02.021.
- Morellón, M., Valero-Garcés, B., Vegas-Vilarrúbia, T., González-Sampériz, P., Romero, Ó., Delgado-Huertas, A., Mata, P., Moreno, A., Rico, M., and Corella, J.P., 2009, Lateglacial and Holocene palaeohydrology in the western Mediterranean region: The Lake Estanya record (NE Spain): *Quaternary Science Reviews*, v. 28, no. 25–26, p. 2582–2599, doi: 10.1016/j.quascirev.2009.05.014.
- Moreno, A., Giralt, S., Valero-Garcés, B., Sáez, A., Bao, R., Prego, R., Pueyo, J.J.J., González-Sampériz, P., and Taberner, C., 2007, A 14kyr record of the tropical Andes: The Lago

- Chungará sequence (18°S, northern Chilean Altiplano): *Quaternary International*, v. 161, no. 1, p. 4–21, doi: 10.1016/j.quaint.2006.10.020.
- Moreno, A., González-Sampériz, P., Morellón, M., Valero-Garcés, B.L., and Fletcher, W.J., 2012, Northern Iberian abrupt climate change dynamics during the last glacial cycle: A view from lacustrine sediments: *Quaternary Science Reviews*, v. 36, p. 139–153, doi: 10.1016/j.quascirev.2010.06.031.
- Moreno, A., López-Merino, L., Leira, M., Marco-Barba, J., González-Sampériz, P., Valero-Garcés, B.L., López-Sáez, J.A., Santos, L., Mata, P., and Ito, E., 2009, Revealing the last 13,500 years of environmental history from the multiproxy record of a mountain lake (Lago Enol, northern Iberian Peninsula): *Journal of Paleolimnology*, v. 46, no. 3, p. 327–349, doi: 10.1007/s10933-009-9387-7.
- Moreno, A., Pérez, A., Frigola, J., Nieto-Moreno, V., Rodrigo-Gámiz, M., Martrat, B., González-Sampériz, P., Morellón, M., Martín-Puertas, C., Corella, J.P., Belmonte, Á., Sancho, C., Cacho, I., Herrera, G., et al., 2012, The Medieval Climate Anomaly in the Iberian Peninsula reconstructed from marine and lake records: *Quaternary Science Reviews*, v. 43, no. 0, p. 16–32, doi: 10.1016/j.quascirev.2012.04.007.
- Moreno, A., Santoro, C.M., and Latorre, C., 2009, Climate change and human occupation in the northernmost Chilean Altiplano over the last ca. 11 500 cal. a BP: *Journal of Quaternary Science*, v. 24, no. 4, p. 373–382, doi: 10.1002/jqs.1240.
- Moreno, A., Stoll, H., Jiménez-Sánchez, M., Cacho, I., Valero-Garcés, B., Ito, E., and Edwards, R.L., 2010, A speleothem record of glacial (25–11.6kyr BP) rapid climatic changes from northern Iberian Peninsula: *Global and Planetary Change*, v. 71, no. 3–4, p. 218–231, doi: 10.1016/j.gloplacha.2009.10.002.
- Moreno, A., Valero-Garcés, B.L., González-Sampériz, P., and Rico, M., 2008, Flood response to rainfall variability during the last 2000 years inferred from the Taravilla Lake record (Central Iberian Range, Spain): *Journal of Paleolimnology*, v. 40, no. 3, p. 943–961, doi: 10.1007/s10933-008-9209-3.
- Moreno, A., Valero-Garcés, B.L., Jiménez-Sánchez, M., Domínguez-Cuesta, M.J., Mata, M.P., Navas, A., González-Sampériz, P., Stoll, H., Farias, P., Morellón, M., Corella, J.P., and Rico, M., 2010, The last deglaciation in the Picos de Europa National Park (Cantabrian Mountains, northern Spain): *Journal of Quaternary Science*, v. 25, no. 7, p. 1076–1091, doi: 10.1002/jqs.1265.
- Morris, J.L., Mueller, J.R., Nurse, A., Long, C.J., and McLauchlan, K.K., 2014, Holocene fire regimes, vegetation and biogeochemistry of an ecotone site in the Great Lakes Region of North America (B. Collins, Ed.): *Journal of Vegetation Science*, v. 25, no. 6, p. 1450–1464, doi: 10.1111/jvs.12202.

- Morrissey, A., and Scholz, C.A., 2014, Paleohydrology of Lake Turkana and its influence on the Nile River system: *Palaeogeography, Palaeoclimatology, Palaeoecology*, v. 403, no. 0, p. 88–100, doi: <http://dx.doi.org/10.1016/j.palaeo.2014.03.029>.
- Morton, P.K., Frisch, D., Jeyasingh, P.D., and Weider, L.J., 2014, Out with the old, in with the new? Younger *Daphnia* clones are competitively superior over centuries-old ancestors: *Hydrobiologia*, v. 749, no. 1, p. 43–52, doi: 10.1007/s10750-014-2145-5.
- Moser, K.A., Mordecai, J.S., Reynolds, R.L., Rosenbaum, J.G., and Ketterer, M.E., 2010, Diatom changes in two Uinta mountain lakes, Utah, USA: responses to anthropogenic and natural atmospheric inputs: *Hydrobiologia*, v. 648, no. 1, p. 91–108, doi: 10.1007/s10750-010-0145-7.
- Moser, K.A., and Kimball, J.P., 2009, A 19,000-year record of hydrologic and climatic change inferred from diatoms from Bear Lake, Utah and Idaho: *Geological Society of America Special Papers*, v. 450, p. 229–246.
- Moy, C.M., Dunbar, R.B., Guilderson, T.P., Waldmann, N., Mucciarone, D.A., Recasens, C., Ariztegui, D., Austin Jr, J.A., and Anselmetti, F.S., 2011, A geochemical and sedimentary record of high southern latitude Holocene climate evolution from Lago Fagnano, Tierra del Fuego: *Earth and Planetary Science Letters*, v. 302, no. 1–2, p. 1–13, doi: <http://dx.doi.org/10.1016/j.epsl.2010.11.011>.
- Mueller, A.D., Islebe, G.A., Anselmetti, F.S., Ariztegui, D., Brenner, M., Hodell, D.A., Hajdas, I., Hamann, Y., Haug, G.H., and Kennett, D.J., 2010, Recovery of the forest ecosystem in the tropical lowlands of northern Guatemala after disintegration of Classic Maya polities: *Geology*, v. 38, no. 6, p. 523–526, doi: 10.1130/G30797.1.
- Mueller, A.D., Anselmetti, F.S., Ariztegui, D., Brenner, M., Hodell, D.A., Curtis, J.H., Escobar, J., Gilli, A., Grzesik, D.A., Guilderson, T.P., Kutterolf, S., and PlÖTze, M., 2010, Late Quaternary palaeoenvironment of northern Guatemala: evidence from deep drill cores and seismic stratigraphy of Lake Petén Itzá: *Sedimentology*, v. 57, no. 5, p. 1220–1245, doi: 10.1111/j.1365-3091.2009.01144.x.
- Mueller, A.D., Islebe, G.A., Hillesheim, M.B., Grzesik, D.A., Anselmetti, F.S., Ariztegui, D., Brenner, M., Curtis, J.H., Hodell, D.A., and Venz, K.A., 2009, Climate drying and associated forest decline in the lowlands of northern Guatemala during the late Holocene: *Quaternary Research*, v. 71, no. 2, p. 133–141, doi: 10.1016/j.yqres.2008.10.002.
- Mueller, J.R., LONG, C.J., Williams, J.J., Nurse, A., and McLauchlan, K.K., 2014, The relative controls on forest fires and fuel source fluctuations in the Holocene deciduous forests of southern Wisconsin, USA: *Journal of Quaternary Science*, v. 29, no. 6, p. 561–569, doi: 10.1002/jqs.2728.
- Munoz, S.E., Gajewski, K., and Peros, M.C., 2010, Synchronous environmental and cultural change in the prehistory of the northeastern United States.: *Proceedings of the National*

Academy of Sciences of the United States of America, v. 107, no. 51, p. 22008–13, doi: 10.1073/pnas.1005764107.

Munoz, S.E., Gruley, K.E., Massie, A., Fike, D.A., Schroeder, S., and Williams, J.W., 2015, Cahokia's emergence and decline coincided with shifts of flood frequency on the Mississippi River: Proceedings of the National Academy of Sciences of the United States of America, v. 112, no. 20, p. 6319–24, doi: 10.1073/pnas.1501904112.

Munoz, S.E., Mladenoff, D.J., Schroeder, S., and Williams, J.W., 2014, Defining the spatial patterns of historical land use associated with the indigenous societies of eastern North America (M. Bush, Ed.): Journal of Biogeography, v. 41, no. 12, p. 2195–2210, doi: 10.1111/jbi.12386.

Munoz, S.E., Schroeder, S., Fike, D.A., and Williams, J.W., 2014, A record of sustained prehistoric and historic land use from the Cahokia region, Illinois, USA: Geology, v. 42, no. 6, p. 499–502, doi: 10.1130/G35541.1.

Myrbo, A., and Shapley, M.D.D., 2006, Seasonal water-column dynamics of dissolved inorganic carbon stable isotopic compositions ( $\delta^{13}\text{CDIC}$ ) in small hardwater lakes in Minnesota and Montana: Geochimica et Cosmochimica Acta, v. 70, no. 11, p. 2699–2714, doi: 10.1016/j.gca.2006.02.010.

Myrbo, A., 2008, Sedimentary and historical context of eutrophication and remediation in urban Lake McCarrons (Roseville, Minnesota): Lake and Reservoir Management, v. 24, no. 4, p. 349–360, doi: 10.1080/07438140809354845.

Myrbo, A.E., 2006, The lacustrine carbon cycle and its representation in lake sediments [THESIS]: Thesis (Ph. D.)--University of Minnesota, 2006. Major: Geology.

Nelson, D.B., Abbott, M.B., Steinman, B., Polissar, P.J., Stansell, N.D., Ortiz, J.D., Rosenmeier, M.F., Finney, B.P., and Riedel, J., 2011, Drought variability in the Pacific Northwest from a 6,000-yr lake sediment record: Proceedings of the National Academy of Sciences of the United States of America, v. 108, no. 10, p. 3870–3875, doi: 10.1073/pnas.1009194108.

Nelson, D.M., Hu, F.S., Grimm, E.C., Curry, B.B., and Slate, J.E., 2006, THE INFLUENCE OF ARIDITY AND FIRE ON HOLOCENE PRAIRIE COMMUNITIES IN THE EASTERN PRAIRIE PENINSULA: Ecology, v. 87, no. 10, p. 2523–2536, doi: 10.1890/0012-9658(2006)87[2523:TIOAAF]2.0.CO;2.

Newby, P.E., Donnelly, J.P., Shuman, B.N., and MacDonald, D., 2009, Evidence of centennial-scale drought from southeastern Massachusetts during the Pleistocene/Holocene transition: Quaternary Science Reviews, v. 28, no. 17–18, p. 1675–1692, doi: 10.1016/j.quascirev.2009.02.020.

Newby, P.E., Shuman, B.N., Donnelly, J.P., Karnauskas, K.B., and Marsicek, J., 2014, Centennial-to-millennial hydrologic trends and variability along the North Atlantic Coast,

- USA, during the Holocene: *Geophysical Research Letters*, v. 41, no. 12, p. 4300–4307, doi: 10.1002/2014GL060183.
- Noble, P.J., Ball, G.I., Zimmerman, S.H., Maloney, J., Smith, S.B., Kent, G., Adams, K.D., Karlin, R.E., and Driscoll, N., 2016, Holocene paleoclimate history of Fallen Leaf Lake, CA., from geochemistry and sedimentology of well-dated sediment cores: *Quaternary Science Reviews*, v. 131, p. 193–210, doi: 10.1016/j.quascirev.2015.10.037.
- Nolan, J.T., Parsekian, A.D., Slater, L.D., and Glaser, P.H., 2008, Geophysical characterization of the red lake peatland complex, Northern Minnesota, *in* Environmental and Engineering Geophysical Society - 21st Symposium on the Application of Geophysics to Engineering and Environmental Problems 2008, p. 1044–1047.
- Nolan, M., 2013, Quantitative and qualitative constraints on hind-casting the formation of multiyear lake-ice covers at Lake El'gygytyn: *Clim. Past*, v. 9, no. 3, p. 1253–1269, doi: 10.5194/cp-9-1253-2013.
- Nolan, M., Cassano, E.N., and Cassano, J.J., 2013, Synoptic climatology and recent climate trends at Lake El'gygytyn: *Clim. Past*, v. 9, no. 3, p. 1271–1286, doi: 10.5194/cp-9-1271-2013.
- Novotny, E. V., Murphy, D., and Stefan, H.G., 2008, Increase of urban lake salinity by road deicing salt: *The Science of the total environment*, v. 406, no. 1–2, p. 131–44, doi: 10.1016/j.scitotenv.2008.07.037.
- Novotny, E. V., Sander, A.R., Mohseni, O., and Stefan, H.G., 2009, Chloride ion transport and mass balance in a metropolitan area using road salt: *Water Resources Research*, v. 45, no. 12, p. n/a-n/a, doi: 10.1029/2009WR008141.
- Novotny, E. V., and Stefan, H.G., 2012, Road Salt Impact on Lake Stratification and Water Quality: *Journal of Hydraulic Engineering*, v. 138, no. 12, p. 1069–1080, doi: 10.1061/(ASCE)HY.1943-7900.0000590.
- Novotny, E.V., and Stefan, H.G., 2009, Projections of Chloride Concentrations in Urban Lakes Receiving Road De-icing Salt: *Water, Air, & Soil Pollution*, v. 211, no. 1–4, p. 261–271, doi: 10.1007/s11270-009-0297-0.
- Nowaczyk, N.R., Haltia, E.M., Ulbricht, D., Wennrich, V., Sauerbrey, M.A., Rosén, P., Vogel, H., Francke, A., Meyer-Jacob, C., Andreev, A.A., and Lozhkin, A. V., 2013, Chronology of Lake El'gygytyn sediments – a combined magnetostratigraphic, palaeoclimatic and orbital tuning study based on multi-parameter analyses: *Clim. Past*, v. 9, no. 6, p. 2413–2432, doi: 10.5194/cp-9-2413-2013.
- Nowaczyk, N.R., Minyuk, P., Melles, M., Brigham-Grette, J., Glushkova, O., Nolan, M., Lozhkin, A. V., Stetsenko, T. V., M. Andersen, P., Forman, S.L., Andersen, P.M., and Forman, S.L., 2002, Magnetostratigraphic results from impact crater Lake El'gygytyn,



- northeastern Siberia: a 300 kyr long high-resolution terrestrial palaeoclimatic record from the Arctic: *Geophysical Journal International*, v. 150, no. 1, p. 109–126, doi: 10.1046/j.1365-246X.2002.01625.x.
- Núñez, L., Cartajena, I., and Grosjean, M., 2013, Archaeological silence and ecorefuges: Arid events in the Puna of Atacama during the Middle Holocene: *Quaternary International*, v. 307, no. 0, p. 5–13, doi: <http://dx.doi.org/10.1016/j.quaint.2013.04.028>.
- Oberhänsli, H., and Molnar, P., 2012, Climate Evolution in Central Asia during the Past Few Million Years: A Case Study from Issyk Kul: *Sci. Dril.*, v. 13, p. 51–57, doi: 10.5194/sd-13-51-2012.
- Ogola, C., Asrat, A., Rucina, S., and Ichumbaki, E.B., 2015, Equatorial eastern Africa: Quaternary climate change and variability: *Quaternary International*, v. 369, p. 1–2, doi: 10.1016/j.quaint.2015.04.012.
- Ólafsdóttir, K.B., Geirsdóttir, Á., Miller, G.H., and Larsen, D.J., 2013, Evolution of NAO and AMO strength and cyclicity derived from a 3-ka varve-thickness record from Iceland: *Quaternary Science Reviews*, v. 69, p. 142–154, doi: 10.1016/j.quascirev.2013.03.009.
- Olafsdottir, S., Jennings, A.E., Geirsdottir, A., Andrews, J., and Miller, G.H., 2010, Holocene variability of the North Atlantic Irminger current on the south- and northwest shelf of Iceland: *Marine Micropaleontology*, v. 77, no. 3–4, p. 101–118, doi: 10.1016/j.marmicro.2010.08.002.
- Olafsdottir, S., Geirsdottir, A., Miller, G.H., Stoner, J.S., Channell, J.E.T., Ólafsdóttir, S., Geirsdóttir, Á., Miller, G.H., Stoner, J.S., and Channell, J.E.T., 2013, Synchronizing Holocene lacustrine and marine sediment records using paleomagnetic secular variation: *Geology*, v. 41, no. 5, p. 535–538, doi: 10.1130/G33946.1.
- Ortega, B., Vázquez, G., Caballero, M., Israde, I., Lozano-García, S., Schaaf, P., and Torres, E., 2010, Late Pleistocene: Holocene record of environmental changes in Lake Zirahuén, Central Mexico: *Journal of Paleolimnology*, v. 44, no. 3, p. 745–760, doi: 10.1007/s10933-010-9449-x.
- Ortiz-Zamora, D., and Ortega-Guerrero, A., 2010, Evolution of long-term land subsidence near Mexico City: Review, field investigations, and predictive simulations: *Water Resour. Res.*, v. 46, no. 1, p. W01513, doi: 10.1029/2008wr007398.
- Ortiz, J.E., Sánchez-Palencia, Y., Torres, T., Domingo, L., Mata, M.P., Vegas, J., Sánchez España, J., Morellón, M., and Blanco, L., 2016, Lipid biomarkers in Lake Enol (Asturias, Northern Spain): Coupled natural and human induced environmental history: *Organic Geochemistry*, v. 92, p. 70–83, doi: 10.1016/j.orggeochem.2015.12.005.
- Oviatt, C.G., 1997, Lake Bonneville fluctuations and global climate change: *Geology*, v. 25, no. 2, p. 155–158.

- Oviatt, C.G., Currey, D.R., and Miller, D.M., 1990, Age and paleoclimatic significance of the Stansbury shoreline of Lake Bonneville, Northeastern Great Basin: *Quaternary Research*, v. 33, no. 3, p. 291–305, doi: 10.1016/0033-5894(90)90057-r.
- Oviatt, C.G., Currey, D.R., and Sack, D., 1992, Radiocarbon chronology of Lake Bonneville, Eastern Great Basin, USA: *Palaeogeography, Palaeoclimatology, Palaeoecology*, v. 99, no. 3–4, p. 225–241, doi: 10.1016/0031-0182(92)90017-y.
- Oviatt, C.G., McCoy, W.D., and Reider, R.G., 1987, Evidence for a shallow early or middle Wisconsin-age lake in the Bonneville Basin, Utah: *Quaternary Research*, v. 27, no. 3, p. 248–262, doi: 10.1016/0033-5894(87)90081-0.
- Oviatt, C.G., Thompson, R.S., Kaufman, D.S., Bright, J., and Forester, R.M., 1999, Reinterpretation of the Burmester Core, Bonneville Basin, Utah: *Quaternary Research*, v. 52, no. 2, p. 180–184, doi: 10.1006/qres.1999.2058.
- Oviatt, C.G., Madsen, D.B., Miller, D.M., Thompson, R.S., and McGeehin, J.P., 2015, Early Holocene Great Salt Lake, USA: *Quaternary Research*, v. 84, no. 1, p. 57–68, doi: 10.1016/j.yqres.2015.05.001.
- Pagani, M., Pedentchouk, N., Huber, M., Sluijs, A., Schouten, S., Brinkhuis, H., Sinninghe Damste, J.S., Dickens, G.R., and Expedition, S., 2006, Arctic hydrology during global warming at the Palaeocene/Eocene thermal maximum: *Nature*, v. 442, no. 7103, p. 671–675, doi: [http://www.nature.com/nature/journal/v442/n7103/suppinfo/nature05043\\_S1.html](http://www.nature.com/nature/journal/v442/n7103/suppinfo/nature05043_S1.html).
- Park Boush, L.E., Myrbo, A., and Michelson, A., 2014, A qualitative and quantitative model for climate-driven lake formation on carbonate platforms based on examples from the Bahamian archipelago: *Carbonates and Evaporites*, v. 29, no. 4, p. 409–418, doi: 10.1007/s13146-014-0221-6.
- Park, L.E., and Cohen, A.S., 2011, Paleoecological response of ostracods to early Late Pleistocene lake-level changes in Lake Malawi, East Africa: *Palaeogeography, Palaeoclimatology, Palaeoecology*, v. 303, no. 1–4, p. 71–80, doi: 10.1016/j.palaeo.2010.02.038.
- Parsekian, A.D., Comas, X., Slater, L., and Glaser, P.H., 2011, Geophysical evidence for the lateral distribution of free phase gas at the peat basin scale in a large northern peatland: *Journal of Geophysical Research: Biogeosciences*, v. 116, no. G3, p. n/a-n/a, doi: 10.1029/2010JG001543.
- Parsekian, A.D., Slater, L., Comas, X., and Glaser, P.H., 2010, Variations in free-phase gases in peat landforms determined by ground-penetrating radar: *Journal of Geophysical Research: Biogeosciences*, v. 115, no. G2, p. n/a-n/a, doi: 10.1029/2009JG001086.
- Pérez-Sanz, A., González-Sampériz, P., Moreno, A., Valero-Garcés, B., Gil-Romera, G., Rieradevall, M., Tarrats, P., Lasheras-Álvarez, L., Morellón, M., Belmonte, A., Sancho, C.,

- Sevilla-Callejo, M., and Navas, A., 2013, Holocene climate variability, vegetation dynamics and fire regime in the central Pyrenees: the Basa de la Mora sequence (NE Spain): *Quaternary Science Reviews*, v. 73, no. 0, p. 149–169, doi: 10.1016/j.quascirev.2013.05.010.
- Pérez, L., Bugja, R., Lorenschat, J., Brenner, M., Curtis, J., Hoelzmann, P., Islebe, G., Scharf, B., and Schwalb, A., 2010, Aquatic ecosystems of the Yucatán Peninsula (Mexico), Belize, and Guatemala: *Hydrobiologia*, v. 661, no. 1, p. 407–433, doi: 10.1007/s10750-010-0552-9.
- Pérez, L., Bugja, R., Massafiero, J., Steeb, P., van Geldern, R., Frenzel, P., Brenner, M., Scharf, B., and Schwalb, A., 2010, Historia ambiental postcolombina del Lago Petén Itzá, Guatemala: *Revista Mexicana de Ciencias Geológicas*, v. 27, no. 3, p. 490–507.
- Pérez, L., Curtis, J., Brenner, M., Hodell, D., Escobar, J., Lozano, S., and Schwalb, A., 2013, Stable isotope values ( $\delta^{18}\text{O}$  &  $\delta^{13}\text{C}$ ) of multiple ostracode species in a large Neotropical lake as indicators of past changes in hydrology: *Quaternary Science Reviews*, v. 66, no. 0, p. 96–111, doi: 10.1016/j.quascirev.2012.10.044.
- Pérez, L., Frenzel, P., Brenner, M., Escobar, J., Hoelzmann, P., Scharf, B., and Schwalb, A., 2011, Late Quaternary (24–10 ka BP) environmental history of the Neotropical lowlands inferred from ostracodes in sediments of Lago Petén Itzá, Guatemala: *Journal of Paleolimnology*, v. 46, no. 1, p. 1–16, doi: 10.1007/s10933-011-9514-0.
- Pérez, L., Lorenschat, J., Brenner, M., Scharf, B., and Schwalb, A., 2010, Extant freshwater ostracodes (Crustacea: Ostracoda) from Lago Petén Itzá, Guatemala: *Revista de Biología Tropical*, v. 58, no. 3, p. 871–895.
- Pérez, L., Lorenschat, J., Bugja, R., Brenner, M., Scharf, B., and Schwalb, A., 2010, Distribution, diversity and ecology of modern freshwater ostracodes (crustacea), and hydrochemical characteristics of Lago Petén Itzá, Guatemala: *Journal of Limnology*, v. 69, no. 1, p. 146–159, doi: 10.3274/JL10-69-1-14.
- Person, M., Roy, P., Wright, H., Gutowski, W., Ito, E., Winter, T., Rosenberry, D., and Cohen, D., 2007, Hydrologic response of the Crow Wing Watershed, Minnesota, to mid-Holocene climate change: *Geological Society of America Bulletin*, v. 119, no. 3–4, p. 363–376, doi: 10.1130/B26003.1.
- Pi, T., Lozano-García, S., Caballero-Miranda, M., Ortega-Guerrero, B., and Roy, P., 2010, Descubrimiento y caracterización de una capa de estruvita en el paleolago de Chalco, México: *Revista Mexicana de Ciencias Geológicas*, v. 27, no. 3, p. 573–580.
- Pilskaln, C.H., and Johnson, T.C., 1991, Seasonal signals in Lake Malawi sediments: *Limnology & Oceanography*, v. 36, no. 3, p. 544–557.

- Plank, C., and Shuman, B., 2009, Drought-Driven Changes in Lake Areas and Their Effects on the Surface Energy Balance of Minnesota's Lake-Dotted Landscape: *Journal of Climate*, v. 22, no. 15, p. 4055–4065, doi: 10.1175/2009JCLI1978.1.
- Polissar, P.J., Abbott, M.B., Wolfe, A.P., Vuille, M., and Bezada, M., 2013, Synchronous interhemispheric Holocene climate trends in the tropical Andes: *Proceedings of the National Academy of Sciences*, v. 110, no. 36, p. 14551–14556.
- Pompeani, D.P., Steinman, B.A., and Abbott, M.B., 2012, A sedimentary and geochemical record of water-level changes from Rantin Lake, Yukon, Canada: *Journal of Paleolimnology*, v. 48, no. 1, p. 147–158, doi: 10.1007/s10933-012-9602-9.
- Power, M.J., Whitlock, C., and Bartlein, P.J., 2011, Postglacial fire, vegetation, and climate history across an elevational gradient in the Northern Rocky Mountains, USA and Canada: *Quaternary Science Reviews*, v. 30, no. 19–20, p. 2520–2533, doi: 10.1016/j.quascirev.2011.04.012.
- Powers, L.A., 2005, Large temperature variability in the southern African tropics since the Last Glacial Maximum: *Geophysical Research Letters*, v. 32, no. 8, p. L08706, doi: 10.1029/2004GL022014.
- Powers, L.A., Johnson, T.C., Werne, J.P., Castañeda, I.S., Hopmans, E.C., Sinninghe Damsté, J.S., and Schouten, S., 2011, Organic geochemical records of environmental variability in Lake Malawi during the last 700 years, Part I: The TEX86 temperature record: *Palaeogeography, Palaeoclimatology, Palaeoecology*, v. 303, no. 1–4, p. 133–139, doi: 10.1016/j.palaeo.2010.09.006.
- Powers, L.A., Werne, J.P., Johnson, T.C., Hopmans, E.C., Sinninghe Damsté, J.S., and Schouten, S., 2004, Crenarchaeotal membrane lipids in lake sediments: A new paleotemperature proxy for continental paleoclimate reconstruction? *Geology*, v. 32, no. 7, p. 613, doi: 10.1130/G20434.1.
- Powers, L., Werne, J.P., Vanderwoude, A.J., Sinninghe Damsté, J.S., Hopmans, E.C., and Schouten, S., 2010, Applicability and calibration of the TEX86 paleothermometer in lakes: *Organic Geochemistry*, v. 41, no. 4, p. 404–413, doi: <http://dx.doi.org/10.1016/j.orggeochem.2009.11.009>.
- Prokopenko, A.A., Karabanov, E.B., Williams, D.F., Kashiwaya, K., Ochiai, S., Sakai, H., and Kawai, T., 2002, Geomorphology: Age of long sediment cores from Lake Baikal: *Nature*, v. 415, no. 6875, p. 976.
- Prokopenko, A.A., and Williams, D.F., 2004, Deglacial methane emission signals in the carbon isotopic record of Lake Baikal: *Earth and Planetary Science Letters*, v. 218, no. 1–2, p. 135–147, doi: 10.1016/S0012-821X(03)00637-X.

- Pueyo, J.J., Sáez, A., Giralt, S., Valero-Garcés, B.L., Moreno, A., Bao, R., Schwalb, A., Herrera, C., Klosowska, B., and Taberner, C., 2011, Carbonate and organic matter sedimentation and isotopic signatures in Lake Chungará, Chilean Altiplano, during the last 12.3 kyr: *Palaeogeography, Palaeoclimatology, Palaeoecology*, v. 307, no. 1–4, p. 339–355, doi: 10.1016/j.palaeo.2011.05.036.
- Quade, J., Rech, J.A., Betancourt, J.L., Latorre, C., Quade, B., Rylander, K.A., and Fisher, T., 2008, Paleowetlands and regional climate change in the central Atacama Desert, northern Chile: *Quaternary Research*, v. 69, no. 3, p. 343–360, doi: 10.1016/j.yqres.2008.01.003.
- Quade, J., Levin, N.E., Simpson, S.W., Butler, R., McIntosh, W.C., Semaw, S., Kleinsasser, L., Dupont-Nivet, G., Renne, P., and Dunbar, N., 2008, The geology of gona, afar, ethiopia: *Special Paper of the Geological Society of America*, v. 446, p. 1–31, doi: 10.1130/2008.2446(01).
- Ramstack, J.M., Fritz, S.C., and Engstrom, D.R., 2004, Twentieth century water quality trends in Minnesota lakes compared with presettlement variability: *Canadian Journal of Fisheries and Aquatic Sciences*, v. 61, no. 4, p. 561–576, doi: 10.1139/f04-015.
- Reavie, E.D., and Edlund, M.B., 2013, Assessing the performance of a diatom transfer function on four Minnesota lake sediment cores: effects of training set size and sample age: *Journal of Paleolimnology*, v. 50, no. 1, p. 87–104, doi: 10.1007/s10933-013-9706-x.
- Reheis, M.C., Laabs, B.J.C., and Kaufman, D.S., 2009, Geology and geomorphology of Bear Lake Valley and upper Bear River, Utah and Idaho: *Geological Society of America Special Papers*, v. 450, p. 15–48.
- Reinthal, P.N., Cohen, A.S., and Dettman, D.L., 2011, Fish fossils as paleo-indicators of ichthyofauna composition and climatic change in Lake Malawi, Africa: *Palaeogeography, Palaeoclimatology, Palaeoecology*, v. 303, no. 1–4, p. 126–132, doi: 10.1016/j.palaeo.2010.01.004.
- Reyerson, P.E., Alexandre, A., Harutyunyan, A., Corbineau, R., Martinez De La Torre, H.A., Badeck, F., Cattivelli, L., and Santos, G.M., 2016, Unambiguous evidence of old soil carbon in grass biosilica particles: *Biogeosciences*, v. 13, no. 4, p. 1269–1286, doi: 10.5194/bg-13-1269-2016.
- Ricketts, R.D., Johnson, T.C., Brown, E.T., Rasmussen, K.A., and Romanovsky, V. V., 2001, The Holocene paleolimnology of Lake Issyk-Kul, Kyrgyzstan: trace element and stable isotope composition of ostracodes: *Palaeogeography, Palaeoclimatology, Palaeoecology*, v. 176, no. 1–4, p. 207–227, doi: 10.1016/S0031-0182(01)00339-X.
- Roberts, N., Moreno, A., Valero-Garcés, B.L., Corella, J.P., Jones, M., Allcock, S., Woodbridge, J., Morellón, M., Luterbacher, J., Xoplaki, E., and Türkeş, M., 2012, Palaeolimnological evidence for an east–west climate see-saw in the Mediterranean since AD 900: *Global and Planetary Change*, v. 84–85, p. 23–34, doi: 10.1016/j.gloplacha.2011.11.002.

- Rodbell, D.T., Abbott, M.B., and the, I.L.J.W.G., 2012, Workshop on Drilling of Lake Junin, Peru: Potential for Development of a Continuous Tropical Climate Record: *Sci. Dril.*, v. 13, p. 58–60, doi: 10.5194/sd-13-58-2012.
- Rodbell, D.T., and Abbott, M.B., 2012, Workshop on Drilling of Lake Junin, Peru: Potential for Development of a Continuous Tropical Climate Record: *Scientific Drilling*, , no. 13, April 2012, p. 58–60, doi: 10.2204/iodp.sd.13.10.2011.
- Rodríguez-Ramírez, A., Caballero, M., Roy, P., Ortega, B., Vázquez-Castro, G., and Lozano-García, S., 2015, Climatic variability and human impact during the last 2000 years in western Mesoamerica: evidence of late Classic (AD 600–900) and Little Ice Age drought events: *Climate of the Past*, v. 11, no. 9, p. 1239–1248, doi: 10.5194/cp-11-1239-2015.
- Rodríguez-Rodríguez, L., Jiménez-Sánchez, M., Domínguez-Cuesta, M.J., Rico, M.T., and Valero-Garcés, B., 2011, Last deglaciation in northwestern Spain: New chronological and geomorphologic evidence from the Sanabria region: *Geomorphology*, v. 135, no. 1–2, p. 48–65, doi: 10.1016/j.geomorph.2011.07.025.
- Rodríguez-Rodríguez, L., Jiménez-Sánchez, M., Domínguez-Cuesta, M.J., Rinterknecht, V., Pallàs, R., Bourlès, D., and Valero-Garcés, B., 2014, A multiple dating-method approach applied to the Sanabria Lake moraine complex (NW Iberian Peninsula, SW Europe): *Quaternary Science Reviews*, v. 83, p. 1–10, doi: 10.1016/j.quascirev.2013.10.019.
- Rodysill, J.R., Russell, J.M., Bijaksana, S., Brown, E.T., Safiuddin, L.O., and Eggermont, H., 2011, A paleolimnological record of rainfall and drought from East Java, Indonesia during the last 1,400 years: *Journal of Paleolimnology*, v. 47, no. 1, p. 125–139, doi: 10.1007/s10933-011-9564-3.
- Rodysill, J.R., Russell, J.M., Crausbay, S.D., Bijaksana, S., Vuille, M., Edwards, R.L., and Cheng, H., 2013, A severe drought during the last millennium in East Java, Indonesia: *Quaternary Science Reviews*, v. 80, no. 0, p. 102–111, doi: <http://dx.doi.org/10.1016/j.quascirev.2013.09.005>.
- Roof, S., Werner, A., Brigham-Grette, J., Powell, R., and Retelle, M., 2011, The Svalbard REU Program: A High-Latitude Undergraduate Research Experience in Glacial, Marine, and Lacustrine Processes Relevant to Arctic Climate Change: *Oceanography*, v. 24, no. 3, p. 51–51, doi: 10.5670/oceanog.2011.54.
- Rosenbaum, J.G., Dean, W.E., Reynolds, R.L., and Reheis, M.C., 2009, Allogenic sedimentary components of Bear Lake, Utah and Idaho: *Geological Society of America Special Papers*, v. 450, p. 145–168.
- Rosenbaum, J.G., and Heil, C.W., 2009, The glacial/deglacial history of sedimentation in Bear Lake, Utah and Idaho: *Geological Society of America Special Papers*, v. 450, p. 247–261.

- Rosenbaum, J.G., Reynolds, R.L., and Colman, S.M., 2012, Fingerprinting of glacial silt in lake sediments yields continuous records of alpine glaciation (35–15 ka), western USA: *Quaternary Research*, v. 78, no. 2, p. 333–340, doi: 10.1016/j.yqres.2012.06.004.
- Rosenbaum, J.G., Dean, W.E., Reynolds, R.L., and Reheis, M.C., 2009, Paleoenvironments of Bear Lake, Utah and Idaho, and its catchment: Geological Society of America.
- Rosenbaum, J.G., and Heil, C.W., 2009, Paleoenvironments of Bear Lake, Utah and Idaho, and its catchment: Geological Society of America.
- Rosenbaum, J., Reynolds, R., Smoot, J., and Meyer, R., 2000, Anisotropy of magnetic susceptibility as a tool for recognizing core deformation: reevaluation of the paleomagnetic record of Pleistocene sediments from drill hole OL-92, Owens Lake, California: *Earth and Planetary Science Letters*, v. 178, no. 3–4, p. 415–424, doi: 10.1016/S0012-821X(00)00077-7.
- Rowe, H.D., Guilderson, T.P., Dunbar, R.B., Southon, J.R., Seltzer, G.O., Mucciarone, D.A., Fritz, S.C., and Baker, P.A., 2003, Late Quaternary lake-level changes constrained by radiocarbon and stable isotope studies on sediment cores from Lake Titicaca, South America: *Global and Planetary Change*, v. 38, no. 3–4, p. 273–290, doi: 10.1016/S0921-8181(03)00031-6.
- Roy Chowdhury, P., Frisch, D., Becker, D., Lopez, J.A., Weider, L.J., Colbourne, J.K., and Jeyasingh, P.D., 2015, Differential transcriptomic responses of ancient and modern *Daphnia* genotypes to phosphorus supply.: *Molecular ecology*, v. 24, no. 1, p. 123–35, doi: 10.1111/mec.13009.
- Rull, V., Cañellas-Boltà, N., Sáez, A., Giralt, S., Pla, S., and Margalef, O., 2010, Paleoecology of Easter Island: Evidence and uncertainties: *Earth-Science Reviews*, v. 99, no. 1–2, p. 50–60, doi: 10.1016/j.earscirev.2010.02.003.
- Rull, V., Cañellas-Boltà, N., Margalef, O., Sáez, A., Pla-Rabes, S., and Giralt, S., 2015, Late Holocene vegetation dynamics and deforestation in Rano Aroi: Implications for Easter Island's ecological and cultural history: *Quaternary Science Reviews*, v. 126, p. 219–226, doi: 10.1016/j.quascirev.2015.09.008.
- Rull, V., González-Sampériz, P., Corella, J.P., Morellón, M., and Giralt, S., 2010, Vegetation changes in the southern Pyrenean flank during the last millennium in relation to climate and human activities: the Montcortès lacustrine record: *Journal of Paleolimnology*, v. 46, no. 3, p. 387–404, doi: 10.1007/s10933-010-9444-2.
- Rull, V., Stansell, N.D., Montoya, E., Bezada, M., and Abbott, M.B., 2010, Palynological signal of the Younger Dryas in the tropical Venezuelan Andes: *Quaternary Science Reviews*, v. 29, no. 23–24, p. 3045–3056, doi: 10.1016/j.quascirev.2010.07.012.

- Russell, J.M., Cohen, A.S., Johnson, T.C., and Scholz, C.A., 2012, Scientific Drilling in the East African Rift Lakes: A Strategic Planning Workshop: *Sci. Dril.*, v. 14, p. 49–54, doi: 10.5194/sd-14-49-2012.
- Russell, J., and Bijaksana, S., 2012, The Towuti Drilling Project: Paleoenvironments, Biological Evolution, and Geomicrobiology of a Tropical Pacific Lake: *Sci. Dril.*, v. 14, p. 68–71, doi: 10.5194/sd-14-68-2012.
- Russell, J.M., Johnson, T.C., and Talbot, M.R., 2003, A 725 yr cycle in the climate of central Africa during the late Holocene: *Geology*, v. 31, no. 8, p. 677, doi: 10.1130/G19449.1.
- Russell, J.M., Johnson, T.C., Kelts, K.R., Lærdal, T., and Talbot, M.R., 2003, An 11 000-year lithostratigraphic and paleohydrologic record from Equatorial Africa: Lake Edward, Uganda–Congo: *Palaeogeography, Palaeoclimatology, Palaeoecology*, v. 193, no. 1, p. 25–49, doi: 10.1016/S0031-0182(02)00709-5.
- Russell, J.M., Vogel, H., Konecky, B.L., Bijaksana, S., Huang, Y., Melles, M., Wattrus, N., Costa, K., and King, J.W., 2014, Glacial forcing of central Indonesian hydroclimate since 60,000 y B.P.: *Proceedings of the National Academy of Sciences of the United States of America*, v. 111, no. 14, p. 5100–5105, doi: 10.1073/pnas.1402373111.
- Russell, J.M., Bijaksana, S., Vogel, H., Melles, M., Kallmeyer, J., Ariztegui, D., Crowe, S., Fajar, S., Hafidz, A., Haffner, D., Hasberg, A., Ivory, S., Kelly, C., King, J., et al., 2016, The Towuti Drilling Project: Paleoenvironments, biological evolution, and geomicrobiology of a tropical Pacific lake: v. 21, p. 29–40, doi: 10.5194/sd-21-29-2016.
- Russell, J.M., and Johnson, T.C., 2005, A high-resolution geochemical record from Lake Edward, Uganda Congo and the timing and causes of tropical African drought during the late Holocene: *Quaternary Science Reviews*, v. 24, no. 12–13, p. 1375–1389, doi: 10.1016/j.quascirev.2004.10.003.
- Russell, J.M., and Johnson, T.C., 2005, Late Holocene climate change in the North Atlantic and equatorial Africa: Millennial-scale ITCZ migration: *Geophysical Research Letters*, v. 32, no. 17, p. 1–4, doi: 10.1029/2005GL023295.
- Russell, J.M., and Johnson, T.C., 2006, The Water Balance and Stable Isotope Hydrology of Lake Edward, Uganda-Congo: *Journal of Great Lakes Research*, v. 32, no. 1, p. 77–90, doi: 10.3394/0380-1330(2006)32[77:TWBASI]2.0.CO;2.
- Russell, J.M., and Werne, J.P., 2009, Climate change and productivity variations recorded by sedimentary sulfur in Lake Edward, Uganda/D. R. Congo: *Chemical Geology*, v. 264, no. 1–4, p. 337–346, doi: 10.1016/j.chemgeo.2009.03.020.
- Russell, J., and Bijaksana, S., 2012, Scientific Drilling: *Scientific Drilling*, , no. 14, September 2012, p. 68–71, doi: 10.2204/iodp.sd.14.11.2012.



- Russell, J., Talbot, M.R., and Haskell, B.J., 2003, Mid-holocene climate change in Lake Bosumtwi, Ghana: *Quaternary Research*, v. 60, no. 2, p. 133–141, doi: 10.1016/S0033-5894(03)00065-6.
- Saez, A., Valero-Garces, B.L., Moreno, A., Bao, R., PUEYO, J.J., Gonzalez-Samperiz, P., Giralt, S., Taberner, C., HERRERA, C., Gibert, R.O., SÁEZ, A., VALERO-GARCÉS, B.L., Moreno, A., Bao, R., et al., 2007, Lacustrine sedimentation in active volcanic settings: the Late Quaternary depositional evolution of Lake Chungará (northern Chile): *Sedimentology*, v. 54, no. 5, p. 1191–1222, doi: 10.1111/j.1365-3091.2007.00878.x.
- Sáez, A., Valero-Garcés, B.L., Giralt, S., Moreno, A., Bao, R., Pueyo, J.J., Hernández, A., and Casas, D., 2009, Glacial to Holocene climate changes in the SE Pacific. The Raraku Lake sedimentary record (Easter Island, 27°S): *Quaternary Science Reviews*, v. 28, no. 25–26, p. 2743–2759, doi: 10.1016/j.quascirev.2009.06.018.
- Sapota, T., Aldahan, A., Possnert, G., Peck, J., King, J., Prokopenko, A., and Kuzmin, M., 2004, A late Cenozoic Earth's crust and climate dynamics record from Lake Baikal: *Journal of Paleolimnology*, v. 32, no. 4, p. 341–349, doi: 10.1007/s10933-004-0195-9.
- Saros, J.E., Fritz, S.C., and Smith, A.J., 2000, Shifts in mid- to late-Holocene anion composition in Elk Lake (Grant County, Minnesota): *Quaternary International*, v. 67, no. 1, p. 37–46, doi: 10.1016/S1040-6182(00)00007-0.
- Saros, J.E., Stone, J.R., Pederson, G.T., Slemmons, K.E.H., Spanbauer, T., Schliep, A., Cahl, D., Williamson, C.E., and Engstrom, D.R., 2012, Climate-induced changes in lake ecosystem structure inferred from coupled neo- and paleoecological approaches: *Ecology*, v. 93, no. 10, p. 2155–2164, doi: 10.1890/11-2218.1.
- Sauerbrey, M.A., Juschus, O., Gebhardt, A.C., Wennrich, V., Nowaczyk, N.R., and Melles, M., 2013, Mass movement deposits in the 3.6 Ma sediment record of Lake El'gygytyn, Far East Russian Arctic: *Climate of the Past*, v. 9, no. 4, p. 1949–1967, doi: 10.5194/cp-9-1949-2013.
- Schachtman, N.S., MacGregor, K.R., Myrbo, A., Hencir, N.R., Riihimaki, C.A., Thole, J.T., and Bradtmiller, L.I., 2015, Lake core record of Grinnell Glacier dynamics during the latest Pleistocene deglaciation and the Younger Dryas, Glacier National Park, Montana, USA: *Quaternary Research*, v. 84, no. 1, p. 1–11, doi: 10.1016/j.yqres.2015.05.004.
- Schmieder, J., Fritz, S.C., Swinehart, J.B., Shinneman, A.L.C., Wolfe, A.P., Miller, G., Daniels, N., Jacobs, K.C., and Grimm, E.C., 2011, A regional-scale climate reconstruction of the last 4000 years from lakes in the Nebraska Sand Hills, USA: *Quaternary Science Reviews*, v. 30, no. 13–14, p. 1797–1812, doi: 10.1016/j.quascirev.2011.04.011.
- Schnurrenberger, D.W., Kelts, K.R., Johnson, T.C., Shane, L.C.K., and Ito, E., 2001, National lacustrine core repository (LacCore): *Journal of Paleolimnology*, v. 25, no. 1, p. 123–127, doi: 10.1023/A:1008171027125.

- Scholz, C.A., Cohen, A.S., Johnson, T.C., King, J.W., and Moran, K., 2006, The 2005 Lake Malawi Scientific Drilling Project: *Sci. Drill.*, v. 2, p. 17–19, doi: 10.5194/sd-2-17-2006.
- Scholz, C.A., and Finney, B.P., 1994, Late Quaternary sequence stratigraphy of Lake Malawi (Nyasa), *Africa: Sedimentology*, v. 41, no. 1, p. 163–179.
- Scholz, C.A.A., Cohen, A.S.S., Johnson, T.C.C., King, J., Talbot, M.R.R., and Brown, E.T.T., 2011, Scientific drilling in the Great Rift Valley: The 2005 Lake Malawi Scientific Drilling Project — An overview of the past 145,000 years of climate variability in Southern Hemisphere East Africa: *Palaeogeography, Palaeoclimatology, Palaeoecology*, v. 303, no. 1–4, p. 3–19, doi: 10.1016/j.palaeo.2010.10.030.
- Scholz, C.A.A., Talbot, M.R.R., Brown, E.T.T., and Lyons, R.P.P., 2011, Lithostratigraphy, physical properties and organic matter variability in Lake Malawi Drillcore sediments over the past 145,000 years: *Palaeogeography, Palaeoclimatology, Palaeoecology*, v. 303, no. 1–4, p. 38–50, doi: 10.1016/j.palaeo.2010.10.028.
- Scholz, C.A., Johnson, T.C., Cohen, A.S., King, J.W., Peck, J.A., Overpeck, J.T., Talbot, M.R., Brown, E.T., Kalindekafu, L., Amoako, P.Y.O., Lyons, R.P., Shanahan, T.M., Castañeda, I.S., Heil, C.W., et al., 2007, East African megadroughts between 135 and 75 thousand years ago and bearing on early-modern human origins: *Proceedings of the National Academy of Sciences of the United States of America*, v. 104, no. 42, p. 16416–16421, doi: 10.1073/pnas.0703874104.
- Scholz, C.A., Cohen, A.S., and Johnson, T.C., 2011, Southern hemisphere tropical climate over the past 145ka: Results of the Lake Malawi Scientific Drilling Project, *East Africa: Palaeogeography, Palaeoclimatology, Palaeoecology*, v. 303, no. 1–4, p. 1–2, doi: 10.1016/j.palaeo.2011.01.001.
- Schwalb, A., and Dean, W.E., 1998, Stable isotopes and sediments from Pickerel Lake, South Dakota, USA: A 12ky record of environmental changes: *Journal of Paleolimnology*, v. 20, no. 1, p. 15–30, doi: 10.1023/A:1007971226750.
- Schwalb, A., and Dean, W.E., 2002, Reconstruction of hydrological changes and response to effective moisture variations from North-Central USA lake sediments: *Quaternary Science Reviews*, v. 21, no. 12–13, p. 1541–1554, doi: 10.1016/S0277-3791(01)00121-4.
- Schwalb, A., Dean, W.E., Fritz, S.C., Geiss, C.E., and Kromer, B., 2010, Centennial eolian cyclicity in the Great Plains, USA: a dominant climate pattern of wind transport over the past 4000 years? *Quaternary Science Reviews*, v. 29, no. 17–18, p. 2325–2339, doi: 10.1016/j.quascirev.2010.06.007.
- Schwalb, A., Locke, S.M., and Dean, W.E., 1995, Ostracode  $\delta^{18}\text{O}$  and  $\delta^{13}\text{C}$  evidence of Holocene environmental changes in the sediments of two Minnesota lakes: *Journal of Paleolimnology*, v. 14, no. 3, p. 281–296, doi: 10.1007/BF00682429.

- Scott, W.E., McCoy, W.D., Shroba, R.R., and Rubin, M., 1983, Reinterpretation of the exposed record of the last two cycles of Lake Bonneville, Western United States: *Quaternary Research*, v. 20, no. 3, p. 261–285, doi: 10.1016/0033-5894(83)90013-3.
- Scussolini, P., Vegas-Vilarrúbia, T., Rull, V., Corella, J.P., Valero-Garcés, B., and Gomà, J., 2011, Middle and late Holocene climate change and human impact inferred from diatoms, algae and aquatic macrophyte pollen in sediments from Lake Montcortès (NE Iberian Peninsula): *Journal of Paleolimnology*, v. 46, no. 3, p. 1–17, doi: 10.1007/s10933-011-9524-y.
- Shanahan, T.M., Beck, J.W., Overpeck, J.T., McKay, N.P., Pigati, J.S., Peck, J.A., Scholz, C.A., Heil Jr, C.W., King, J., Heil, C.W., and King, J., 2012, Late Quaternary sedimentological and climate changes at Lake Bosumtwi Ghana: New constraints from laminae analysis and radiocarbon age modeling: *Palaeogeography, Palaeoclimatology, Palaeoecology*, v. 361–362, no. 0, p. 49–60, doi: 10.1016/j.palaeo.2012.08.001.
- Shanahan, T.M., McKay, N.P., Hughen, K.A., Overpeck, J.T., Otto-Bliesner, B., Heil, C.W., King, J., Scholz, C.A., and Peck, J., 2015, The time-transgressive termination of the African Humid Period: *Nature Geoscience*, v. 8, no. 2, p. 140–144, doi: 10.1038/ngeo2329.
- Shanahan, T.M., Peck, J.A., McKay, N., Heil, C.W., King, J., Forman, S.L., Hoffmann, D.L., Richards, D.A., Overpeck, J.T., Scholz, C., Heil Jr, C.W., King, J., Forman, S.L., Hoffmann, D.L., et al., 2013, Age models for long lacustrine sediment records using multiple dating approaches – An example from Lake Bosumtwi, Ghana: *Quaternary Geochronology*, v. 15, no. 0, p. 47–60, doi: 10.1016/j.quageo.2012.12.001.
- Shapley, M.D., Johnson, W.C., Engstrom, D.R., and Osterkamp, W.R., 2005, Late-holocene flooding and drought in the Northern Great Plains, USA, reconstructed from tree rings, lake sediments and ancient shorelines: *Holocene*, v. 15, no. 1, p. 29–41, doi: 10.1191/0959683605hl781rp.
- Shapley, M.D.D., Ito, E., and Donovan, J.J.J., 2005, Authigenic calcium carbonate flux in groundwater-controlled lakes: Implications for lacustrine paleoclimate records: *Geochimica et Cosmochimica Acta*, v. 69, no. 10, p. 2517–2533, doi: 10.1016/j.gca.2004.12.001.
- Shapley, M.D.D., Ito, E., and Donovan, J.J.J., 2009, Lateglacial and Holocene hydroclimate inferred from a groundwater flow-through lake, Northern Rocky Mountains, USA: *The Holocene*, v. 19, no. 4, p. 523–535, doi: 10.1177/0959683609104029.
- Shapley, M.D., Ito, E., and Donovan, J.J., 2007, Isotopic evolution and climate paleorecords: modeling boundary effects in groundwater-dominated lakes: *Journal of Paleolimnology*, v. 39, no. 1, p. 17–33, doi: 10.1007/s10933-007-9092-3.
- Shapley, M.D., Ito, E., and Forester, R.M., 2010, Negative correlations between Mg:Ca and total dissolved solids in lakes: False aridity signals and decoupling mechanism for paleohydrologic proxies: *Geology*, v. 38, no. 5, p. 427–430, doi: 10.1130/G30718.1.

- Shapley, M.D., and Finney, B.P., 2015, Lake morphometry controls the remobilization and long-term geochemical imprint of distal tephra deposition: *Journal of Paleolimnology*, v. 53, no. 3, p. 309–320, doi: 10.1007/s10933-015-9826-6.
- Shaw Chraïbi, V.L., Kireta, A.R., Reavie, E.D., Cai, M., and Brown, T.N., 2014, A paleolimnological assessment of human impacts on Lake Superior: *Journal of Great Lakes Research*, v. 40, no. 4, p. 886–897, doi: 10.1016/j.jglr.2014.09.016.
- Sheng Hu, F., Wright, H.E., Ito, E., and Lease, K., 1997, Climatic effects of glacial Lake Agassiz in the midwestern United States during the last deglaciation: *Geology*, v. 25, no. 3, p. 207, doi: 10.1130/0091-7613(1997)025<0207:CEOGLA>2.3.CO;2.
- Shervais, J.W., Nielson, D., Evans, J.P., Lachmar, T., Christiansen, E.H., Morgan, L., Shanks, W.C.P., Delahunty, C., Schmitt, D.R., Liberty, L.M., Blackwell, D.D., Glen, J.M., Kessler, J.A., Potter, K.E., et al., 2012, Hotspot: The Snake River Geothermal Drilling Project--Initial Report: *Geothermal Resources Council Transactions*, v. 36, p. 767–772.
- Shervais, J.W., Schmitt, D.R., Nielson, D., Evans, J.P., Christiansen, E.H., Morgan, L., Pat Shanks, W.C., Prokopenko, A.A., Lachmar, T., Liberty, L.M., Blackwell, D.D., Glen, J.M., Champion, L.D., Potter, K.E., et al., 2013, First Results from HOTSPOT: The Snake River Plain Scientific Drilling Project, Idaho, U.S.A: *Sci. Dril.*, v. 15, p. 36–45, doi: 10.5194/sd-15-36-2013.
- Shervais, J.W., Evans, J.P., Schmitt, D.R., Christiansen, E.H., and Prokopenko, A., 2014, Drilling Into the Track of the Yellowstone Hot Spot: *Eos, Transactions American Geophysical Union*, v. 95, no. 10, p. 85–86, doi: 10.1002/2014EO100001.
- Shervais, J.W., and Hanan, B.B., 2008, Lithospheric topography, tilted plumes, and the track of the Snake River–Yellowstone hot spot: *Tectonics*, v. 27, no. 5, p. TC5004, doi: 10.1029/2007tc002181.
- Shervais, J.W., and Vetter, S.K., 2009, High-K alkali basalts of the Western Snake River Plain (Idaho): Abrupt transition from tholeiitic to mildly alkaline plume-derived basalts: *Journal of Volcanology and Geothermal Research*, v. 188, no. 1–3, p. 141–152, doi: 10.1016/j.jvolgeores.2009.01.023.
- Shervais, J.W., Vetter, S.K., and Hanan, B.B., 2006, Layered mafic sill complex beneath the eastern Snake River Plain: Evidence from cyclic geochemical variations in basalt: *Geology*, v. 34, no. 5, p. 365–368.
- Shinneman, A.L.C., Umbanhowar, C.E., Edlund, M.B., and Soninkhishig, N., 2010, Late-Holocene moisture balance inferred from diatom and lake sediment records in western Mongolia: *The Holocene*, v. 20, no. 1, p. 123–138, doi: 10.1177/0959683609348861.

- Shinneman, A.L.C., Almendinger, J.E., Umbanhowar, C.E., Edlund, M.B., and Nergui, S., 2009, Paleolimnologic Evidence for Recent Eutrophication in the Valley of the Great Lakes (Mongolia): *Ecosystems*, v. 12, no. 6, p. 944–960, doi: 10.1007/s10021-009-9269-x.
- Shinneman, A.L.C., Edlund, M.B., Almendinger, J.E., and Soninkhishig, N., 2008, Diatoms as indicators of water quality in Western Mongolian lakes: a 54-site calibration set: *Journal of Paleolimnology*, v. 42, no. 3, p. 373–389, doi: 10.1007/s10933-008-9282-7.
- Shuman, B., 2003, Controls on loss-on-ignition variation in cores from two shallow lakes in the northeastern United States: *Journal of Paleolimnology*, v. 30, no. 4, p. 371–385, doi: 10.1023/B:JOPL.0000007226.68831.e3.
- Shuman, B.N., Carter, G.E., Hougardy, D.D., Powers, K., and Shinker, J.J., 2014, A north-south moisture dipole at multi-century scales in the Central and Southern Rocky Mountains, U.S.A., during the late Holocene: *Rocky Mountain Geology*, v. 49, no. 1, p. 33–49.
- Shuman, B.N., Newby, P., and Donnelly, J.P., 2009, Abrupt climate change as an important agent of ecological change in the Northeast U.S. throughout the past 15,000 years: *Quaternary Science Reviews*, v. 28, no. 17–18, p. 1693–1709, doi: 10.1016/j.quascirev.2009.04.005.
- Shuman, B., Henderson, A.K., Colman, S.M., Stone, J.R., Fritz, S.C., Stevens, L.R., Power, M.J., and Whitlock, C., 2009, Holocene lake-level trends in the Rocky Mountains, U.S.A.: *Quaternary Science Reviews*, v. 28, no. 19–20, p. 1861–1879, doi: 10.1016/j.quascirev.2009.03.003.
- Shuman, B., Henderson, A.K., Plank, C., Stefanova, I., and Ziegler, S.S., 2009, Woodland-to-forest transition during prolonged drought in Minnesota after ca. AD 1300: *Ecology*, v. 90, no. 10, p. 2792–2807, doi: 10.1890/08-0985.1.
- Shuman, B., Newby, P., Huang, Y., and Webb, T., 2004, Evidence for the close climatic control of new England vegetation history: *Ecology*, v. 85, no. 5, p. 1297–1310.
- Siegel, D.I., and Glaser, P.H., 1987, Groundwater flow in a bog- fen complex, Lost River peatland, northern Minnesota.: *Journal of Ecology*, v. 75, no. 3, p. 743–754.
- Simpson, A.M., Jeyasingh, P.D., and Belden, J.B., 2015, Variation in toxicity of a current-use insecticide among resurrected *Daphnia pulex* genotypes.: *Ecotoxicology (London, England)*, v. 24, no. 3, p. 488–96, doi: 10.1007/s10646-014-1397-1.
- Skrivanek, A., and Hendy, I.L., 2015, A 500 year climate catch: Pelagic fish scales and paleoproductivity in the Santa Barbara Basin from the Medieval Climate Anomaly to the Little Ice Age (AD 1000–1500): *Quaternary International*, v. 387, p. 36–45, doi: <http://dx.doi.org/10.1016/j.quaint.2015.07.044>.

- Slate, J.E., Johnson, T.C., and Moore, T.C., 2013, Impact of pre-Columbian agriculture, climate change, and tectonic activity inferred from a 5,700-year paleolimnological record from Lake Nicaragua: *Journal of Paleolimnology*, v. 50, no. 1, p. 139–149, doi: 10.1007/s10933-013-9709-7.
- Slemmons, K.E.H., Saros, J.E., Stone, J.R., McGowan, S., Hess, C.T., and Cahl, D., 2015, Effects of glacier meltwater on the algal sedimentary record of an alpine lake in the central US Rocky Mountains throughout the late Holocene: *Journal of Paleolimnology*, v. 53, no. 4, p. 385–399, doi: 10.1007/s10933-015-9829-3.
- Sluijs, A., Schouten, S., Pagani, M., Woltering, M., Brinkhuis, H., Damsté, J.S.S., Dickens, G.R., Huber, M., Reichert, G.-J., Stein, R., Matthiessen, J., Lourens, L.J., Pedentchouk, N., Backman, J., et al., 2006, Subtropical Arctic Ocean temperatures during the Palaeocene/Eocene thermal maximum: *Nature*, v. 441, no. 7093, p. 610–613, doi: [http://www.nature.com/nature/journal/v441/n7093/supinfo/nature04668\\_S1.html](http://www.nature.com/nature/journal/v441/n7093/supinfo/nature04668_S1.html).
- Smith, A.J., Donovan, J.J., Ito, E., Engstrom, D.R., and Panek, V.A., 2002, Climate-driven hydrologic transients in lake sediment records: multiproxy record of mid-Holocene drought: *Quaternary Science Reviews*, v. 21, no. 4–6, p. 625–646, doi: 10.1016/S0277-3791(01)00041-5.
- Smith, A.J., Donovan, J.J., Ito, E., and Engstrom, D.R., 1997, Ground-water processes controlling a prairie lake's response to middle Holocene drought: *Geology*, v. 25, no. 5, p. 391, doi: 10.1130/0091-7613(1997)025<0391:GWPCAP>2.3.CO;2.
- Smoot, J.P., Litwin, R.J., Bischoff, J.L., and Lund, S.J., 2000, Sedimentary record of the 1872 earthquake and “Tsunami” at Owens Lake, southeast California: *Sedimentary Geology*, v. 135, no. 1–4, p. 241–254, doi: 10.1016/S0037-0738(00)00075-0.
- Smoot, J.P., 2009, Late Quaternary sedimentary features of Bear Lake, Utah and Idaho: *Geological Society of America Special Papers*, v. 450, p. 49–104.
- Smoot, J.P., and Rosenbaum, J.G., 2009, Sedimentary constraints on late Quaternary lake-level fluctuations at Bear Lake, Utah and Idaho: *Geological Society of America Special Papers*, v. 450, p. 263–290.
- Smoot, J.P., and Rosenbaum, J.G., 2009, Paleoenvironments of Bear Lake, Utah and Idaho, and its catchment: *Geological Society of America*.
- Snyder, J.A., Cherepanova, M. V, and Bryan, A., 2013, Dynamic diatom response to changing climate 0–1.2 Ma at Lake El'gygytgyn, Far East Russian Arctic: *Clim. Past*, v. 9, no. 3, p. 1309–1319, doi: 10.5194/cp-9-1309-2013.
- Snyder, J.A., Wasyluk, K., Fritz, S.C., and Wright Jr, H.E., 2001, Diatom-based conductivity reconstruction and palaeoclimatic interpretation of a 40-ka record from Lake Zeribar, Iran: *The Holocene*, v. 11, no. 6, p. 737–745, doi: 10.1191/09596830195753.

- Soreghan, G.S., and Cohen, A.S., 2013, Scientific drilling and the evolution of the earth system: climate, biota, biogeochemistry and extreme systems: *Scientific Drilling*, v. 16, no. 16, p. 63–72, doi: 10.5194/sd-16-63-2013.
- Sosa-Nájera, S., Lozano-García, S., Roy, P.D., and Caballero, M., 2010, Registro de sequías históricas en el occidente de México con base en el análisis elemental de sedimentos lacustres: El caso del lago de Santa María del Oro: *Boletín de la Sociedad Geológica Mexicana*, v. 62, no. 3, p. 437–451.
- Spanbauer, T.L., Allen, C.R., Angeler, D.G., Eason, T., Fritz, S.C., Garmestani, A.S., Nash, K.L., and Stone, J.R., 2014, Prolonged Instability Prior to a Regime Shift: *PloS one*, v. 9, no. 10, p. e108936.
- Spencer, J.E., Richard, S.M., Gehrels, G.E., Gleason, J.D., and Dickinson, W.R., 2011, Age and tectonic setting of the Mesozoic McCoy Mountains Formation in western Arizona, USA: *Geological Society of America Bulletin*, v. 123, no. 7–8, p. 1258–1274, doi: 10.1130/B30206.1.
- Spencer, R.J., Baedeker, M.J., Eugster, H.P., Forester, R.M., Goldhaber, M.B., Jones, B.F., Kelts, K., McKenzie, J., Madsen, D.B., Rettig, S.L., Rubin, M., and Bowser, C.J., 1984, Great Salt Lake, and precursors, Utah: The last 30,000 years: *Contributions to Mineralogy and Petrology*, v. 86, no. 4, p. 321–334, doi: 10.1007/bf01187137.
- Stager, J.C., Hecky, R.E., Grzesik, D., Cumming, B.F., and Kling, H., 2009, Diatom evidence for the timing and causes of eutrophication in Lake Victoria, East Africa: *Hydrobiologia*, v. 636, no. 1, p. 463–478, doi: 10.1007/s10750-009-9974-7.
- Stager, J.C., 1997, Abrupt Early to Mid-Holocene Climatic Transition Registered at the Equator and the Poles: *Science*, v. 276, no. 5320, p. 1834–1836, doi: 10.1126/science.276.5320.1834.
- Stager, J.C., and Johnson, T.C., 2000, A 12,400 14C yr offshore diatom record from east central Lake Victoria, East Africa: *Journal of Paleolimnology*, v. 23, no. 4, p. 373–383, doi: 10.1023/A:1008133727763.
- Stager, J.C., and Johnson, T.C., 2007, The late Pleistocene desiccation of Lake Victoria and the origin of its endemic biota: *Hydrobiologia*, v. 596, no. 1, p. 5–16, doi: 10.1007/s10750-007-9158-2.
- Stager, J.C., Reinthal, P.N., and Livingstone, D.A., 1986, A 25 000-year history for Lake Victoria, East Africa, and some comments on its significance for the evolution of cichlid fishes.: *Freshwater Biology*, v. 16, no. 1, p. 15–19.
- Stager, J.C., Cumming, B., and Meeker, L., 1997, A high-resolution 11,400-Yr diatom record from Lake Victoria, East Africa: *Quaternary Research*, v. 47, no. 1, p. 81–89.

- Stager, J.C., Mayewski, P.A., and Meeker, L.D., 2002, Cooling cycles, Heinrich event 1, and the desiccation of Lake Victoria: *Palaeogeography, Palaeoclimatology, Palaeoecology*, v. 183, no. 1–2, p. 169–178, doi: 10.1016/S0031-0182(01)00468-0.
- Stansell, N.D., Abbott, M.B., Rull, V., Rodbell, D.T., Bezada, M., and Montoya, E., 2010, Abrupt Younger Dryas cooling in the northern tropics recorded in lake sediments from the Venezuelan Andes: *Earth and Planetary Science Letters*, v. 293, no. 1–2, p. 154–163, doi: 10.1016/j.epsl.2010.02.040.
- Stansell, N.D., Polissar, P.J., Abbott, M.B., Bezada, M., Steinman, B.A., and Braun, C., 2014, Proglacial lake sediment records reveal Holocene climate changes in the Venezuelan Andes: *Quaternary Science Reviews*, v. 89, no. 0, p. 44–55, doi: <http://dx.doi.org/10.1016/j.quascirev.2014.01.021>.
- Stansell, N.D., Rodbell, D.T., Abbott, M.B., and Mark, B.G., 2013, Proglacial lake sediment records of Holocene climate change in the western Cordillera of Peru: *Quaternary Science Reviews*, v. 70, no. 0, p. 1–14, doi: 10.1016/j.quascirev.2013.03.003.
- Stansell, N.D., Rodbell, D.T., Licciardi, J.M., Sedlak, C.M., Schweinsberg, A.D., Huss, E.G., Delgado, G.M., Zimmerman, S.H., and Finkel, R.C., 2015, Late Glacial and Holocene glacier fluctuations at Nevado Huaguruncho in the Eastern Cordillera of the Peruvian Andes: *Geology*, v. 43, no. 8, p. 747–750, doi: 10.1130/G36735.1.
- Stefanova, I., Atanassova, J., Delcheva, M., and Wright, H.E., 2006, Chronological framework for the Lateglacial pollen and macrofossil sequence in the Pirin Mountains, Bulgaria: *Lake Besbog and Lake Kremensko-5: The Holocene*, v. 16, no. 6, p. 877–892, doi: 10.1191/0959683606hol979rp.
- Stefanova, V., Lazarova, M., and Wright, H.E., 2006, Elevational gradients during the Late-Glacial/Holocene vegetational transition in southern Bulgaria: *Vegetation History and Archaeobotany*, v. 15, no. 4, p. 333–343, doi: 10.1007/s00334-006-0049-7.
- Stein, M., Ben-Avraham, Z., Goldstein, S., Agnon, A., Ariztegui, D., Brauer, A., Haug, G., Ito, E., and Yasuda, Y., 2011, Deep Drilling at the Dead Sea: *Sci. Dril.*, v. 11, p. 46–47, doi: 10.5194/sd-11-46-2011.
- Steinman, B.A., Abbott, M.B., Mann, M.E., Stansell, N.D., and Finney, B.P., 2012, 1,500 year quantitative reconstruction of winter precipitation in the Pacific Northwest: *Proceedings of the National Academy of Sciences of the United States of America*, v. 109, no. 29, p. 11619–11623, doi: 10.1073/pnas.1201083109.
- Steinman, B.A., Rosenmeier, M.F., Abbott, M.B., and Bain, D.J., 2010, The isotopic and hydrologic response of small, closed-basin lakes to climate forcing from predictive models: Application to paleoclimate studies in the upper Columbia River basin: *Limnology and Oceanography*, v. 55, no. 6, p. 2231–2245, doi: <http://dx.doi.org/10.4319/lo.2010.55.6.2231>.



- Steinman, B.A., and Abbott, M.B., 2013, Isotopic and hydrologic responses of small, closed lakes to climate variability: Hydroclimate reconstructions from lake sediment oxygen isotope records and mass balance models: *Geochimica et Cosmochimica Acta*, v. 105, p. 342–359, doi: 10.1016/j.gca.2012.11.027.
- Steinman, B.A., Abbott, M.B., Mann, M.E., Ortiz, J.D., Feng, S., Pompeani, D.P., Stansell, N.D., Anderson, L., Finney, B.P., and Bird, B.W., 2014, Ocean-atmosphere forcing of centennial hydroclimate variability in the Pacific Northwest: *Geophysical Research Letters*, v. 41, no. 7, p. 2553–2560, doi: 10.1002/2014GL059499.
- Steinman, B.A., Abbott, M.B., Nelson, D.B., Stansell, N.D., Finney, B.P., Bain, D.J., and Rosenmeier, M.F., 2013, Isotopic and hydrologic responses of small, closed lakes to climate variability: Comparison of measured and modeled lake level and sediment core oxygen isotope records: *Geochimica et Cosmochimica Acta*, v. 105, p. 455–471, doi: <http://dx.doi.org/10.1016/j.gca.2012.11.026>.
- Steinman, B.A., Pompeani, D.P., Abbott, M.B., Ortiz, J.D., Stansell, N.D., Finkenbinder, M.S., Mihindukulasooriya, L.N., and Hillman, A.L., 2016, Oxygen isotope records of Holocene climate variability in the Pacific Northwest: *Quaternary Science Reviews*, v. 142, p. 40–60, doi: 10.1016/j.quascirev.2016.04.012.
- Stevens, L.R., Ito, E., and Olson, D.E.L., 2000, Relationship of Mn-carbonates in varved lake-sediments to catchment vegetation in Big Watab Lake, MN, USA: *Journal of Paleolimnology*, v. 24, no. 2, p. 199–211, doi: 10.1023/A:1008169526577.
- Stevens, L.R., Stone, J.R., Campbell, J., and Fritz, S.C., 2006, A 2200-yr record of hydrologic variability from Foy Lake, Montana, USA, inferred from diatom and geochemical data: *Quaternary Research*, v. 65, no. 2, p. 264–274, doi: 10.1016/j.yqres.2005.08.024.
- Stone, J.R., and Fritz, S.C., 2006, Multidecadal drought and Holocene climate instability in the Rocky Mountains: *Geology*, v. 34, no. 5, p. 409, doi: 10.1130/G22225.1.
- Stone, J.R., Westover, K.S., and Cohen, A.S., 2011, Late Pleistocene paleohydrography and diatom paleoecology of the central basin of Lake Malawi, Africa: *Palaeogeography, Palaeoclimatology, Palaeoecology*, v. 303, no. 1–4, p. 51–70, doi: 10.1016/j.palaeo.2010.01.012.
- Stone, J.R., and Fritz, S.C., 2004, Three-dimensional modeling of lacustrine diatom habitat areas: Improving paleolimnological interpretation of planktic: benthic ratios: *Papers in the Geosciences*, p. 4.
- Strauss, B.E., Strehlau, J.H., Lascu, I., Dorale, J.A., Penn, R.L., and Feinberg, J.M., 2013, The origin of magnetic remanence in stalagmites: Observations from electron microscopy and rock magnetism: *Geochemistry, Geophysics, Geosystems*, v. 14, no. 12, p. 5006–5025, doi: 10.1002/2013GC004950.

- Street, J.H., Anderson, R.S., and Paytan, A., 2012, An organic geochemical record of Sierra Nevada climate since the LGM from Swamp Lake, Yosemite: *Quaternary Science Reviews*, v. 40, no. 0, p. 89–106, doi: 10.1016/j.quascirev.2012.02.017.
- Street, J.H., Anderson, R.S., Rosenbauer, R.J., and Paytan, A., 2013, No Title: *Quaternary Research*, v. 79, no. 1, p. 14–23, doi: <http://dx.doi.org/10.1016/j.yqres.2012.09.004>.
- Strickland, L.E., Baker, R.G., Thompson, R.S., and Miller, D.M., 2014, Last interglacial plant macrofossils and climates from Ziegler Reservoir, Snowmass Village, Colorado, USA: *Quaternary Research*, v. 82, no. 3, p. 553–566, doi: 10.1016/j.yqres.2014.07.008.
- Stroup, J.S., Kelly, M.A., Lowell, T. V., Smith, C.A., Beal, S.A., Landis, J.D., and Tapia, P.M., 2015, Late Holocene fluctuations of Quelccaya Ice Cap, Peru, registered by nearby lake sediments: *Journal of Quaternary Science*, v. 30, no. 8, p. 830–840, doi: 10.1002/jqs.2821.
- Stroup, J.S., Lowell, T. V., and Breckenridge, A., 2013, A model for the demise of large, glacial Lake Ojibway, Ontario and Quebec: *Journal of Paleolimnology*, v. 50, no. 1, p. 105–121, doi: 10.1007/s10933-013-9707-9.
- Sugita, S., Parshall, T., and Calcote, R., 2006, Detecting differences in vegetation among paired sites using pollen records: *The Holocene*, v. 16, no. 8, p. 1123–1135.
- Sugita, S., Parshall, T., Calcote, R., and Walker, K., 2010, Testing the Landscape Reconstruction Algorithm for spatially explicit reconstruction of vegetation in northern Michigan and Wisconsin: *Quaternary Research*, v. 74, no. 2, p. 289–300, doi: <http://dx.doi.org/10.1016/j.yqres.2010.07.008>.
- Sundqvist, H.S., Kaufman, D.S., McKay, N.P., Balascio, N.L., Briner, J.P., Cwynar, L.C., Sejrup, H.P., Seppä, H., Subetto, D.A., Andrews, J.T., Axford, Y., Bakke, J., Birks, H.J.B., Brooks, S.J., et al., 2014, Arctic Holocene proxy climate database – new approaches to assessing geochronological accuracy and encoding climate variables: *Clim. Past*, v. 10, no. 4, p. 1605–1631, doi: 10.5194/cp-10-1605-2014.
- Syverson, D.D., Borrok, D.M., and Seyfried Jr, W.E., 2013, Experimental determination of equilibrium Fe isotopic fractionation between pyrite and dissolved Fe under hydrothermal conditions: *Geochimica et Cosmochimica Acta*, , no. 0, doi: <http://dx.doi.org/10.1016/j.gca.2013.08.027>.
- Syverson, D.D., Ono, S., Shanks, W.C., and Seyfried Jr, W.E., 2015, Multiple sulfur isotope fractionation and mass transfer processes during pyrite precipitation and recrystallization: An experimental study at 300 and 350 °C: *Geochimica et Cosmochimica Acta*, v. 165, p. 418–434, doi: <http://dx.doi.org/10.1016/j.gca.2015.06.022>.
- Talbot, M.R., 1984, Preliminary results from sediment cores from Lake Bosumtwi, Ghana.: *Palaeoecology of Africa*. Vol. 16, p. 173–192.

- Talbot, M.R., and Kelts, K., 1986, Primary and diagenetic carbonates in the anoxic sediments of Lake Bosumtwi, Ghana.: *Geology*, v. 14, no. 11, p. 912–916, doi: 10.1130/0091-7613(1986)14<912:PADCIT>2.0.CO.
- Talbot, M.R., and Johannessen, T., 1992, A high resolution palaeoclimatic record for the last 27,500 years in tropical West Africa from the carbon and nitrogen isotopic composition of lacustrine organic matter: *Earth and Planetary Science Letters*, v. 110, no. 1–4, p. 23–37, doi: 10.1016/0012-821X(92)90036-U.
- Talbot, M.R., and Lærdal, T., 2000, The Late Pleistocene - Holocene palaeolimnology of Lake Victoria, East Africa, based upon elemental and isotopic analyses of sedimentary organic matter: *Journal of Paleolimnology*, v. 23, no. 2, p. 141–164, doi: 10.1023/A:1008029400463.
- Talbot, M.R., and Livingstone, D.A., 1989, Hydrogen index and carbon isotopes of lacustrine organic matter as lake level indicators: *Palaeogeography, Palaeoclimatology, Palaeoecology*, v. 70, no. 1–3, p. 121–137, doi: 10.1016/0031-0182(89)90084-9.
- Tamuntuan, G., Bijaksana, S., King, J., Russell, J., Fauzi, U., Maryunani, K., Aufa, N., and Safiuddin, L.O., 2015, Variation of magnetic properties in sediments from Lake Towuti, Indonesia, and its paleoclimatic significance: *Palaeogeography, Palaeoclimatology, Palaeoecology*, v. 420, no. 0, p. 163–172, doi: <http://dx.doi.org/10.1016/j.palaeo.2014.12.008>.
- Tarasov, P.E., Andreev, A.A., Anderson, P.M., Lozhkin, A. V., Leipe, C., Haltia, E., Nowaczyk, N.R., Wennrich, V., Brigham-Grette, J., and Melles, M., 2013, A pollen-based biome reconstruction over the last 3.562 million years in the Far East Russian Arctic – new insights into climate–vegetation relationships at the regional scale: *Climate of the Past*, v. 9, no. 6, p. 2759–2775, doi: 10.5194/cp-9-2759-2013.
- Teed, R., Umbanhowar, C., and Camill, P., 2009, Multiproxy lake sediment records at the northern and southern boundaries of the Aspen Parkland region of Manitoba, Canada: *The Holocene*, v. 19, no. 6, p. 937–948, doi: 10.1177/0959683609336569.
- Teller, J.T., 2013, Lake Agassiz during the Younger Dryas: *Quaternary Research*, v. 80, no. 3, p. 361–369, doi: 10.1016/j.yqres.2013.06.011.
- Teller, J.T., Yang, Z.R., Boyd, M., Buhay, W.M., McMillan, K., Kling, H.J., and Telka, A.M., 2008, Postglacial sedimentary record and history of West Hawk Lake crater, Manitoba: *Journal of Paleolimnology*, v. 40, no. 2, p. 661–688, doi: 10.1007/s10933-008-9192-8.
- Tfaily, M.M., Corbett, J.E., Wilson, R., Chanton, J.P., Glaser, P.H., Cawley, K.M., Jaffé, R., and Cooper, W.T., 2015, Utilization of PARAFAC-Modeled Excitation-Emission Matrix (EEM) Fluorescence Spectroscopy to Identify Biogeochemical Processing of Dissolved Organic Matter in a Northern Peatland: *Photochemistry and Photobiology*, v. 91, no. 3, p. 684–695, doi: 10.1111/php.12448.

- Tfaily, M.M., Hamdan, R., Corbett, J.E., Chanton, J.P., Glaser, P.H., and Cooper, W.T., 2013, Investigating dissolved organic matter decomposition in northern peatlands using complimentary analytical techniques: *Geochimica et Cosmochimica Acta*, v. 112, no. 0, p. 116–129, doi: <http://dx.doi.org/10.1016/j.gca.2013.03.002>.
- Thompson, R.S., Toolin, L.J., Forester, R.M., and Spencer, R.J., 1990, Accelerator-mass spectrometer (AMS) radiocarbon dating of Pleistocene lake sediments in the Great Basin: *Palaeogeography, Palaeoclimatology, Palaeoecology*, v. 78, no. 3–4, p. 301–313, doi: [10.1016/0031-0182\(90\)90219-w](http://dx.doi.org/10.1016/0031-0182(90)90219-w).
- Thurrow, J., Peterson, L.C., Harms, U., Hodell, D.A., Cheshire, H., Brumsack, H.-J., Irino, T., Schulz, M., Masson-Delmotte, V., and Tada, R., 2009, Acquiring High to Ultra-High Resolution Geological Records of Past Climate Change by Scientific Drilling: *Scientific Drilling*, , no. 8, Sept 2009, p. 46–56, doi: [10.2204/iodp.sd.8.08.2009](http://dx.doi.org/10.2204/iodp.sd.8.08.2009).
- Tierney, J.E., Russell, J.M., Eggermont, H., Hopmans, E.C., Verschuren, D., and Damste, J.S.S., 2010, Environmental controls on branched tetraether lipid distributions in tropical East African lake sediments: *Geochimica Et Cosmochimica Acta*, v. 74, no. 17, p. 4902–4918, doi: [10.1016/j.gca.2010.06.002](http://dx.doi.org/10.1016/j.gca.2010.06.002).
- Tierney, J.E., Mayes, M.T., Meyer, N., Johnson, C., Swarzenski, P.W., Cohen, A.S., and Russell, J.M., 2010, Late-twentieth-century warming in Lake Tanganyika unprecedented since AD 500: *Nature Geosci*, v. 3, no. 6, p. 422–425, doi: [http://www.nature.com/ngeo/journal/v3/n6/supinfo/ngeo865\\_S1.html](http://www.nature.com/ngeo/journal/v3/n6/supinfo/ngeo865_S1.html).
- Tierney, J.E., Russell, J.M., and Huang, Y., 2010, A molecular perspective on Late Quaternary climate and vegetation change in the Lake Tanganyika basin, East Africa: *Quaternary Science Reviews*, v. 29, no. 5–6, p. 787–800, doi: [10.1016/j.quascirev.2009.11.030](http://dx.doi.org/10.1016/j.quascirev.2009.11.030).
- Tierney, J.E., Russell, J.M., Huang, Y.S., Damsté, J.S.S., Hopmans, E.C., Cohen, A.S., Damste, J.S.S., Hopmans, E.C., and Cohen, A.S., 2008, Northern hemisphere controls on tropical southeast African climate during the past 60,000 years: *Science*, v. 322, no. 5899, p. 252–255, doi: [10.1126/science.1160485](http://dx.doi.org/10.1126/science.1160485).
- Tierney, J.E., Smerdon, J.E., Anchukaitis, K.J., and Seager, R., 2013, Multidecadal variability in East African hydroclimate controlled by the Indian Ocean: *Nature*, v. 493, no. 7432, p. 389–392.
- Toney, J.L., Huang, Y.S., Fritz, S.C., Baker, P.A., Grimm, E., and Nyren, P., 2010, Climatic and environmental controls on the occurrence and distributions of long chain alkenones in lakes of the interior United States: *Geochimica Et Cosmochimica Acta*, v. 74, no. 5, p. 1563–1578, doi: [10.1016/j.gca.2009.11.021](http://dx.doi.org/10.1016/j.gca.2009.11.021).
- TORRES-RODRÍGUEZ, E., LOZANO-GARCÍA, S., ROY, P., ORTEGA, B., BERAMENDI-OROSCO, L., CORREA-METRIO, A., and CABALLERO, M., 2015, Last Glacial

droughts and fire regimes in the central Mexican highlands: *Journal of Quaternary Science*, v. 30, no. 1, p. 88–99, doi: 10.1002/jqs.2761.

Torres-Rodríguez, E., Lozano-García, S., Roy, P., Ortega, B., Beramendi-Orosco, L., Correa-Metrio, A., and Caballero, M., 2015, Last Glacial droughts and fire regimes in the central Mexican highlands: *Journal of Quaternary Science*, v. 30, no. 1, doi: 10.1002/jqs.2761.

Triplett, L.D., Engstrom, D.R., Conley, D.J., and Schellhaass, S.M., 2008, Silica fluxes and trapping in two contrasting natural impoundments of the upper Mississippi River: *Biogeochemistry*, v. 87, no. 3, p. 217–230, doi: 10.1007/s10533-008-9178-7.

Triplett, L.D., Engstrom, D.R., and Conley, D.J., 2011, Changes in amorphous silica sequestration with eutrophication of riverine impoundments: *Biogeochemistry*, v. 108, no. 1–3, p. 413–427, doi: 10.1007/s10533-011-9608-9.

Triplett, L.D., Engstrom, D.R., and Edlund, M.B., 2009, A whole-basin stratigraphic record of sediment and phosphorus loading to the St. Croix River, USA: *Journal of Paleolimnology*, v. 41, no. 4, p. 659–677, doi: 10.1007/s10933-008-9290-7.

Tweiten, M.A., Calcote, R.R., Lynch, E.A., Hotchkiss, S.C., and Schuurman, G.W., 2015, Geophysical features influence the climate change sensitivity of northern Wisconsin pine and oak forests: *Ecological Applications*, v. 25, no. 7, p. 1984–1996.

Tweiten, M.A., Calcote, R.R., Lynch, E.A., Hotchkiss, S.C., and Schuurman, G.W., 2015, Geophysical features influence the climate change sensitivity of northern Wisconsin pine and oak forests: v. 25, no. 7, p. 1984–1996.

Tweiten, M.A., Hotchkiss, S.C., Booth, R.K., Calcote, R.R., and Lynch, E.A., 2009, The response of a jack pine forest to late-Holocene climate variability in northwestern Wisconsin: *The Holocene*, v. 19, no. 7, p. 1049–1061, doi: 10.1177/0959683609340993.

Tweiten, M.A., Hotchkiss, S.C., Vitousek, P.M., Kellner, J.R., Chadwick, O.A., and Asner, G.P., 2014, Resilience against exotic species invasion in a tropical montane forest (D. Rocchini, Ed.): *Journal of Vegetation Science*, v. 25, no. 3, p. 734–749, doi: 10.1111/jvs.12112.

Umbanhowar, C.E., Shinneman, A.L.C., Tserenkhand, G., Hammon, E.R., Lor, P., and Nail, K., 2009, Regional fire history based on charcoal analysis of sediments from nine lakes in western Mongolia: *The Holocene*, v. 19, no. 4, p. 611–624, doi: 10.1177/0959683609104039.

Umbanhowar, C.E., 2004, Interactions of climate and fire at two sites in the northern Great Plains, USA: *Palaeogeography, Palaeoclimatology, Palaeoecology*, v. 208, no. 1–2, p. 141–152, doi: 10.1016/j.palaeo.2004.03.001.

- Umbanhowar, C.E., Camill, P., and Dorale, J.A., 2010, Regional heterogeneity and the effects of land use and climate on 20 lakes in the big woods region of Minnesota: *Journal of Paleolimnology*, v. 45, no. 2, p. 151–166, doi: 10.1007/s10933-010-9486-5.
- Umbanhowar, C.E., Camill, P., Geiss, C.E., and Teed, R., 2006, Asymmetric vegetation responses to mid-Holocene aridity at the prairie–forest ecotone in south-central Minnesota: *Quaternary Research*, v. 66, no. 1, p. 53–66, doi: 10.1016/j.yqres.2006.03.005.
- Umbanhowar, C.E., 1996, Recent fire history of the Northern great plains: *American Midland Naturalist*, v. 135, no. 1, p. 115–121.
- Umbanhowar, C., Camill, P., Edlund, M., Geiss, C., Henneghan, P., and Passow, K., 2015, Lake–landscape connections at the forest–tundra transition of northern Manitoba: *Inland Waters*, v. 5, no. 1, p. 57–74, doi: 10.5268/IW-5.1.752.
- Urrego, D.H., Hooghiemstra, H., Rama-Corredor, O., Martrat, B., Grimalt, J.O., Thompson, L., and Data, C., 2015, Rapid millennial-scale vegetation changes in the tropical Andes: *Clim. Past Discuss.*, v. 11, no. 3, p. 1701–1739, doi: 10.5194/cpd-11-1701-2015.
- Valero Garcés, B.L., Grosjean, M., Schwalb, A., Kelts, K., Schreier, H., and Messerli, B., 1996, Limnogeología de Laguna Chungara y cambio climático durante el Holoceno Superior en el Altiplano chileno septentrional: *Cadernos Laboratorio Xeológico de Laxe*, v. 21, p. 271–280.
- Valero Garcés, B., Morellón, M., Martín Puertas, C., Moreno, A., Corella, P., González Sampérez, P., Rico, M., Mata, P., and Navas, A., 2009, Una visión paleolimnológica de tres lagos kársticos (Zoñar, Estanya y Taravilla): Evolución sedimentaria y paleohidrológica, clima e impacto humano e implicaciones para la gestión y conservación: *Boletín Geológico y Minero*, v. 120, no. 3, p. 479–496.
- Valero Garcés, B.L.L., Moreno, A., Navas, A., Mata, P., Machín, J., Delgado Huertas, A., González Sampérez, P., Schwalb, A., Morellón, M., Cheng, H., and Edwards, R.L.L., 2008, The Taravilla lake and tufa deposits (Central Iberian Range, Spain) as palaeohydrological and palaeoclimatic indicators: *Palaeogeography, Palaeoclimatology, Palaeoecology*, v. 259, no. 2–3, p. 136–156, doi: 10.1016/j.palaeo.2007.10.004.
- Valero-Garcés, B.L., González-Sampérez, P., Navas, A., Machín, J., Mata, P., Delgado-Huertas, A., Bao, R., Moreno, A., Carrión, J.S., Schwalb, A., and González-Barrios, A., 2006, Human Impact Since Medieval Times and Recent Ecological Restoration in a Mediterranean Lake: The Laguna Zoñar, Southern Spain: *Journal of Paleolimnology*, v. 35, no. 3, p. 441–465, doi: 10.1007/s10933-005-1995-2.
- Valero-Garcés, B.L., Laird, K.R., Fritz, S.C., Kelts, K., Ito, E., and Grimm, E.C., 1997, Holocene Climate in the Northern Great Plains Inferred from Sediment Stratigraphy, Stable Isotopes, Carbonate Geochemistry, Diatoms, and Pollen at Moon Lake, North Dakota: *Quaternary Research*, v. 48, no. 3, p. 359–369.

- Valero-Garcés, B.L., and Moreno, A., 2011, Iberian lacustrine sediment records: responses to past and recent global changes in the Mediterranean region: *Journal of Paleolimnology*, v. 46, no. 3, p. 319–325, doi: 10.1007/s10933-011-9559-0.
- Valero-Garcés, B., Morellón, M., Moreno, A., Corella, J.P., Martín-Puertas, C., Barreiro, F., Pérez, A., Giralt, S., and Mata-Campo, M.P., 2014, Lacustrine carbonates of Iberian Karst Lakes: Sources, processes and depositional environments: *Sedimentary Geology*, v. 299, p. 1–29, doi: 10.1016/j.sedgeo.2013.10.007.
- Valero-Garcés, B.L., and Kelts, K.R., 1995, A sedimentary facies model for perennial and meromictic saline lakes: Holocene Medicine Lake Basin, South Dakota, USA: *Journal of Paleolimnology*, v. 14, no. 2, p. 123–149, doi: 10.1007/BF00735478.
- van den Bogaard, C., Jensen, B.J.L., Pearce, N.J.G., Froese, D.G., Portnyagin, M. V., Ponomareva, V. V., and Wennrich, V., 2014, Volcanic ash layers in Lake El'gygytyn: eight new regionally significant chronostratigraphic markers for western Beringia: *Climate of the Past*, v. 10, no. 3, p. 1041–1062, doi: 10.5194/cp-10-1041-2014.
- Van der Meeren, T., Almendinger, J.E., Ito, E., and Martens, K., 2010, The ecology of ostracodes (Ostracoda, Crustacea) in western Mongolia: *Hydrobiologia*, v. 641, no. 1, p. 253–273, doi: 10.1007/s10750-010-0089-y.
- Van der Meeren, T., Mischke, S., Sunjidmaa, N., Herzsuh, U., Ito, E., Martens, K., and Verschuren, D., 2012, Subfossil ostracode assemblages from Mongolia – Quantifying response for paleolimnological applications: *Ecological Indicators*, v. 14, no. 1, p. 138–151, doi: 10.1016/j.ecolind.2011.07.004.
- Van der Meeren, T., Ito, E., Verschuren, D., Almendinger, J.E., and Martens, K., 2011, Valve chemistry of *Limnocythere inopinata* (Ostracoda) in a cold arid environment — Implications for paleolimnological interpretation: *Palaeogeography, Palaeoclimatology, Palaeoecology*, v. 306, no. 3–4, p. 116–126, doi: 10.1016/j.palaeo.2011.04.006.
- Van der Meeren, T., Verschuren, D., Ito, E., and Martens, K., 2010, Morphometric techniques allow environmental reconstructions from low-diversity continental ostracode assemblages: *Journal of Paleolimnology*, v. 44, no. 4, p. 903–911, doi: 10.1007/s10933-010-9463-z.
- Van Zeist, W., and Wright, H.E., 1963, Preliminary pollen studies at Lake Zeribar, Zagros Mountains, Southwestern Iran: *Science*, v. 140, no. 3562, p. 65–67.
- Vázquez-Castro, G., Ortega-Guerrero, B., Rodríguez, A., Caballero, M., and Lozano-García, S., 2008, Mineralogía magnética como indicador de sequía en los sedimentos lacustres de los últimos ca. 2,600 años de Santa María del Oro, occidente de México: *Revista Mexicana de Ciencias Geológicas*, v. 25, no. 1, p. 21–38.
- Vegas-Vilarrúbia, T., González-Sampériz, P., Morellón, M., Gil-Romera, G., Pérez-Sanz, A., and Valero-Garcés, B., 2013, Diatom and vegetation responses to Late Glacial and Early

Holocene climate changes at Lake Estanya (Southern Pyrenees, NE Spain):  
Palaeogeography, Palaeoclimatology, Palaeoecology, v. 392, no. 0, p. 335–349, doi:  
10.1016/j.palaeo.2013.09.011.

Verschuren, D., Johnson, T.C., Kling, H.J., Edgington, D.N., Leavitt, P.R., Brown, E.T., Talbot, M.R., and Hecky, R.E., 2002, History and timing of human impact on Lake Victoria, East Africa.: Proceedings. Biological sciences / The Royal Society, v. 269, no. 1488, p. 289–94, doi: 10.1098/rspb.2001.1850.

Vogel, H., Meyer-Jacob, C., Melles, M., Brigham-Grette, J., Andreev, A.A., Wennrich, V., Tarasov, P.E., and Rosén, P., 2013, Detailed insight into Arctic climatic variability during MIS 11c at Lake El'gygytgyn, NE Russia: Climate of the Past, v. 9, no. 4, p. 1467–1479, doi: 10.5194/cp-9-1467-2013.

Vogel, H., Russell, J., Cahyarini, S., Bijaksana, S., Wattrus, N., Rethemeyer, J., and Melles, M., 2015, Depositional modes and lake-level variability at Lake Towuti, Indonesia, during the past ~29 kyr BP: Journal of Paleolimnology, v. 54, no. 4, p. 359–377, doi: 10.1007/s10933-015-9857-z.

Vuille, M., Burns, S.J., Taylor, B.L., Cruz, F.W., Bird, B.W., Abbott, M.B., Kanner, L.C., Cheng, H., and Novello, V.F., 2012, A review of the South American monsoon history as recorded in stable isotopic proxies over the past two millennia: Clim. Past, v. 8, no. 4, p. 1309–1321, doi: 10.5194/cp-8-1309-2012.

Waldmann, N., Ariztegui, D., Anselmetti, F.S., Coronato, A., and Austin, J.A., 2010, Geophysical evidence of multiple glacier advances in Lago Fagnano (54 degrees S), southernmost Patagonia: Quaternary Science Reviews, v. 29, no. 9–10, p. 1188–1200, doi: 10.1016/j.quascirev.2010.01.016.

Waldmann, N., Anselmetti, F.S., Ariztegui, D., Austin, J.J.A., Pirouz, M., Moy, C.M., and Dunbar, R., 2011, Holocene mass-wasting events in Lago Fagnano, Tierra del Fuego (54°S): implications for paleoseismicity of the Magallanes-Fagnano transform fault: Basin Research, v. 23, no. 2, p. 171–190, doi: 10.1111/j.1365-2117.2010.00489.x.

Waldmann, N., Ariztegui, D., Anselmetti, F.S., Austin, J.A., Moy, C.M., Stern, C., Recasens, C., and Dunbar, R.B., 2010, Holocene climatic fluctuations and positioning of the Southern Hemisphere westerlies in Tierra del Fuego (54° S), Patagonia: Journal of Quaternary Science, v. 25, no. 7, p. 1063–1075, doi: 10.1002/jqs.1263.

Waldmann, N., Borrromei, A.M., Recasens, C., Olivera, D., Martínez, M.A., Maidana, N.I., Ariztegui, D., Austin Jr, J.A., Anselmetti, F.S., and Moy, C.M., 2014, Integrated reconstruction of Holocene millennial-scale environmental changes in Tierra del Fuego, southernmost South America: Palaeogeography, Palaeoclimatology, Palaeoecology, , no. 0, doi: <http://dx.doi.org/10.1016/j.palaeo.2014.01.023>.



- Walsh, M.K., Whitlock, C., and Bartlein, P.J., 2010, 1200 years of fire and vegetation history in the Willamette Valley, Oregon and Washington, reconstructed using high-resolution macroscopic charcoal and pollen analysis: *Palaeogeography, Palaeoclimatology, Palaeoecology*, v. 297, no. 2, p. 273–289, doi: 10.1016/j.palaeo.2010.08.007.
- Walton, A.W., 2011, U.S. Continental Scientific Drilling Community Looks to the Future: *Sci. Dril.*, v. 11, p. 64–65, doi: 10.5194/sd-11-64-2011.
- Wang, Y., Gill, J.L., Marsicek, J., Dierking, A., Shuman, B., and Williams, J.W., 2015, Pronounced variations in *Fagus grandifolia* abundances in the Great Lakes region during the Holocene: *The Holocene*, v. 26, no. 4, p. 578–591, doi: 10.1177/0959683615612586.
- Weber, A.K., Russell, J.M., Goudge, T.A., Salvatore, M.R., Mustard, J.F., and Bijaksana, S., 2015, Characterizing clay mineralogy in Lake Towuti, Indonesia, with reflectance spectroscopy: *Journal of Paleolimnology*, v. 54, no. 2–3, p. 253–261, doi: 10.1007/s10933-015-9844-4.
- Wei, J.H., Finkelstein, D.B., Brigham-Grette, J., Castañeda, I.S., and Nowaczyk, N., 2014, Sediment colour reflectance spectroscopy as a proxy for wet/dry cycles at Lake El'gygytgyn, Far East Russia, during Marine Isotope Stages 8 to 12 (D. Ariztegui, Ed.): *Sedimentology*, v. 61, no. 6, p. 1793–1811, doi: 10.1111/sed.12116.
- Wennrich, V., Minyuk, P.S., Borkhodoev, V., Francke, A., Ritter, B., Nowaczyk, N.R., Sauerbrey, M.A., Brigham-Grette, J., and Melles, M., 2014, Pliocene to Pleistocene climate and environmental history of Lake El'gygytgyn, Far East Russian Arctic, based on high-resolution inorganic geochemistry data: *Climate of the Past*, v. 10, no. 4, p. 1381–1399, doi: 10.5194/cp-10-1381-2014.
- Wetterich, S., Grosse, G., Schirmermeister, L., Andreev, A.A., Bobrov, A.A., Kienast, F., Bigelow, N.H., and Edwards, M.E., 2012, Late Quaternary environmental and landscape dynamics revealed by a pingo sequence on the northern Seward Peninsula, Alaska: *Quaternary Science Reviews*, v. 39, p. 26–44, doi: 10.1016/j.quascirev.2012.01.027.
- Whitlock, C., McWethy, D.B., Tepley, A.J., Veblen, T.T., Holz, A., McGlone, M.S., Perry, G.L.W., Wilmschurst, J.M., and Wood, S.W., 2014, Past and Present Vulnerability of Closed-Canopy Temperate Forests to Altered Fire Regimes: A Comparison of the Pacific Northwest, New Zealand, and Patagonia: *BioScience*, v. 65, no. 2, p. 151–163, doi: 10.1093/biosci/biu194.
- Whitlock, C., Sarna-Wojcicki, A.M., Bartlein, P.J., and Nickmann, R.J., 2000, Environmental history and tephrostratigraphy at Carp Lake, southwestern Columbia Basin, Washington, USA: *Palaeogeography, Palaeoclimatology, Palaeoecology*, v. 155, no. 1–2, p. 7–29, doi: 10.1016/s0031-0182(99)00092-9.
- Wicaksono, S.A., Russell, J.M., and Bijaksana, S., 2015, Compound-specific carbon isotope records of vegetation and hydrologic change in central Sulawesi, Indonesia, since 53,000 yr

BP: *Palaeogeography, Palaeoclimatology, Palaeoecology*, v. 430, p. 47–56, doi: <http://dx.doi.org/10.1016/j.palaeo.2015.04.016>.

Wigdahl-Perry, C.R., Saros, J.E., Schmitz, J., Calcote, R., Rusak, J., Anderson, D., and Hotchkiss, S., 2016, Response of temperate lakes to drought: a paleolimnological perspective on the landscape position concept using diatom-based reconstructions: *Journal of Paleolimnology*, v. 55, no. 4, p. 339–356, doi: 10.1007/s10933-016-9883-5.

Wilkie, K.M.K., Chaplignin, B., Meyer, H., Burns, S., Petsch, S., and Brigham-Grette, J., 2013, Modern isotope hydrology and controls on  $\delta D$  of plant leaf waxes at Lake El'gygytgyn, NE Russia: *Climate of the Past*, v. 9, no. 1, p. 335–352, doi: 10.5194/cp-9-335-2013.

Williams, D.F., Kuzmin, M.I., Prokopenko, A.A., Karabanov, E.B., Khursevich, G.K., and Bezrukova, E. V., 2001, The Lake Baikal drilling project in the context of a global lake drilling initiative: *Quaternary International*, v. 80–81, p. 3–18, doi: 10.1016/S1040-6182(01)00015-5.

Williams, J.W., Shuman, B., and Bartlein, P.J., 2009, Rapid responses of the prairie-forest ecotone to early Holocene aridity in mid-continental North America: *Global and Planetary Change*, v. 66, no. 3–4, p. 195–207, doi: 10.1016/j.gloplacha.2008.10.012.

Williams, J.J., McLauchlan, K.K., Mueller, J.R., Mellicant, E.M., Myrbo, A.E., and Lascu, I., 2015, Ecosystem development following deglaciation: A new sedimentary record from Devils Lake, Wisconsin, USA: *Quaternary Science Reviews*, v. 125, p. 131–143, doi: 10.1016/j.quascirev.2015.08.009.

Wing, S.L., Harrington, G.J., Smith, F.A., Bloch, J.I., Boyer, D.M., and Freeman, K.H., 2005, Transient Floral Change and Rapid Global Warming at the Paleocene-Eocene Boundary: *Science*, v. 310, no. 5750, p. 993–996.

Winston, B., Scott, J.T., and Pollock, E., 2016, The synergistic effect of elevated CO<sub>2</sub> and phosphorus on reservoir eutrophication: *Lake and Reservoir Management*, doi: 10.1080/10402381.2016.1231247.

Winston, B., Hausmann, S., Escobar, J., and Kenney, W.F., 2014, A sediment record of trophic state change in an Arkansas (USA) reservoir: *Journal of Paleolimnology*, v. 51, no. 3, p. 393–403, doi: 10.1007/s10933-013-9762-2.

Winston, B., Hausmann, S., Scott, J.T., and Morgan, R., 2014, The influence of rainfall on taste and odor production in a south-central USA reservoir: *Freshwater Science*, v. 33, no. 3, p. 755–764, doi: 10.1086/677176.

Winter, T.C., and Wright, H.E., 1977, PALEOHYDROLOGIC PHENOMENA RECORDED BY LAKE SEDIMENTS.: *Trans Am Geophys Union*, v. 58, no. 4, p. 188–196.

- Wittkop, C.A., Teranes, J.L., Dean, W.E., and Guilderson, T.P., 2009, A lacustrine carbonate record of Holocene seasonality and climate: *Geology*, v. 37, no. 8, p. 695–698, doi: 10.1130/g30056a.1.
- Wittkop, C., Teranes, J., Lubenow, B., and Dean, W.E., 2014, Carbon- and oxygen-stable isotopic signatures of methanogenesis, temperature, and water column stratification in Holocene siderite varves: *Chemical Geology*, v. 389, p. 153–166, doi: 10.1016/j.chemgeo.2014.09.016.
- Wolfe, A.P., Hobbs, W.O., Birks, H.H., Briner, J.P., Holmgren, S.U., Ingólfsson, Ó., Kaushal, S.S., Miller, G.H., Pagani, M., Saros, J.E., and Vinebrooke, R.D., 2013, Stratigraphic expressions of the Holocene–Anthropocene transition revealed in sediments from remote lakes: *Earth-Science Reviews*, v. 116, no. 1, p. 17–34, doi: 10.1016/j.earscirev.2012.11.001.
- Woltering, M., Johnson, T.C., Werne, J.P., Schouten, S., and Sinninghe Damsté, J.S., 2011, Late Pleistocene temperature history of Southeast Africa: A TEX86 temperature record from Lake Malawi: *Palaeogeography, Palaeoclimatology, Palaeoecology*, v. 303, no. 1–4, p. 93–102, doi: 10.1016/j.palaeo.2010.02.013.
- Wood, D.A., and Scholz, C.A., 2015, Stratigraphic framework and lake level history of Lake Kivu, East African Rift: *Journal of African Earth Sciences*, doi: 10.1016/j.jafrearsci.2016.06.014.
- Wooller, M., Wang, Y., and Axford, Y., 2007, A multiple stable isotope record of Late Quaternary limnological changes and chironomid paleoecology from northeastern Iceland: *Journal of Paleolimnology*, v. 40, no. 1, p. 63–77, doi: 10.1007/s10933-007-9144-8.
- Wright, H., 2004, A chronological framework for the Holocene vegetational history of central Minnesota: the Steel Lake pollen record: *Quaternary Science Reviews*, v. 23, no. 5–6, p. 611–626, doi: 10.1016/j.quascirev.2003.09.003.
- WRIGHT, H.E., WINTER, T.C., and PATTEN, H.L., 1963, Two Pollen Diagrams from Southeastern Minnesota: Problems in the Regional Late-Glacial and Postglacial Vegetational History: *Geological Society of America Bulletin*, v. 74, no. 11, p. 1371, doi: 10.1130/0016-7606(1963)74[1371:TPDFSM]2.0.CO;2.
- Wright, H.E., 1976, The dynamic nature of Holocene vegetation: *Quaternary Research*, v. 6, no. 4, p. 581–596, doi: 10.1016/0033-5894(76)90028-4.
- Wright, H.E., and Stefanova, I., 2004, Plant trash in the basal sediments of glacial lakes: *Acta Palaeobotanica*, v. 44, no. 2, p. 141–146.
- Xia, J., Haskell, B.J., Engstrom, D.R., and Ito, E., 1997, Holocene climate reconstructions from tandem trace-element and stable-isotope composition of ostracodes from Coldwater Lake, North Dakota, U.S.A.: *Journal of Paleolimnology*, v. 17, no. 1, p. 85–100, doi: 10.1023/A:1007921328712.

- Yu, S.-Y., Colman, S.M., Lowell, T. V, Milne, G.A., Fisher, T.G., Breckenridge, A., Boyd, M., and Teller, J.T., 2010, Freshwater Outburst from Lake Superior as a Trigger for the Cold Event 9300 Years Ago: *Science*, v. 328, no. 5983, p. 1262–1266, doi: 10.1126/science.1187860.
- Yu, S.-Y., Colman, S.M., and Milne, G.A., 2013, Separation of Lake Superior from Lakes Michigan–Huron about 1250 yr ago: *Earth and Planetary Science Letters*, , no. 0, doi: <http://dx.doi.org/10.1016/j.epsl.2013.05.051>.
- Yu, S.-Y., Colman, S.M., and Milne, G.A., 2013, Radiocarbon Dating of Basal Peats Supports Separation of Lake Superior from Lakes Michigan-Huron about 1250 years ago: *Earth and Planetary Science Letters*, v. 375, p. 319–325, doi: 10.1016/j.epsl.2013.05.051.
- Yu, Z., and Ito, E., 1999, Possible solar forcing of century-scale drought frequency in the northern Great Plains: *Geology*, v. 27, no. 3, p. 263, doi: 10.1130/0091-7613(1999)027<0263:PSFOCS>2.3.CO;2.
- Yu, Z., Ito, E., Engstrom, D.R., and Fritz, S.C., 2002, A 2100-year trace-element and stable-isotope record at decadal resolution from Rice Lake in the Northern Great Plains, USA: *The Holocene*, v. 12, no. 5, p. 605–617, doi: 10.1191/0959683602hl571rp.
- Zander, A., and Hilgers, A., 2013, Potential and limits of OSL, TT-OSL, IRSL and pIRIR290 dating methods applied on a Middle Pleistocene sediment record of Lake El'gygytyn, Russia: *Clim. Past*, v. 9, no. 2, p. 719–733, doi: 10.5194/cp-9-719-2013.
- Zhang, X., and Scholz, C.A., 2015, Turbidite systems of lacustrine rift basins: Examples from the Lake Kivu and Lake Albert rifts, East Africa: *Sedimentary Geology*, v. 325, no. 0, p. 177–191, doi: 10.1016/j.sedgeo.2015.06.003.
- Zhang, X., Scholz, C.A., Hecky, R.E., Wood, D.A., Zal, H.J., and Ebinger, C.J., 2014, Climatic control of the late Quaternary turbidite sedimentology of Lake Kivu, East Africa: Implications for deep mixing and geologic hazards: *Geology*, v. 42, no. 9, p. 811–814, doi: 10.1130/G35818.1.
- Zhao, C., Liu, Z., Rohling, E.J., Yu, Z., Liu, W., He, Y., Zhao, Y., and Chen, F., 2013, Holocene temperature fluctuations in the northern Tibetan Plateau: *Quaternary Research*, v. 80, no. 1, p. 55–65, doi: <http://dx.doi.org/10.1016/j.yqres.2013.05.001>.
- Zhao, C., Yu, Z., Ito, E., and Zhao, Y., 2010, Holocene climate trend, variability, and shift documented by lacustrine stable-isotope record in the northeastern United States: *Quaternary Science Reviews*, v. 29, no. 15–16, p. 1831–1843, doi: 10.1016/j.quascirev.2010.03.018.
- Zhao, C., Yu, Z., Zhao, Y., and Ito, E., 2009, Possible orographic and solar controls of Late Holocene centennial-scale moisture oscillations in the northeastern Tibetan Plateau: *Geophysical Research Letters*, v. 36, no. 21, p. L21705, doi: 10.1029/2009GL040951.

- Zhao, C., Yu, Z., Zhao, Y., Ito, E., Kodama, K.P., and Chen, F., 2010, Holocene millennial-scale climate variations documented by multiple lake-level proxies in sediment cores from Hurlig Lake, Northwest China: *Journal of Paleolimnology*, v. 44, no. 4, p. 995–1008, doi: 10.1007/s10933-010-9469-6.
- Zhao, W.W.W., Andreev, A.A.A., Wennrich, V., Tarasov, P.E.E., Anderson, P., Lozhkin, A.V. V, and Melles, M., 2015, The Réunion Subchron vegetation and climate history of the northeastern Russian Arctic inferred from the Lake El'gygytgyn pollen record: *Palaeogeography, Palaeoclimatology, Palaeoecology*, v. 436, p. 167–177, doi: 10.1016/j.palaeo.2015.06.047.
- Zhisheng, A., Li, A., Yougui, S., and Colman, S.M., 2006, Lake Qinghai Scientific Drilling Project: *Sci. Dril.*, v. 2, p. 20–22, doi: 10.5194/sd-2-20-2006.
- Zimmerman, S.R.H., Steponaitis, E., Hemming, S.R., and Zerbeño, P., 2012, Potential for accurate and precise radiocarbon ages in deglacial-age lacustrine carbonates: *Quaternary Geochronology*, v. 13, p. 81–91, doi: 10.1016/j.quageo.2012.07.003.
- Zimmerman, S., and Myrbo, A., 2015,  $^{14}\text{C}$  in Lacustrine Systems, *in* Rink, W.J., Thompson, J.W., Jull, A.J.T., Paces, B., and Heaman, L. eds., *Encyclopedia of Scientific Dating Methods*, *Encyclopedia of Earth Sciences Series*, Springer, p. 1015.